



30 May 2017
EMA/HMPC/464683/2016
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Vitis vinifera L., folium*

Final

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abascal K, Yarnell E. Botanicals for chronic venous insufficiency. *Altern Complem Therap* 2007, 3(6):304-311

Alguire PC, Mathes BM. Chronic venous insufficiency and venous ulceration. *J Gen Intern Med* 1997, 12:374-383

Andrian M, Jeandet R, Bessis R, Joubert JM. Induction of phytoalexin (Resveratrol) synthesis in grapevine leaves treated with Aluminum Chloride (AlCl). *J Agric Food Chem* 1996, 44(8):1979-81

Anonymous. Chronisch-venöse Insuffizienz: bessere Mikrovaskuläre Durchblutung durch roten Weinlaubextrakt AS 195. *Phlebologie* 2004, 33(4):52-53

Anonymous. Roter Weinlaubextrakt. *Deutsche Apotheker Zeitung* 2005, 145(46): 113. Antistax® SPC, 2005

Anonymous. A review of evidence on red vine leaf extract in the prevention and management of venous disease. *J Wound Care* 2006, 15(9):393-396

Aziz AA, Edwards CA, Lean ME, Crozier A. Absorption and excretion of conjugated flavonols, including quercetin-4'-O-beta-glucoside and isorhamnetin-4'-O-beta-glucoside by human volunteers after the consumption of onions. *Free Radic Res* 1998, 29(3):257-269

Bombardelli E, Morazzoni P, Carini M, et al. Biological activity of procyanidins from *Vitis vinifera L.* *BioFactors* 1997, 6:429-431

Bombardelli E., Morazzoni P. *Vitis vinifera, L. Fitoterapia* 1995, 66:291-317

Bonnet D, Mejdoubi S, Sommet A, Alric L. Acute hepatitis probably induced by *fumaria* and *vitis vinifera var tinctoria* plant therapy products. *Gastroenterol Clin Biol*, 2007, 31(11):1041-1042

Boucheny A, Brum-Bousquet M. Contribution à l'étude de la feuille de vigne rouge (*Vitis vinifera L.*). *Plantes Méd Phytothér* 1990, 24:179-92



Brito FF, Gimeno PM, Bartolome B, Alonso AM, Lara P, Fernández LA, Martínez A. Vine pollen allergy in areas with a high density of vineyards. *Annal Allerg Asthma Immunol* 2008, 100(6):596-600

Bruneton J. Pharmacognosie. Phytochimie. Plantes médicinales.3rd ed. *TEC & DOC- EM Inter* 1999, 365-366

Les Cahiers de l'Agence n° 3: Médicaments à base de plantes *Vigne rouge* Ed. Agence du Médicament, Paris 1998

Chung EY, Byung H, Lee MK, Yun YP, Lee SH, Min KR, Kim Y, et al. Anti-inflammatory effect of the oligomeric stilbene a-viniferin and its mode of the action through inhibition of cyclooxygenase-2 and inducible nitric oxide synthase. *Planta Med* 2003, 69(8):710-714

Costantini A, De Bernardi T, Gotti A. [Clinical and capillaroscopic evaluation of chronic uncomplicated venous insufficiency with procyanidins extracted from *Vitis vinifera*] [Article in Italian]. *Minerva Cardioangiol* 1999, 47(1-2):39-46

Cowell JA, Korytko PJ, Morrissey RL, Booth TD, Levine BS. Resveratrol-associated renal toxicity. *Toxicol Sci* 2004, 82(2): 614-619

Darné G, Glories Y. Les anthocyanes des feuilles de différentes variétés de *Vitis vinifera* L. entre la véraison des raisins et la chute des feuilles. *Vitis* 1988, 27:71-78

Diaz Lanza AM, Elias R, Maillard C, Faure R, de Sotto M, Balansard G. Mise au point sur les dérivés flavoniques des feuilles de trois cultivars de Vigne *Vitis vinifera* L. var. *tinctoria* (Alicante, Carignan, Grand noir). Intérêt dans le contrôle chimique. *Ann Pharm Franç* 1995, 47:229-234

Duke JA. Handbook of Medicinal Herbs. 2nd ed. CRC Press, Boca Raton, Florida 2002, 349

ESCOP Monographs 2nd edition. *Vitis Viniferae Folium* (Red vine Leaf), supplement 2009, 284-288

Fagrell B. Vital microscopy and the pathophysiology of deep venous insufficiency. *Int Angiol* 1995, 14:18-22

Gallenkemper G, Bulling BJ, Gerlach H, Jünger M, Kahle B, Klüken N, Lehnert W, Rabe E, Schwahn-Schreiber C. Guidelines on the diagnosis and treatment of chronic venous insufficiency (CVI). Guidelines of the German Phlebology Association 1998

German "Rote Liste" entries for Antistax® since 1974

Gharib Naseri MK, Heidari A. Spasmolytic effect of *Vitis vinifera* leaf extract on rat trachea. *J Med Plants* 2006i, 5(17):39-49

Gharib Naseri MK, Heidari A. Bronchodilatory activity of *Vitis vinifera* leaf hydroalcoholic extract in rat. *Iran Biomed J* 2006ii, 10(2):79-83

Gharib Naseri MK, Navid Hamidi M, Heidari A. Vasorelaxant effects of *Vitis vinifera* L. leaf extract on isolated rat aorta. *J Med Plants* 2004, 3(9):43-54

Girre L, Amoros M, Kaij-Kamb M, Baril F, Simões CMO. Le pouvoir antiherpétique *in vitro* des feuilles de vigne rouge (*Vitis vinifera*). *Fitoterapia* 1990, 61:201-205

Graefe EU, Wittig J, Mueller S, Riethling AK, Uehleke B, Drewelow B, et al. Pharmacokinetics and bioavailability of quercetin glycosides in humans. *J Clin Pharmacol* 2001, 41(5):492-499

Güthenke K. "Wesen und Behandlung der Bindegewebsschwäche, insbesondere der Veneninsuffizienz mit Weinblattextrakt". *Deutsch Medizin. J.* 1960, 11:370-373

Hertog MG, Hollman PC. Potential health effects of the dietary flavonol quercetin. *European J Clin Nutr* 1996, 50(2):63-71

Hmamouchi M, Es-Safi N, Essassi EM. Oligomeric and polymeric proanthocyanidins from Moroccan grapevine (*Vitis vinifera*) leaves. *Fitoterapia* 1997, 68:332-337

Hollman PC, Katan MB. Health effects and bioavailability of dietary flavonols. *Free Radic Res* 1999, 31: 75-80

Hostettmann K, Hamburger M. Constituents and pharmacology of herbal products for varicose veins. *Phlebol* (Stuttgart) 1994; 23: 71-77

Janssen K, Mensink RP, Cox FJ, Harryvan JL, Hovenier R, Hollman PC, et al. Effects of the flavonoids quercetin and apigenin on hemostasis in healthy volunteers: results from an in vitro and a dietary supplement study. *Am J Clin Nutr* 1998, 67(2):255-262

Jonadet M., Meunier MT, Bastide J. et P. Anthocyanosides extraits de *Vitis vinifera*, de *Vaccinium myrtillus* et de *Pinus maritima* *J Pharm Belg* 1983, 38: 41-46

Jünger M, Hahn U, Bort S, Klyszcz T, Hahn M, Rassner G. Importance of cutaneous microangiopathy for the development of skin diseases due to chronic venous insufficiency (CVI). *Wien Med Wochenschr* 1994, 144(10/11):206-210

Jünger M, Klyszcz T, Hahn M, Rassner G. Disturbed blood flow regulation in venous leg ulcers. *Int J Microcirc* 1996, 16:259-265

Kalogeromitros DC, Makris MP, Gregoriou SG, Mousatou VG, Lyris NG, Tarassi KE, et al. Grape anaphylaxis : a study of 11 adult onset cases. *Allergy Asthma Proc* 2005, 26(1):53-58

Kalus U, Koscielny J, Grigorov A, Schaefer E, Peil H, Kiesewetter H. Improvement of cutaneous microcirculation and oxygen supply in patients with chronic venous insufficiency by orally administered extract of red vine leaves AS195. A randomised, double-blind, placebo-controlled, cross-over study. *Drugs R&D* 2004, 5(2):63-71

Kiesewetter H, Koscielny J., Kalus U., Vix JM, Peil H, Petrini O, et al. Efficacy of orally administrated extract of red vine leaf AS 195 (folia *Vitis viniferae*) in chronic venous insufficiency (stages I-II). A randomized double-blind, placebo-controlled trials. *Arzneim Forsch* 2000, 50: 109-117

Kiesewetter H. [Good clinical practice in accordance with clinical studies on the efficacy and tolerability of red wine leaf extract AS 195 in chronic venous insufficiency.] *Vasomed* 2002, 14(1):18-20

Kosar M, Kupeli E, Malyer H, Uylaser V, Turkben C, Baser KH. Effect of brining on biological activity of leaves of *Vitis vinifera* L. (Cv. Sultani Cekirdeksiz) from Turkey. *J Agric Food Chem* 2007, 55 (11):4596-4603

Lala G, Malik M, Zhao C, He J, Kwon Y, Giusti MM, et al. Anthocyanin-rich extracts inhibit multiple biomarkers of colon cancer in rats. *Nutr Cancer* 2006, 54(1):84-93

Langcake P, Cornford CA, Pryce RJ. [Identification of pterostilbene as a phytoalexin from *Vitis vinifera* leaves.](#) *Phytochemistry* 1979, 18(6):1025-1027

Laparra J, Darné G. La feuille de vigne rouge en phytothérapie: étude des composés anthocyaniques de quelques présentations pharmaceutiques. *Plantes Méd Phytothér* 1989, 23:129-35

Lapidot T, Harel S, Granit R, Kanner J. Bioavailability of Red Wine Anthocyanins As Detected in Human Urine. *J Agric Food Chem* 1998, 46:4297-4302

Lardos A, Kreuter MH. Red vine leaf. Ed. by Dr. M. H. Kreuter, R & D Department, Phytopharm. and Phytochem. Products, Flachsmann AG, Butzenstrasse 60, 8038 Zurich, Switzerland. 2000. Publ. Ask Intercity Pharmaceut.: <http://www.askic.co.jp/vitis-vinifera/vitis-vinifera-Full-article.htm>

Leuschner F, Mitterer KE. Examination of the influence of *Extractum Vitis viniferae* L. on the pregnant rabbit and the foetus by oral administration. LPT Report No. 7441/92. 1993 (U93-1144)

Limoni C. 1996, unpublished study report provided by Boehringer Ingelheim

Liviero L, Puglisi P, Morazzoni P, Bombardelli E. Antimutagenic activity of procyanidins from *Vitis vinifera*. *Fitoterapia* 1993, 65:203-209

Lizarraga D, Lozano C, Briedé JJ, Van Delft JH, Touriño S, Centelles JJ, et al. The importance of polymerization and galloylation for the antiproliferative properties of procyanidin-rich natural extracts. *FEBS Journal* 2007, 274(18):4802-4811

Maffei Facino et al. Free radicals scavenging action and antienzyme activity of proantocyanidines from *Vitis vinifera*. A mechanism for their capillary protective action. *Arzneim Forsch* 1994, 44:592-601

Manach C, Donovan JL. Pharmacokinetics and metabolism of dietary flavonoids in humans. *Free Radical Res* 2004, 38(8):771-785

Manach C, Williamson G, Morand C, Scalbert A, Rémesy C. Bioavailability and bioefficacy of polyphenols in humans. I. Review of 97 bioavailability studies. *Am J Clin Nutr* 2005, 81:230-242

Middleton E Jr. Biological properties of plant flavonoids: An overview. *Int J Pharmacogn* 1996, 34(5):344-348

Middleton E Jr, Kandaswami C. Effects of flavonoids on immune and inflammatory cell functions. *Biochem Pharmacol* 1992, 43(6):1167-1179

Monagas M, Hernandez-Ledesma B, Gómez-Cordovés C, Bartolomé B. Commercial dietary ingredients from *Vitis vinifera* L. leaves and grape skins: antioxidant and chemical characterization. *J Agric Food Chem* 2006, 54(2):319-327

Monsieur R, Van Snick G. Action de l'extrait de feuilles de vigne rouge AS 195 dans l'insuffisance veineuse chronique. *Praxis* 2006, 95:187-90

Mur P, Feo Brito F, Bartolomé B, Galindo PA, Gómez E, Borja J, et al. Simultaneous allergy to vine pollen and grape. *J Investig Allergol Clin Immunol* 2006, 16(4):271-273

Nees S, Weiss DR, Reichenbach-Klinke E, Rampp F, Heilmeier B, Kanbach J, et al. Protective effects of flavonoids contained in the red wine leaf on venular endothelium against the attack of activated blood components *in vitro*. *Arzneim-Forsch/Drug Res* 2003i, 53(5):330-341

Nees S, Reichenbach-Klinke E, Rampp F, Weiss DR. Human venular endothelial cells as preferred targets in inflammatory edema: influence of thrombin, platelets, polymorphonuclear leukocytes and flavonoid extracts of red wine leaves. *Exper. Biol.* 2003ii, 17(4/5): Abstr

NTP: Toxicology and carcinogenesis studies of quercetin (CAS No. 117-39-5) in F344 rats (feed studies). 1992

Orhan DD, Orhan N, Ergun E, Ergun F. Hepatoprotective effect of *Vitis vinifera* L. leaves on carbon tetrachloride-induced acute liver damage in rats. *J Ethnopharmacol* 2007, 112(1):145-151

Orhan N, Aslan M, Deliorman Orhan D, Ergun F and Yesilada E. *In-vivo* assessment of antidiabetic and antioxidant activities of grapevine leaves (*Vitis vinifera*) in diabetic rats. *J Ethnopharmacol* 2006, 108:280-286

- Oskay M, Sari D. Antimicrobial screening of some Turkish medicinal plants. *Pharm Biol* 2007, 45(3):176-181
- Pari L, Suresh A. Effect of grape (*Vitis vinifera* L.) leaf extract on alcohol induced oxidative stress in rats. *Food Chem Toxicol* 2008, 46(5):1627-1634
- Partsch H. Classification and grading of chronic venous disease in the lower limbs – A consensus statement. 6th Ann Congr, Maui, Feb 22-25, 1994. *Phlebol* (Stuttgart) 1995, 24:125-129
- PDR for Herbal Medicines. 3rd edition. Thomson PDR 2004, 400-404, 988
- Petrini O, Schäfer E, Ambrosetti L, Schröder-Rumsfeld H, Bubeck J. Roter Weinlaubextrakt bei chronisch-venöser Insuffizienz. *Dtsch Apoth Ztg* 2003, 143:4847-4850
- Pharmacopée Française. Vigne rouge - *Vitis vinifera*. 10th ed. La Commission Nationale de Pharmacopée, Paris 1996
- Pietta PG. Flavonoids as antioxidants. *J Nat Prod* 2000, 63(7):1035-1042
- Porter JM, Moneta GL, International Consensus Committee on Chronic Venous Disease. Reporting standards in venous disease: an update. *J Vasc Surg* 1995, 21(4):635-645
- Prior RL, Absorption and metabolism of anthocyanins: potential health effects. In: Meskin MS, Bidlack WR, Davies AJ, Lewis DS, Randolph RK, editors. *Phytochemicals: mechanisms of action*. CRC Press, Boca Raton 2004, 1-19
- Rabe E, Pannier F, Larenz B. [Red vine leaf extract (AX 195) for chronic venous insufficiency] [Article in German] *Med Monatsschr Pharm* 2005, 28(2):55-59
- Rabe E, Stückler M, Esperester A, Schäfer E, Ottillinger B. Efficacy and tolerability of red-vine-leaf extract in patients suffering from chronic venous insufficiency--results of a double-blind placebo-controlled study. *Eur J Vasc Endovasc Surg*. 2011, 41(4):540-7
- Rabe E, Guex JJ, Morrison N, Ramelet AA, Schuller-Petrovic S, et al. Treatment of chronic venous disease with flavonoids: recommendations for treatment and further studies. *Phlebology* 2013, 28(6):308-19 7 (Abstract is only available)
- Raynaud J. Prescription et conseil en phytothérapie. Lavoisier 2005, 206-208
- Schaefer E, Peil H, Ambrosetti L, Petrini O. Oedema protective properties of the red vine leaf extract AS 195 (*Folia Vitis viniferae*) in the treatment of chronic venous insufficiency. A 6-week observational clinical trial. *Arzneimittelforschung* 2003, 53(4):243-246
- Schaefer E and Petrini O. 2004, unpublished study report provided by Boehringer Ingelheim
- Schneider E. Rotes Weinlaub - Geschichte der verwendung- Red vine leaves: The history of their applications. *Zeitsch Phytother* 2007i, 28(5):250-258
- Schneider E. Rotes Weinlaub - Eine venenwirksame Arzneidroge- Red wine leaf - An effective herbal drug for the treatment of chronic venous insufficiency. *Deutsch Apoth Zeit* 2007ii, 147: 3380-3386
- Schneider E, Von der Heydt H, Esperester A. Evaluation of polyphenol composition in red leaves from different varieties of *Vitis vinifera* Species. *Planta Med* 2008, 74:1-8
- Sendogdu N, Aslan M, Deliorman Orhan D, Ergun F, Yesilada E. Antidiabetic and antioxidant effects of *Vitis vinifera* L. leaves in streptozotocin-diabetic rats. *Turkish J Pharm Sci* 2006, 3(1): 7-17. // http://www.eczakademi.org/journal/_pdf/7syf-Vol3No12006.pdf

Shastry CS, Ashok K, Aravind MB, Joshi SD. Diuretic activity of the extracts of *Vitis vinifera* leaves. *Indian Drugs* 2002, 39(9):497-499

Smith PD. Neutrophil activation and mediators of inflammation in chronic venous insufficiency. *J Vasc Res* 1999, 36(1):24-36

Stagos D, Kazantzoglou G, Theofanidou D, Kakalopoulou G, Magiatis P, Mitaku S, et al. Activity of grape extracts from Greek varieties of *Vitis vinifera* against mutagenicity induced by bleomycin and hydrogen peroxide in *Salmonella typhimurium* strain TA102. *Mutat Res* 2006, 609(2):165-171

Tebib K, Bessanicon P, Rouanet J. Dietary grape seed tannins affect lipoproteins, lipoproteinlipases, and tissue lipids in rats fed hypercholesterolemic diets. *J Nutr* 1994, 124:2451-2457

Valnet J. Vigne rouge IN: Phytotherapie – Traitment des maladies par les plantes. 6th ed. Maloine, Paris. 1992. 607-608

Van Helemont J. *Vitis vinifera* IN: Compendium de Phytotherapie. Association Pharmaceutiques Belge, Bruxelles 1986:430-431

Vix JM, Dieterich S, Peil H. 2007. A 12-week, double-blind, randomised, placebo-controlled, multicentre trial to evaluate efficacy and tolerability of Antistax® film-coated tablets, 360 mg/day orally, in male and female patients suffering from chronic venous insufficiency. Unpublished study report provided by Boehringer Ingelheim

Volonté M, Petrini O. Extract of red vine leaves: effects on microcirculation. *Integr Nutr* 2004, 7(3):15-21

Volonté M, Schaefer E, Ambrosetti L, Petrini O. Extract of red vine leaves in chronic venous insufficiency: clinical aspects. *Integr Nutr* 2003, 6(2):13-21

Weber C. Red vine leaf protects the veins. News Conf 'Current Knowledge in the Therapy of Venous Diseases', *Dtsch Apoth Ztg* 2000, 140(28): 50-52 (German)

Wegrowski J, Robert AM, Moczar M. The effect of procyanidolic oligomers on the composition of normal and hypercholesterolemic rabbit aortas. *Biochem Pharmacol* 1984, 33:3491-3497

Widmer LK, Staehelin HB, Nissen C, Silva da A. Venous, arterial diseases, coronary heart disease in working people. Basler Studie I-III. Verlag Hans Huber, Bern 1981

Wollina U, Abdel-Naser MB, Mani R. A review of the microcirculation in skin in patients with chronic venous insufficiency: The problem and the evidence available for therapeutic options. *Int J Low Extr Wounds* 2006, 5(3):169-180

References assessed but not cited in the assessment report

Bilgrami KS, Jeswal P. Control of citrinin caused nephrotoxicosis through aqueous leaf extract of *Vitis vinifera* L., mercurious corrosivus and cortisone. *Indian J Exp Biol* 1993, 31:482-484

Butcher M. A review of evidence on red vine leaf extract in the prevention and management of venous disease. *J Wound Care* 2006, 15:393-396

Capitao LM, Menezes JD, Gouveia-Oliveira A. A multivariate analysis of the factors associated with the severity of chronic venous insufficiency. *Acta Med Port* 1993, 6:501-506

Chevallier L. Médicaments à base de plantes. 2nd ed. Masson 2004, 230

Chun HS, Kim JM, Choi EH, Chang N. Neuroprotective effects of several Korean medicinal plants traditionally used for stroke remedy. 2008

De Mey C. The oedema-protective effectiveness of Antistax® in chronic venous insufficiency: comments from the point of view of evidence-based medicine. *Fortschr Med* 2000, 118(3):125-133

De Smet PAGM. Health risks of herbal remedies: an update. *Clin Pharm Therap* 2004, 76(1):1-17

Ebadi M, Pharmacodynamic Basis of Herbal Medicine. CRC Press, 2002

Gharib Naseri MK, Zarei M, Amiri O. Spasmolytic effect of *Vitis vinifera* leaf extract on rat colon. *Daru* 2007, 14(4):203-207, (<http://diglib.tums.ac.ir/pub/magmng/pdf/3017.pdf>)

Grossmann K. Comparative efficacy of a combined treatment with compression stockings and oxerutin (Venoruton ®) versus compression stockings and placebo inpatients with CVI. *Phlebol* 1997, 26:105-110

Fine A.M. Oligomeric Proanthocyanidin Complexes: History, structure, and phytopharmaceutical applications. *Altern Med Rev* 2000, 5(2):144-151

Fricke U. Vein products. Arzneiverordnungsreport 1998. Schwabe U, Paffrath D (eds.). Springer Verlag, Berlin 1998, 538-550

Hebash KAH, Fadel HM, Soliman MMA. Volatile components of grape leaves. *J Islam Acad Sci* 1991, 4(1):26-28

Klopp R, Schippel W, Niemer W. Compression therapy and microcirculation: vital microscope investigations in patients suffering from chronic venous insufficiency before and after compression therapy. *Phlebol* 1996, 1:19-25

Klyszc T, Juenger M, Schanz S, Janz M, Rassner G, Kohnen R. Quality of life with chronic venous insufficiency (CVI): Result of a study using the newly developed Tuebingen questionnaire for measuring the quality of life in patients with CVI (TLQ-CVI). *Hautarzt* 1998, 49(5):372-381

Mills S and Bone K. Principles and Practice of Phytotherapy (Modern Herbal Medicine). Churchill Livingstone 2000

Muellerschoen H. Gene mutation assay in Chinese hamster V79 cells *in vitro* with Weinlaub-Extrakt (Extract of vine leaves). CCR Project No 329207. 1993

Mukherjee, PK. Plant products with hypercholesterolemic potentials. *Advances in Food Nut Res* 2003, 47:277-338

Nassiri-Asl M, Hosseinzadeh H. Review of the Pharmacological Effects of *Vitis vinifera* (Grape) and its Bioactive Compounds. *Phytother Res* 2009, 23:1197-1204

Neumann HAM, Broek MJTB van den. A comparative clinical trial of graduated compression stockings and O-(beta-hydroxyethyl)-rutosides (HR), in the treatment of patients, with chronic venous insufficiency. *Lymphol* 1995, 19:8-11

Nocker W, Diebschlag W. Dose-effect study with O-(beta-hydroxyethyl)-rutoside solutions for oral administration. *Vasa* 1987, 16(4):365-369

Nocker W, Diebschlag W, Lehmacher W. Three-month, randomized, double-blind dose-effect study of O-(β-hydroxethyl) rutoside solutions for oral administration. *Vasa* 1989, 18(3): 235-238

Pedopur Tropfen (Austria), Information extracted from the online search of Austrian Agency for Medicines. http://pharmaweb.ages.at/pharma_web/index.jsf

Pittler MH, Ernst E. Horse-chestnut seed extract for chronic venous insufficiency. A criteria-based systematic review. *Arch Dermatol* 1998, 134:1356-1360

Rehn D, Brunnauer H, Diebschlag W, Lehmacher W. Investigation of the therapeutic equivalence of different galenical preparations of O-(beta-hydroxyethyl)-rutosides following multiple dose peroral administration. *Arzneim Forsch/Drug Res* 1996, 46(5):488-492

Rehn D, Unkauf M, Vix JM. O-(β-hydroxyethyl)-rutosides for vein diseases. *Pharm Ztg* 1994, 139(27):36-44

Royer RJ, Schmidt CL. Evaluation of venotropic drugs by venous gas plethysmography. A study of procyanidolic oligomers. *Sem Hop* 1981, 57:2009-2013

Schimmer O. Pflanzliche Antimutagene. *Dtsch Apoth Ztg* 1999, 19:51-62

Steins A, Hahn M, Juenger M. Venous leg ulcers and microcirculation. *Clin Hemorheol Microcirc* 2001, 24:147-53

Tenant RW, Spalding JW, Stasiewicz S, Caspary WD, Mason JM, Resnick MA. Comparative evaluation of genetic toxicity patterns of carcinogens and noncarcinogens: strategies for predictive use of short-term assays. *Environ Health Perspect* 1987, 75:87-95

Vanaclocha B, Cañiguer S, editors. Vid- *Vitis vinifera* L. In: Fitoterapia- Vademecum de Prescription, 4th Ed. Masson, Barcelona 2003, 500-2

Wadsworth AN, Faulds D. Hydroxyethylrutosides: a review of its pharmacology, and therapeutic efficacy in venous insufficiency and related disorders. *Drugs* 1992, 44(6):1013-1032

Willa-Craps C, Wuethrich B. Contact allergy in chronic venous insufficiency. *Phlebol* (Stuttg) 1995, 24:93-97

Wright DDI, Franks PJ, Blair SD, Backhouse CM, Moffatt C, McCollum CN. Oxerutins in the prevention of recurrence in chronic venous ulceration: randomized controlled trial. *Br J Surg* 1991, 78(10):1269-1270