

20 March 2024
EMA/HMPC/24189/2023
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Rhodiola rosea L., rhizoma et radix*

Final – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abidov M, Crendal F, Grachev S, Seifulla R, Ziegenfuss T. Effect of extracts from Rhodiola rosea and Rhodiola crenulata (Crassulaceae) roots on ATP content in mitochondria of skeletal muscles. *Bull Exp Biol Med* 2003, 136(6):585-7

Abidov M, Grachev S, Seifulla RD, Ziegenfuss TN. Extract of Rhodiola rosea radix reduces the level of C-reactive protein and creatinine kinase in the blood. *Bull Exp Biol Med* 2004, 138(1):63-4

Ali Z, Fronczek FR, Khan IA. Phenylalkanoids and monoterpenoid analogues from the roots of Rhodiola rosea. *Planta Med* 2008; 74: 178-81

Asea A, Kaur P, Panossian A, Wikman KG. Evaluation of molecular chaperons Hsp 72 and neuropeptide Y as characteristic markers of adaptogenic activity of plant extracts. *Phytomed* 2013, 20:1323-1329

Bachmann C. Therapeutische Wirksamkeit und Sicherheit des Rosenwurz-Extraktes WS 1375: Resultate einer Anwendungsbeobachtung. *Schweiz Z Ganzheitsmed* 2016, 28:197-198

Battistelli M, De Sanctis R, De Bellis R, Cuccharini L, Dacha M, Gobbi P. Rhodiola rosea as antioxidant in red blood cells: ultrastructural and haemolytic behaviour. *Eur J Histochem* 2005, 49(3):243-54

Bjellin L, Löwkqvist B, Thorsson L. Cytotoxicity test of a herbal extract (*Sedum rosea*). *Swedish Herbal Institute* 1988, unpublished

Blomkvist J, Taube A, Larhammar D. Perspective on Roseroot (Rhodiola rosea) studies. *Planta Med* 2009, 75(11):1187-90

Boon-Niermeijer EK, van den Berg A, Wikman G, Wiegant FA. Phyto-adaptogens protect against environmental stress-induced death of embryos from the freshwater snail *Lymnaea stagnalis*. *Phytomed* 2000, 7(5):389-99

Borgonetti V, Governa P, Biagi M, Dalia P, Corsi L. Rhodiola rosea L. modulated inflammatory processes in a CRH-actived BV2 cell model. *Phytomed* 2020, 68:153143

Burgos R, Hancke J. Long-term toxicity test. 3 months subchronic toxicity test for Sedum rosea. *Swedish Herbal Institute*, Gothenburg, Sweden, 1991 unpublished results

Bystritsky A, Kerwin L, Feusner JD. A pilot study of Rhodiola rosea (Rhodax) for generalized anxiety disorder (GAD). *J Altern Complement Med* 2008, 14(2):175-80

Calcabrini C, De Bellis R, Mancini U, Cuccharini L, Potenza L, De Sanctis R, et al. Rhodiola rosea ability to enrich cellular antioxidant defences of cultured human keratinocytes. *Arch Dermatol Res* 2010, 302(3):191-200

Cao LL, Du GH, Wang MW. The effect of salidroside on cell damage induced by glutamate and intracellular free calcium in PC12 cells. *J Asian Nat Prod Res* 2006, 8(1-2):159-65

Cayer C, Ahmed F, Filion V, Saleem A, Cuerrier A, Allard M, et al. Characterisation of the anxiolytic activity of Nunavik Rhodiola rosea. *Planta Med* 2013, 79:1385-1391

Chen QG, Zeng YS, Tang JY, Qin YJ, Chen SJ, Zhong ZQ. Effects of Rhodiola rosea on body weight and intake of sucrose and water in depressive rats induced by chronic mild stress. *Zhong Xi Yi Jie He Xue Bao* 2008a, 6(9):952-5 (abstract only)

Chen QG, Zeng YS, Qu ZQ, Tang JY, Qin YJ, Chung P, et al. The effects of Rhodiola rosea extract on 5-HT level, cell proliferation and quantity of neurons at cerebral hippocampus of depressive rats. *Phytomed* 2009, 16(9):830-8

Chen TS, Liou SY, Chang YL. Antioxidant evaluation of three adaptogen extracts. *Am J Chin Med* 2008, 36(6):1209-17 (abstract only)

Chen X, Liu J, Gu X, Ding F. Salidroside attenuates glutamate-induced apoptotic cell death in primary cultured hippocampal neurons of rats. *Brain Res* 2008b, 1238: 189-198

Chen X, Zhang Q, Cheng Q, Ding F. Protective effect of salidroside against H2O2-induced cell apoptosis in primary culture of rat hippocampal neurons. *Mol Cell Biochem* 2009a, 332(1-2):85-93

Cifani C, Micioni Di B MV, Vitale G, Ruggieri V, Ciccioppo R, Massi M. Effect of salidroside, active principle of Rhodiola rosea extract, on binge eating. *Physiol Behav* 2010, 101(5):555-62

Cropley M, Banks AP, Boyle J. The Effects of Rhodiola rosea L. Extract on Anxiety, Stress, Cognition and Other Mood Symptoms. *Phytother Res* 2015, 29:1934-1939

Darbinyan V, Kteyan A, Panossian A, Gabrielian E, Wikman G, Wagner H. Rhodiola rosea in stress induced fatigue--a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty. *Phytomed* 2000, 7(5):365-71

Darbinyan V, Aslanyan G, Amroyan E, Gabrielyan E, Malmström C, Panossian A. Clinical trial of Rhodiola rosea L. extract SHR-5 in the treatment of mild to moderate depression. *Nord J Psychiatry* 2007, 61(5):343-8

De Bock K, Eijnde BO, Ramaekers M, Hespel P. Acute Rhodiola rosea intake can improve endurance exercise performance. *Int J Sport Nutr Exerc Metab* 2004, 14(3):298-307

De Sanctis R, De Bellis R, Scesa C, Mancini U, Cuccharini L, Dacha M. In vitro protective effect of Rhodiola rosea extract against hypochlorous acid-induced oxidative damage in human erythrocytes. *Biofactors* 2004, 20(3):147-59

Dinel A-L, Guinobert I, Lucas C, Blondeau C, Bardot V, Ripoche I, et al. Reduction of acute mild stress corticosterone response and changes in stress-responsive gene expression in male Balb/c mice after repeated administration of a Rhodiola rosea L. root extract. *Food Sci Nutr* 2019, 7:3827-3841

Edwards D, Heufelder A, Zimmermann A. Therapeutic Effects and Safety of Rhodiola rosea Extract WSW 1375 in Subjects with Life-stress Symptoms – Results of an Open-label Study. *Phytother Res* 2012, 26:1220-1225

Evdokimov VG. Effect of cryopowder Rhodiola rosae L. on cardiorespiratory parameters and physical performance of humans. *Aviakosm Ekolog Med* 2009, 43(6):52-6 (abstract only)

Evstatieva L, Todorova M, Antonova D, Staneva J. Chemical composition of the essential oils of Rhodiola rosea L. of three different origins. *Pharmacogn Mag* 2010, 6(24):256-8

Fintelmann V, Gruenwald J. Efficacy and tolerability of a Rhodiola rosea extract in adults with physical and cognitive deficiencies. *Adv Ther* 2007, 24(4):929-39

Ha Z, Zhu Y, Zhang X, Cui J, Zhang S, Ma Y, et al. The effect of rhodiola and acetazolamide on the sleep architecture and blood oxygen saturation in men living at high altitude. *Zhonghua Jie He He Hu Xi Za Zhi* 2002, 25(9):527-30

Hancke J, Burgos R. Sub-chronic toxicological study in pigs. Sedum rosea. *Swedish Herbal Institute*, 1992 unpublished

Hancke J, Burgos R, Caceres D. Evaluation of potential CNS toxicity of Sedum rosea dried extract. *Swedish Herbal Institute*, 1993, unpublished

Hellum BH, Tosse A, Hoybakk K, Thomsen M, Rohloff J, Georg Nilsen O. Potent in vitro inhibition of CYP3A4 and P-glycoprotein by Rhodiola rosea. *Planta Med* 2010, 76(4):331-8

Hu X, Zhang X, Qiu S, Yu D, Lin S. Salidroside induces cell-cycle arrest and apoptosis in human breast cancer cells. *Biochem Biophys Res Commun* 2010, 398(1):62-7

Hu X, Lin S, Yu D, Qiu S, Zhang X, Mei R. A preliminary study: the anti-proliferation effect of salidroside on different human cancer cell lines. *Cell Biol Toxicol* 2010a, 26(6):499-507

Hung SK, Perry R, Ernst E. The effectiveness and efficacy of Rhodiola rosea L.: A systematic review of randomized clinical trials. *Phytomed* 2011, 18(4):235-44

Huang SC, Lee FT, Kuo TY, Yang JH, Chien CT. Attenuation of long-term Rhodiola rosea supplementation on exhaustive swimming-evoked oxidative stress in the rat. *Chin J Physiol* 2009, 52(5):316-24 (abstract only)

Jafari M, Felgner JS, Bussel II, Hutchili T, Khodayari B, Rose MR, et al. Rhodiola: a promising anti-aging Chinese herb. *Rejuvenation Res* 2007, 10(4):587-602

Jeong HJ, Ryu YB, Park SJ, Kim JH, Kwon HJ, Kim JH, et al. Neuraminidase inhibitory activities of flavonols isolated from Rhodiola rosea roots and their in vitro anti-influenza viral activities. *Bioorg Med Chem* 2009, 17(19):6816-23

Kasper S, Dienel A. Multicenter, open-label, exploratory clinical trial with Rhodiola rosea extract in patients suffering from burnout symptoms. *Neuropsych Dis Treat* 2017, 13:889-898

Kim SH, Hyun SH, Choung SY. Antioxidative effects of Cinnamomi cassiae and Rhodiola rosea extracts in liver of diabetic mice. *Biofactors* 2006, 26(3):209-19

Kobayashi K, Yamada K, Murata T, Hasegawa T, Takano F, Koga K, et al. Constituents of Rhodiola rosea showing inhibitory effect on lipase activity in mouse plasma and alimentary canal. *Planta Med* 2008, 74(14):1716-9

Koop T, Dienel A, Heldmann M, Münte TF. Effects of a Rhodiola rosea extract on mental resource allocation and attention: an event-related potential dual task study. *Phytother Res* 2020, 34(12): 3287-3297

Kucinskaite A, Poblocka-Olech L, Krauze-Baranowska M, Sznitowska M, Savickas A, Briedis V. Evaluation of biologically active compounds in roots and rhizomes of Rhodiola rosea L. cultivated in Lithuania. *Medicina (Kaunas)* 2007, 43(6):487-94

Kumar V, Husain GM, Nöldner M, Koch E. Adaptogenic activity of WS 1375, a proprietary dry extract from Rhodiola rosea roots and rhizomes. *Pharmacologia* 2018, 9(3): 129-136

Kwon YI, Jang HD, Shetty K. Evaluation of Rhodiola crenulata and Rhodiola rosea for management of type II diabetes and hypertension. *Asia Pac J Clin Nutr* 2006, 15(3):425-32

Lee FT, Kuo TY, Liou SY, Chien CT. Chronic Rhodiola rosea extract supplementation enforces exhaustive swimming tolerance. *Am J Chin Med* 2009, 37(3):557-72

Lee Y, Jung J-C, Jang S, Kim J, Ali Z, Khan I, Oh S. Anti-inflammatory and neuroprotective effects of constituents isolated from Rhodiola rosea. *Evidence-based Compl Altern Med* 2013, 514049

Lekomtseva Y, Zhukova I, Wacker A. Rhodiola rosea in Subjects with Prolonged or Chronic Fatigue Symptoms: Results of an Open-Label Clinical Trial. *Compl Med Res* 2017, 24:46-52

Li J, Fan WH, Ao H. Effect of rhodiola on expressions of Flt-1, KDR and Tie-2 in rats with ischemic myocardium. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2005, 25(5):445-8 (abstract only)

Li HB, Ge YK, Zheng XX, Zhang L. Salidroside stimulated glucose uptake in skeletal muscle cells by activating AMP-activated protein kinase. *Eur J Pharmacol* 2008. 588(2-3):165-9

Li X, Ye X, Li X, Sun X, Liang Q, Tao L, et al. Salidroside protects against MPP(+) -induced apoptosis in PC12 cells by inhibiting the NO pathway. *Brain Res.* 2011, 1382: 9-18

Majewska A, Hoser G, Furmanowa M, Urbanska N, Pietrosiuk A, Zobel A, Kuras M. Antiproliferative and antimitotic effect, S phase accumulation and induction of apoptosis and necrosis after treatment of extract from Rhodiola rosea rhizomes on HL-60 cells. *J Ethnopharmacol* 2006, 103(1):43-52

Maniscalco I, Toffol E, Giupponi G, Conca A. The interaction of Rhodiola rosea and antidepressants. A case report. *Neuropsychiatrie* 2015, 29:36-38

Mannucci C, Navarra M, Calzavara E, Caputi AP, Calapai G. Serotonin involvement in Rhodiola rosea attenuation of nicotine withdrawal signs in rats. *Phytomedicine* 2012, 19:1117-1124

Mao GX, Wang Y, Qiu Q, Deng HB, Yuan LG, Li RG, et al. Salidroside protects human fibroblast cells from premature senescence induced by H₂O₂ partly through modulating oxidative status. *Mech Ageing Dev* 2010, 131(11-12):723-31

Mao JJ, Xie SX, Zee J, Soeller I, Li QS, Rockwell K, Amsterdam JD. Rhodiola rosea versus sertraline for major depressive disorder: A randomized placebo-controlled trial. *Phytomed* 2015, 22:394-399

Maslov LN, Lishmanov YB. Cardioprotective and antiarrhythmic properties of Rhodiolae roseae preparations. *Eksp Klin Farmakol* 2007, 70(5):59-67 (abstract only)

Maslov LN, Lishmanov YB, Arbuzov AG, Krylatov AV, Budankova EV, Konkovskaya YN, et al. Antiarrhythmic activity of phytoadaptogens in short-term ischemia-reperfusion of the heart and postinfarction cardiosclerosis. *Bull Exp Biol Med* 2009, 147(3):331-4 (abstract only)

Mattioli L, Perfumi M. Rhodiola rosea L. extract reduces stress- and CRF-induced anorexia in rats. *J Psychopharmacol* 2007, 21(7):742-50

Mattioli L, Funari C, Perfumi M. Effects of Rhodiola rosea L. extract on behavioural and physiological alterations induced by chronic mild stress in female rats. *J Psychopharmacol* 2009, 23(2):130-42

Mattioli L, Perfumi M. Evaluation of Rhodiola rosea L. extract on affective and physical signs of nicotine withdrawal in mice. *J Psychopharmacol* 2011, 25(3):402-410

Mattioli L, Perfumi M. Effects of a Rhodiola rosea L. extract on acquisition and expression of morphine tolerance and dependence in mice. *J Psychopharmacol* 2011a, 25(3): 411-420

MHRA (Medicines and Healthcare products Regulatory Agency , UK): Public assessment report.

Available at:

<https://mhraproducts4853.blob.core.windows.net/docs/577b7c4e45839f7becedb943b1c9e8fc16ad2bd>. Accessed 27/06/2023

Ming DS, Hillhouse BJ, Guns ES, Eberding A, Xie S, Vimalanathan S, Towers GH. Bioactive compounds from Rhodiola rosea (Crassulaceae). *Phytother Res* 2005, 19(9):740-3

Montiel-Ruiz RM, Roa-Coria JE, Patino-Camacho SI, Flores-Murrieta FJ, Deciga-Campos M. Neuropharmacological and toxicity evaluations of ethanol extract from Rhodiola rosea. *Drug Development Research* 2012, 73: 106-113

Olsson EM, von Scheele B, Panossian AG. A randomised, double-blind, placebo-controlled, parallel-group study of the standardised extract shr-5 of the roots of Rhodiola rosea in the treatment of subjects with stress-related fatigue. *Planta Med* 2009, 75(2):105-12

Ouyang JF, Lou J, Yan C, Ren ZH, Qiao HX, Hong DS. In-vitro promoted differentiation of mesenchymal stem cells towards hepatocytes induced by salidroside. *J Pharm Pharmacol* 2010, 62(4):530-8 (abstract only)

Palumbo DR, Occhiuto F, Spadaro F, Circosta C. Rhodiola rosea extract protects human cortical neurons against glutamate and hydrogen peroxide-induced cell death through reduction in the accumulation of intracellular calcium. *Phytother Res* 2012, 26:878-883

Panossian A, Hambardzumyan M, Hovhanissyan A, Wikman G. The adaptogens Rhodiola and Schizandra modify the response to immobilization stress in rabbits by suppressing the increase of phosphorylated stress-activated protein kinase, nitric oxide and cortisol. *Drug Target Insights* 2007, 2: 39-54

Panossian A, Hovhannisan A, Abrahamyan H, Gabrielyan E, Wikman G. Pharmacokinetic and pharmacodynamic study of interaction of Rhodiola rosea SHR-5 extract with warfarin and theophylline in rats. *Phytother Res* 2009, 23(3):351-7

Panossian A, Hovhannisan A, Abrahamyan H, Gabrielyan E, Wikman G. Pharmacokinetics of active constituents of Rhodiola rosea SHR-5 extract. In: Gupta VK (ed.). Comprehensive bioactive natural products. Vol. 2: Efficacy, safety & clinical evaluation I. Studium press, Houston 2010, 307-329

Panossian A, Nikoyan N, Ohanyan N, Hovhannisan A, Abrahamyan H, Gabrielyan E, Wikman G. Comparative study of Rhodiola preparations on behavioral despair of rats. *Phytomed* 2008, 15(1-2):84-91

Panossian A, Wikman G, Sarris J. Rosenroot (*Rhodiola rosea*): traditional use, chemical composition, pharmacology and clinical efficacy. *Phytomed* 2010a, 17(7):481-93

Parisi A, Tranchita E, Duranti G, Ciminelli E, Quaranta F, Ceci R, et al. Effects of chronic *Rhodiola Rosea* supplementation on sport performance and antioxidant capacity in trained male: preliminary results. *J Sports Med Phys Fitness* 2010, 50(1):57-63 (abstract only)

Perfumi M, Mattioli L. Adaptogenic and central nervous system effects of single doses of 3% rosavin and 1% salidroside *Rhodiola rosea* L. extract in mice. *Phytother Res* 2007, 21(1):37-43

Pooja, Bawa AS, Khanum F. Anti-inflammatory activity of *Rhodiola rosea*- "a second-generation adaptogen". *Phytother Res* 2009, 23(8):1099-102

Qian EW, Ge DT, Kong SK. Salidroside promotes erythropoiesis and protects erythroblasts against oxidative stress by up-regulating glutathione peroxidase and thioredoxin. *J Ethnopharmacol* 2011, 133(2):308-14

Qin YJ, Zeng YS, Zhou CC, Li Y, Zhong ZQ. Effects of *Rhodiola rosea* on level of 5-hydroxytryptamine, cell proliferation and differentiation, and number of neuron in cerebral hippocampus of rats with depression induced by chronic mild stress. *Zhongguo Zhong Yao Za Zhi* 2008, 33(23):2842-6 (abstract only)

Qu ZQ, Zhou Y, Zeng YS, Li Y, Chung P. Pretreatment with *Rhodiola rosea* extract reduces cognitive impairment induced by intracerebroventricular streptozotocin in rats: implication of anti-oxidative and neuroprotective effects. *Biomed Environ Sci* 2009, 22(4):318-26

Rohloff J. Volatiles from rhizomes of *Rhodiola rosea* L. *Phytochem* 2002, 59(6):655-61

Saratikov AS. The golden root (*Rhodiola rosea*). Tomsk University Publishers, Tomsk 1974

Schriner SE, Abrahanyan A, Avanessian A, Bussel I, Maler S, Gazarian M, et al. Decreased mitochondrial superoxide levels and enhanced protection against paraquat in *Drosophila melanogaster* supplemented with *Rhodiola rosea*. *Free Radic Res* 2009, 43(9):836-43 (abstract only)

Schriner SE, Avanesian A, Liu Y, Luesch H, Jafari M. Protection of human cultured cells against oxidative stress by *Rhodiola rosea* without activation of antioxidant defenses. *Free Radic Biol Med* 2009a, 47(5):577-84

Schutgens FW, Neogi P, van Wijk EP, van Wijk R, Wikman G, Wiegant FA. The influence of adaptogens on ultraweak biophoton emission: a pilot-experiment. *Phytother Res* 2009, 23(8):1103-8

Shen B, Truong J Helliwell R, Govindaraghavan S, Sucher NJ. An in vitro study of neuroprotective properties of traditional Chinese herbal medicines thought to promote healthy ageing and longevity. *BMC Compl Altern Med* 2013, 13:373

Shen W, Fan WH, Shi HM. Effects of rhodiola on expression of vascular endothelial cell growth factor and angiogenesis in aortic atherosclerotic plaque of rabbits. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2008, 28(11):1022-5 (abstract only)

Shevtsov VA, Zholus BI, Shervarly VI, Vol'skij VB, Korovin YP, Khristich MP, et al. A randomized trial of two different doses of a SHR-5 *Rhodiola rosea* extract versus placebo and control of capacity for mental work. *Phytomed* 2003, 10(2-3):95-105

Skarpanska-Stejnborn A, Pilaczynska-Szczesniak L, Basta P, Deskur-Smielecka E. The influence of supplementation with *Rhodiola rosea* L. extract on selected redox parameters in professional rowers. *Int J Sport Nutr Exerc Metab* 2009, 19(2):186-99

Spanakis M, Vizirianakis IS, Batzias G, Niopas I. Pharmacokinetic interaction between losartan and Rhodiola rosea in rabbits. *Pharmacol* 2013, 91:112-116

Spasov AA, Mandrikov VB, Mironova IA. The effect of rhodaxon on psycho-physiologic and physical adaptation of students to the academic load. *Exp Clin Pharmaol* 2000a, 63: 76-78

Spasov AA, Wikman GK, Mandrikov VB, Mironova IA, Neumoin VV. A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of Rhodiola rosea SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen. *Phytomed* 2000b, 7(2):85-9

Svedlund E, Larsson M, Hägerkvist R. Spontaneously Reported Adverse Reactions for Herbal Medicinal Products and Natural Remedies in Sweden 2007-15: Report from the *Medical Products Agency*. Drugs – Real World Outcomes 2017, 4:119-125

Tan CB, Gao M, Xu WR, Yang XY, Zhu XM, Du GH. Protective effects of salidroside on endothelial cell apoptosis induced by cobalt chloride. *Biol Pharm Bull* 2009, 32(8):1359-63

Tharakan B, Manyam BV. Botanical therapies in chronic fatigue. *Phytother Res* 2006, 20:91-95

Thu OK, Nilsen OG, Hellum B. In vitro inhibition of cytochrome P-450 activities and quantification of constituents in a selection of commercial Rhodiola rosea products. *Pharm. Biol.* 2016, 54(12):3249-3256

Thu OK, Spigset O, Nilsen OG, Hellum B. Effect of commercial Rhodiola rosea on CYP enzyme activity in humans. *Eur. J Clin Pharmacol* 2016a, 72:295-300

Thu OKF, Spigset O, Hellum B. Noncompetitive inhibition of human CYP2C9 in vitro by a commercial Rhodiola rosea product. *Pharmacol Res Per* 2017, 5(4):e00324

Tolonen A, Pakonen M, Hohtola A, Jalonen J. Phenylpropanoid glycosides from Rhodiola rosea. *Chem Pharm Bull (Tokyo)* 2003, 51(4):467-70

Van Diermen D, Marston A, Bravo J, Reist M, Carrupt PA, Hostettmann K. Monoamine oxidase inhibition by Rhodiola rosea L. roots. *J Ethnopharmacol* 2009, 122(2):397-401

Walker TB, Altobelli SA, Caprihan A, Robergs RA. Failure of Rhodiola rosea to alter skeletal muscle phosphate kinetics in trained men. *Metabolism* 2007, 56(8):1111-7

Walker TB, Robergs RA. Does Rhodiola rosea possess ergogenic properties? *Int J Sport Nutr Exerc Metab* 2006, 16(3):305-15

Wang H, Ding Y, Zhou J, Sun X, Wang S. The in vitro and in vivo antiviral effects of salidroside from Rhodiola rosea L. against coxsackievirus B3. *Phytomed* 2009a, 16(2-3):146-55

Wang Q, Wang J, Sun LJ, Hu LP, Li J, Shao JQ, et al. Salidroside protects the hypothalamic-pituitary-gonad axis of male rats undergoing negative psychological stress in experimental navigation and intensive exercise. *Zhonghua Nan Ke Xue* 2009, 15(4):331-6 (abstract only)

Wiegant FA, Surinova S, Ytsma E, Langelaar-Makkinje M, Wikman G, Post JA. Plant adaptogens increase lifespan and stress resistance in *C. elegans*. *Biogerontol* 2009, 10(1):27-42

Wing SL, Askew EW, Luetkemeier MJ, Ryujin DT, Kamimori GH, Grissom CK. Lack of effect of Rhodiola or oxygenated water supplementation on hypoxemia and oxidative stress. *Wilderness Environ Med* 2003, 14(1):9-16

Woron J & Siwek M. Unwanted effects of psychotropic drug interactions with medicinal products and diet supplements containing plant extracts. *Psychiatr Pol* 2018, 52(6):983-996

- Wu T, Zhou H, Jin Z, Bi S, Yang X, Yi D, et al. Cardioprotection of salidroside from ischemia/reperfusion injury by increasing N-acetylglucosamine linkage to cellular proteins. *Eur J Pharmacol* 2009, 613(1-3):93-9
- Wu YL, Piao DM, Han XH, Nan JX. Protective effects of salidroside against acetaminophen-induced toxicity in mice. *Biol Pharm Bull* 2008, 31(8):1523-9
- Wu YL, Lian LH, Jiang YZ, Nan JX. Hepatoprotective effects of salidroside on fulminant hepatic failure induced by D-galactosamine and lipopolysaccharide in mice. *J Pharm Pharmacol* 2009a, 61(10):1375-82 (abstract only)
- Xu W, Zhang T, Wang Z, Liu T, Liu Y, Cao Z, et al. Two potent cytochrome P450 2D6 inhibitors found in Rhodiola rosea. *Pharmazie* 2013, 68:974-976
- Yin D, Yao W, Chen S, Hu R, Gao X. Salidroside, the main active compound of Rhodiola plants, inhibits high glucose-induced mesangial cell proliferation. *Planta Med* 2009, 75(11):1191-5
- Yu S, Liu M, Gu X, Ding F. Neuroprotective effects of salidroside in the PC12 cell model exposed to hypoglycemia and serum limitation. *Cell Mol Neurobiol* 2008, 28(8):1067-78
- Yu S, Shen Y, Liu J, Ding F. Involvement of ERK1/2 pathway in neuroprotection by salidroside against hydrogen peroxide-induced apoptotic cell death. *J Mol Neurosci* 2010, 40(3):321-31
- Zhang J, Liu A, Hou R, Zhang J, Jia X, Jiang W, et al. Salidroside protects cardiomyocyte against hypoxia-induced death: a HIF-1alpha-activated and VEGF-mediated pathway. *Eur J Pharmacol* 2009, 607(1-3):6-14
- Zhang L, Yu H, Sun Y, Lin X, Chen B, Tan C, et al. Protective effects of salidroside on hydrogen peroxide-induced apoptosis in SH-SY5Y human neuroblastoma cells. *Eur J Pharmacol* 2007, 564(1-3):18-25
- Zhang L, Yu H, Zhao X, Lin X, Tan C, Cao G, et al. Neuroprotective effects of salidroside against beta-amyloid-induced oxidative stress in SH-SY5Y human neuroblastoma cells. *Neurochem Int* 2010, 57(5):547-55
- Zhong H, Xin H, Wu LX, Zhu YZ. Salidroside attenuates apoptosis in ischemic cardiomyocytes: a mechanism through a mitochondria-dependent pathway. *J Pharmacol Sci* 2010, 114(4):399-408
- Zhu BW, Sun YM, Yun X, Han S, Piao ML, Murata Y, et al. Reduction of noise-stress-induced physiological damage by radices of Astragali and Rhodiolae: glycogen, lactic acid and cholesterol contents in liver of the rat. *Biosci Biotechnol Biochem* 2003, 67(9):1930-6
- Zhu J, Wan X, Zhu Y, Ma X, Zheng Y, Zhang T. Evaluation of salidroside in vitro and in vivo genotoxicity. *Drug Chem Toxicol* 2010, 33(2):220-6 (abstract only)