



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

29 May 2024
EMA/HMPC/27746/2023
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Panax ginseng* C.A.Mey., radix

Final – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abe K, Cho SI, Kitagawa I, Nishiyama N, Saito H. Differential effects of ginsenoside Rb₁ and malonylginsenoside Rb₁ on long-term potentiation in the dentate gyrus of rats. *Brain Res* 1994, 649(1-2):7-11 (only abstract available)

Abushammala IM, El-Shaikh Ali FK, Abu Shammaleh KF, Taha MM, Miqdad MY. Effect of Panax ginseng on Carbamazepine Pharmacokinetics in Rabbits. *Turk J Pharm Sci* 2021, 18(1):17-20

Alanko J, Kurahashi Y, Yoshimoto T, Yamamoto S, Baba K. Panaxynol, a polyacetylene compound isolated from oriental medicines, inhibits mammalian lipoxygenases. *Biochem Pharmacol* 1994, 48(10):1979-1981 (only abstract available)

Allen JD, McLung J, Nelson AG, Welsch M. Ginseng supplementation does not enhance healthy young adults' peak aerobic exercise performance. *J Am Coll Nutr* 1998, 17(5):462-6

An X, Zhang AL, Yang AW, Lin L, Wu D, Guo X *et al.* Oral ginseng formulae for stable chronic obstructive pulmonary disease: a systematic review. *Respir Med* 2011, 105(2):165-176

Anderson GD, Rosito G, Mohustsy MA, Elmer GW. Drug Interaction Potential of Soy Extract and Panax Ginseng. *J Clin Pharmacol* 2003, 43:643-648

André T, Boni C, Mounedji-Boudiaf L, Navarro M, Tabernerero J, Hickish T *et al.* Oxaliplatin, Fluorouracil, and Leucovorin as Adjuvant Treatment for Colon Cancer. *N Engl J Med* 2004, 350:2343-51

Attele SA, Wu JA, Yuan CS. Ginseng Pharmacology: Multiple constituents and multiple actions. *Biochem Pharmacol* 1999, 58(11):1685-1693

Bahrke MS, Morgan WP. Evaluation of the ergogenic properties of ginseng. *Sports Med* 1994, 18(4):229-248 (only abstract available)



Becker BN, Greene J, Evanson J, Chidsey G, Stone WJ. Ginseng-induced diuretic resistance. *JAMA* 1996, 276(8):606-607 (only abstract available)

Bensky D, Clavey S, Stöger E, Gamble A ,editors. Chinese Herbal Medicine Materia Medica, 3rd ed. Eastland Press, Inc., Seattle 2004

Berté F, Toxicological investigation on G115. 1973 (unpublished report)

Berté F, Toxicological investigation of the standardized ginseng extract G115[®], 1982 (unpublished report)

Blaschek W, Ebel S, Hackenthal E, Holzgrabe U, Keller K, Reichling J, Schulz V HagerROM 2008: Hagers Handbuch der Drogen und Arzneistoffe. Springer-Verlag, Heidelberg 2008

British Herbal Pharmacopoeia. British Herbal Medicine Association, Bournemouth 1983

Buettner C, Yeh GY, Phillips RS, Mittleman MA, Kaptchuk TJ. Systematic review of the effects of ginseng on cardiovascular risk factors. *Ann Pharmacother* 2006, 40(1):83-95

Cai ZW, Quian TX, Wong RNS, Jiang ZH. Liquid chromatography-electrospray ionization mass spectrometry for metabolism and pharmacokinetic studies of ginsenoside Rg₃. *Anal Chim Acta* 2003, 492(1-2):283-293

Calderón MM, Chairez CL, Gordon LA, Alfaro RM, Kovacs JA, Penzak SR. Influence of Panax ginseng on the steady state pharmacokinetic profile of lopinavir-ritonavir in healthy volunteers. *Pharmacotherapy* 2014, 34(11):1151-8

Cardinal BJ, Engels HJ. Ginseng does not enhance psychological well-being in healthy, young adults: results of a double-blind, placebo-controlled, randomized clinical trial. *J Am Diet Assoc* 2001, 101(6):655-660

Caron MF, Hotsko AL, Robertson S, Mandybur L, Kluger J, White CM. Electrocardiographic and hemodynamic effects of Panax ginseng. *Ann Pharmacother* 2002, 36(5):758-763

Caso Marasco A, Vargas Ruiz R, Salas Villagomez A, Begona Infante C. Double-blind study of a multivitamin complex supplemented with ginseng extract. *Drugs Exp Clin Res* 1996, 22(6):323-329 (only abstract available)

Cha TW, Kim M, Kim M, Chae JS, Lee JH. Blood pressure-lowering effect of Korean red ginseng associated with decreased circulating Lp-PLA2 activity and lysophosphatidylcholines and increased dihydrobiopterin level in prehypertensive subjects. *Hypertens Res* 2016, 39(6):449-56

Chai H, Dong Y, Wang X, Zhou W. Ginsenoside Rb₁ Attenuates Homocysteine-Augmented Guidewire Injury-Induced Intimal Hyperplasia in Mice. *J Surg Res* 2009, 157(2):193-198

Chan LY, Chiu PY, Lau TK. An in-vitro study of ginsenoside Rb₁-induced teratogenicity using a whole rat embryo culture model. *Human reproduction* 2003, 18(10):2166-2168

Chan LY, Chiu PY, Lau TK. Embryotoxicity study of ginsenoside Rc and Re in in vitro rat whole embryo culture. *Reproductive Toxicology*, 2004 19:131-134

Chan PC, Peckham JC, Malarkey DE, Kissling GE, Travlos GS. Two-Year Toxicity and Carcinogenicity Studies of Panax ginseng in Fischer 344 Rats and B6C3F1 Mice. *Am J Ch Med* 2011, 39(4):779-788

Chang Y, Lai PH, Wang CC, Chen SC, Chang WC, Sung HW. Mesothelium regeneration on acellular bovine pericardia loaded with an angiogenic agent (ginsenoside Rg₁) successfully reduces postsurgical pericardial adhesions. *J Thorac Cardiovasc Surg* 2006, 132(4):867-874

- Chen KJ, The effect and abuse syndrome of Ginseng. *Journal of traditional Chinese medicine* 1981, 1(1):69-72
- Chen XC, Chen Y, Zhu YG, Fang F, Chen LM. Protective effect of ginsenoside Rg₁ against MPTP-induced apoptosis in mouse substantia nigra neurons. *Acta Pharmacol Sin* 2002, 23(9):829-834
- Chen CF, Chiou WF, Zhang JT. Comparison of the pharmacological effects of *Panax ginseng* and *Panax quinquefolium*. *Acta Pharmacol Sin* 2008, 29(9):1103-1108
- Chen Y, Lin L, Wu L, Xu Y, Shergis JL, Zhang AL *et al.* Effect of Panax Ginseng (G115) Capsules versus Placebo on Acute Exacerbations in Patients with Moderate to Very Severe COPD: A Randomized Controlled Trial. *Int J Chron Obstruct Pulmon Dis* 2020, 15:671-680
- Cherdrungsi P, Rungroeng K. Effects of Standardized Extract and Exercise Training on Aerobic and Anaerobic Exercise Capacities in Humans. *Korean J Ginseng Sci* 1995, 19:93-100 (only abstract available)
- Cho SW, Cho EH, Choi SY. Ginsenosides activate DNA polymerase δ from bovine placenta. *Life sciences* 1995, 57(14) 1359-1365
- Cho WCS, Chung WS, Lee SKW, Leung AWN, Cheng CHK, Yue KKM. Ginsenoside Re of Panax ginseng possesses significant antioxidant and antihyperlipidemic efficacies in streptozotocin-induced diabetic rats. *Eur J Pharmacol* 2006, 550(1-3):173-179
- Choi HK, Seong DH, Rha KH. Clinical efficacy of Korean red ginseng for erectile dysfunction. *Int J Impot Res* 1995, 7(3):181-186 (only abstract available)
- Choi HK, Choi YD, Adaikan PG, Jiang Y. [Effectiveness of Korean red ginseng in erectile dysfunction: multi-national approach]. *J Ginseng Res.* 1999, 23:247-256 [Korean] (only abstract available)
- Choi HK, Choi YJ. [Evaluation of clinical efficacy of Korea red ginseng for erectile dysfunction by international index of erectile function]. *J Ginseng Res* 2001, 25:112-117 [Korean] (article or abstract not available)
- Choi HK, Choi YJ, Kim JH. [Penile blood change after oral medication of Korean red ginseng in erectile dysfunction patients]. *J Ginseng Res* 2003, 27:165-170 [Korean] (only abstract available)
- Choi KT. Botanical characteristics, pharmacological effects and medicinal components of Korean Panax ginseng C A Meyer. *Acta Pharmacol Sin* 2008, 29(9):1109-1118
- Choi MK, Song IS. Interactions of ginseng with therapeutic drugs. *Arch Pharm Res* 2019, 42(10):862-878
- Christensen LP, Brandt K. Bioactive polyacetylenes in food plants of the Apiaceae family: Occurrence, bioactivity and analysis. *Journal of Pharmaceutical and Biomedical Analysis* 2006, 41:683-693
- Christensen LP. Aliphatic C₁₇-Polyacetylenes of the Falcarinol Type as Potential Health Promoting Compounds in Food Plants of the Apiaceae Family. *Recent Pat Food Nutr Agric* 2011, 3:64-77
- Chua YT, Ang XL, Zhong XM, Khoo KS. Interaction between warfarin and Chinese herbal medicines. *Singapore Med J* 2015, 56(1):11-8
- Churchill JD, Gerson JL, Hinton KA, Mifek JL, Walter MJ, Winslow CL *et al.* The Nootropic Properties of Ginseng Saponin Rb₁ are Linked to Effects on Anxiety. *Integr Physiol Behav Sci* 2002, 37(3):178-187

- Concha O, Hu S, Holmberg O. The proliferative responses of cow stripping milk and blood lymphocytes to pokeweed mitogen and ginseng in vitro. *Vet Res* 1996, 27:107-115
- Coon JT, Ernst E. Panax ginseng: a systematic review of adverse effects and drug interactions. *Drug Saf* 2002, 25(5):323-344
- Cui JF, Garle M, Björkhem I, Eneroth P. Determination of aglycones of ginsenosides in ginseng preparations sold in Sweden and in urine samples from Swedish athletes consuming ginseng. *Scand J Clin Lab Invest* 1996, 56(2):151-160
- Cui JF, Björkhem I, Eneroth P. Gas chromatographic-mass spectrometric determination of 20(S)-protopanaxadiol and 20(S)-protopanaxatriol for study on human urinary excretion of ginsenosides after ingestion of ginseng preparations. *J Chromatogr B* 1997, 689(2):349-355
- Cui J, Jiang L, Xiang H. Ginsenoside Rb₃ exerts antidepressant-like effects in several animal models. *J Psychopharmacol* 2012, 26(5):697-713
- D'Angelo L, Grimaldi R, Caravaggi M, Marcoli M, Perucca E, Lecchini S *et al.* A double-blind, placebo-controlled clinical study on the effect of a standardized ginseng extract on psychomotor performance in healthy volunteers. *J Ethnopharmacol* 1986, 16(1):15-22
- De Andrade E, de Mesquita AA, Claro J de A, de Andrade PM, Ortiz V, Paranhos M *et al.* Study of the efficacy of Korean Red Ginseng in the treatment of erectile dysfunction. *Asian J Androl* 2007, 9(2):241- 244
- Dega H, Laporte JL, Francès C, Herson S, Chosidow O. Ginseng as a cause for Stevens-Johnson syndrome. *Lancet* 1996 May 11, 347(9011):1344
- Deng J, Lv XT, Qu Q, Huang XN. Ginsenoside Rg₁ inhibits rat left ventricular hypertrophy induced by abdominal aorta coarctation: Involvement of calcineurin and mitogen-activated protein kinase signaling. *Eur J Pharmacol* 2009, 608(1-3):42-47
- Deng J, Wang YW, Chen WM, Wu Q, Huang XN. Role of Nitric Oxide in Ginsenoside Rg₁-Induced Protection against Left Ventricular Hypertrophy Produced by Abdominal Aorta Coarctation in Rats. *Biol Pharm Bull* 2010, 33(4):631-635
- De Souza LR, Jenkins AL, Sievenpiper JL, Jovanovski E, Rahelić D, Vuksan V. Korean red ginseng (*Panax ginseng* C.A. Meyer) root fractions: Differential effects on postprandial glycemia in healthy individuals. *J Ethnopharmacol* 2011, 137:245-250
- Ding DZ, Shen TK, Cui YZ. Effects of red ginseng on the congestive heart failure and its mechanism. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1995, 15(6):325-327 [Chinese] (English abstract available)
- Dörling E. Do ginsenosides influence the performance? Results of a double-blind study. *Notab Med* 1980, 10(5):241-246
- Dong H, Ma J, Li T, Xiao Y, Zheng N, Liu J, Gao Y *et al.* Global deregulation of ginseng products may be a safety hazard to warfarin takers: solid evidence of ginseng-warfarin interaction. *Sci Rep* 2017, 7(1):5813
- Dowling EA, Redondo DR, Branch JD, Jones S, McNabb G, Williams MH. Effect of Eleutherococcus senticosus on submaximal and maximal exercise performance. *Med Sci Sports Exerc* 1996, 28(4):482- 489 (only abstract available)
- Engels HJ, Said JM, Wirth JC. Failure of chronic ginseng supplementation to affect work performance and energy metabolism in healthy adult females. *Nutr Res* 1996, 16(8):1295-1305

- Engels HJ, Wirth JC. No ergogenic effects of ginseng (*Panax ginseng* C.A. Meyer) during graded maximal aerobic exercise. *J Am Diet Assoc* 1997, 97(10):1110-1115
- Engels HJ, Kolokouri I, Cieslak TJ 2nd, Wirth JC. Effects of ginseng supplementation on supramaximal exercise performance and short-term recovery. *J Strength Cond Res* 2001, 15(3):290-295 (only abstract available)
- Engels HJ, Fahlman MM, Wirth JC. Effects of ginseng on secretory IgA, performance, and recovery from interval exercise. *Med Sci Sports Exerc* 2003, 35(4):690-696
- Etou H, Sakata T, Fujimoto K, Terada K, Yoshimatsu H, Ookuma K *et al.* Ginsenoside-Rb₁ as a suppressor in central modulation of feeding the rat. *Nihon Yakurigaku Zasshi* 1988, 91(1):9-15 [Japanese] (abstract available in English)
- European Pharmacopoeia, 8th ed. Ginseng – Ginseng radix. Council of Europe. 1/2008:1523; 1261-1262
- European Pharmacopoeia, 8th ed- Ginseng dry extract – Ginseng extractum siccum. Council of Europe. 1/2013:2356;1262-1264
- Fasinu PS, Gurley BJ, Walker LA. Clinically Relevant Pharmacokinetic Herb-drug Interactions in Antiretroviral Therapy. *Curr Drug Metab* 2015, 17(1):52-64
- Forgo I, Kayasseh L, Staub JJ. Effect of a standardized ginseng extract on general well-being, reaction capacity, pulmonary function and gonadal hormones. *Med Welt* 1981a, 32(19):751-756
- Forgo I, Kirchdorfer A.M. On the question of influencing the performance of top sportsmen by means of biologically active substances. Communication 1. *Aerztl Prax* 1981b, 33(44):1784-1786
- Forgo I, Kirchdorfer A.M. The effect of different ginsenoside concentrations on physical work capacity. Communication 3. *Notab Med* 1982, 12(9):721-727
- Forgo I. Effect of drugs on physical performance and hormone system of sportsmen. Communication 2. *Münch Med Wschr* 1983, 125(38):822-824
- Forgo I, Schimert G. The duration of effect of the standardized ginseng extract G115 in healthy competitive athletes. *Notab Med* 1985, 15(9):636-640
- Fujimoto K, Sakata T, Ishimaru T, Etou H, Ookuma K, Kurokawa M *et al.* Attenuation of anorexia induced by heat or surgery during sustained administration of ginsenoside Rg₁ into rat third ventricle. *Psychopharmacology* 1989, 99(2):257-260 (only abstract available)
- Fujimoto Y, Sakuma S, Komatsu S, Sato D, Nishida H, Xiao YQ *et al.* Inhibition of 15-Hydroxyprostaglandin Dehydrogenase Activity in Rabbit Gastric Antral Mucosa by Panaxynol Isolated from Oriental Medicines. *J Pharm Pharmacol* 1998, 50:1075-1078
- Fung FY, Wong WH, Ang SK, Koh HL, Kun MC, Lee LH *et al.* A randomized, double-blind, placebo- controlled study on the anti-haemostatic effects of *Curcuma longa*, *Angelica sinensis* and *Panax ginseng*. *Phytomedicine* 2017, 32:88-96
- Garcia RR. Estudio comparativo de dos farmacos que actuan sobre el envejecimiento cerebral. *Prensa Med Argent* 1988, 75:134-139 (article or abstract not available)
- Geng J, Dong J, Ni H, Lee MS, Wu T, Jiang K *et al.* Ginseng for cognition. *Cochrane Database Syst Rev* 2010, (12):CD007769

Gianoli AC, Riebenfeld D. A double-blind study to assess the tolerability and efficacy of the standardized ginseng extract G 115 with special regard to its effect on the resistance of the organism to external influences. *Cytobiol Rev* 1984, 8(3):177-186

Greenspan EM. Ginseng and vaginal bleeding. *JAMA* 1983, 249(15):2018

González-Seijo JC, Ramos YM, Lastra I. Manic episode and ginseng: report of a possible case. *J Clin Psychopharmacol* 1995, 15(6):447-448 (article or abstract not available)

Gross D, Krieger D, Efrat R, Dayan M. Ginseng extract G115® in the treatment of chronic respiratory diseases. *Schweiz Z Ganzheitsmed* 1995, 7(1):29-33

Gross D, Shenkman Z, Bleiberg B, Dayan M, Gittelson M, Efrat R. Ginseng improves pulmonary functions and exercise capacity in patients with COPD. *Monaldi Arch Chest Dis* 2002, 57(5-6):242-246

Gu Y, Wang GJ, Sun JG, Jia YW, Wang W, Xu MJ *et al.* Pharmacokinetic characterization of ginsenoside Rh₂, an anticancer nutrient from ginseng, in rats and dogs. *Food Chem Toxicol* 2009, 47(9):2257-2268

Gurley BJ, Gardner SF, Hubbard MA, Williams KD, Gentry BW, Cui Y *et al.* Clinical Assessment of Effects of Botanical Supplementaion on Cytochrome P450 Phenotypes in the Elderly: St John's Wort, Garlic Oil, Panax ginseng and Ginkgo biloba. *Drugs & Aging*. 2005 22(6): 525-539 (only abstract available)

Ha SE, Shin DH, Kim HD, Shim SM, Kim HS, Kim BH *et al.* Effects of ginsenoside Rg₂ on the ultraviolet B-induced DNA damage responses in HaCaT cells. *Naunyn Schmiedebergs Arch Pharmacol* 2010, 382(1):89-101

Haefeli WE, Carls A. Drug interactions with phytotherapeutics in oncology. *Expert Opin Drug Metab Toxicol* 2014, 10(3):359-377

Hallstrom C, Fulder S, Carruthers M. Effects of ginseng on the performance of nurses on night duty. *Comp Med East West* 1982, 6:277-282 (only abstract available)

Hammond TG, Whitworth JA. Adverse reactions to ginseng. *Med J Aust* 1981, 1(9):492 (article or abstract not available)

Han KH, Choe SC, Kim HS, Sohn DW, Nam KY, Oh BH *et al.* Effect of red ginseng on blood pressure in patients with essential hypertension and white coat hypertension. *Am J Chin Med* 1998, 26(2):199-209 (only abstract available)

Han B, Meng Q, Li Q, Zhang J, Bi Y, Jiang N. Effect of 20(S)-protopanaxatriol and its epimeric derivatives on myocardial injury induced by isoproterenol. *Arzneimittelforschung* 2011, 61(3):148-152 (only abstract available)

Hänsel R, Sticher O. Pharmakognosie – Phytopharmazie. 9th ed. Springer, Heidelberg, 2010, 892-902

Hao K, Gong P, Sun SQ, Hao HP, Wang GJ, Dai Y *et al.* Beneficial estrogen-like effects of ginsenoside Rb₁, an active component of Panax ginseng, on neural 5-HT disposition and behavioural tasks in ovariectomized mice. *Eur J Pharmacol* 2011, 659:15-25

Hasegawa H, Sung JH, Matsumiya S, Uchiyama M. Main Ginseng Saponin Metabolites Formed by Intestinal Bacteria. *Planta Med* 1996, 62(5):453-457 (only abstract available)

Heo JH, Lee ST, Chu K, Oh MJ, Park HJ, Shim JY *et al.* An open-label trial of Korean red ginseng as an adjuvant treatment for cognitive impairment in patients with Alzheimer's disease. *Eur J Neurol* 2008, 15(8):865-868

- Hess FG Jr., Parent RA, Cox GE, Stevens KR, Becci PJ. Reproduction study in rats of Ginseng Extract G115. *Food Chem Toxicol* 1982, 20(2):189-192
- Hess FG Jr., Parent RA, Cox GE, Stevens KR, Becci PJ. Effects of subchronic feeding of Ginseng Extract G115 in Beagle dogs. *Food Chem Toxicol.* 1983, 21(1):95-97
- Hofseth LJ, Wargovich MJ. Inflammation, Cancer, and Targets of Ginseng. *J Nutr* 2007, 137(1 Suppl):183S-185S
- Hong B, Ji YH, Hong JH, Nam KY, Ahn TY. A double-blind crossover study evaluating the efficacy of korean red ginseng in patients with erectile dysfunction: a preliminary report. *J Urol* 2002, 168(5):2070-2073 (only abstract available)
- Hopkins MP, Androff L, Benninghoff AS. Ginseng face cream and unexplained vaginal bleeding. *Am J Obstet Gynecol* 1988, 159 (5):1121-1122 (only abstract available)
- Hsu CC, Ho MC, Lin LC, Su B, Hsu MC. American ginseng supplementation attenuates creatine kinase level induced by submaximal exercise in human beings. *World J Gastroenterol* 2005, 11(34):5327- 5331
- Hu S, Concha C, Cooray R, Holmberg O. Ginseng-enhanced oxidative and phagocytic activities of polymorphonuclear leucocytes from bovine peripheral blood and stripping milk. *Vet Res* 1995, 26, 155- 161
- Hu S, Concha C, Johannisson A, Meglia G, Waller KP. Effect of Subcutaneous Injection of Ginseng on Cows with Subclinical Staphylococcus aureus Mastitis. *J Vet Med B* 2001, 48:519-528
- Ikehara M, Shibata Y, Higashi T, Sanada S, Shoji J. Effect of Ginseng Saponins on Cholesterol Metabolism. III. Effect of Ginsenoside-Rb₁ on Cholesterol Synthesis in Rats fed on High-fat Diet. *Chem Pharm Bull* 1978, 26(9):2844-2849
- Janetsky K, Morreale AP. Probable interaction between warfarin and ginseng. *Am J Health Syst Pharm* 1997, 54:692-693 (article or abstract not available)
- Jang DJ, Lee MS, Shin BC, Lee YC, Ernst E. Red ginseng for treating erectile dysfunction: a systematic review. *Br J Clin Pharmacol* 2008, 66(4):444-450
- Jenny E. On the toxicity of the standardized ginseng extract G115[®] and pure ginsenosides. 1982 (unpublished report)
- Jeong DW, Moon SK, Hong JW, Shin WJ, Park YM, Jung JH *et al.* [Effects of Korean ginseng, Korean red ginseng and fermented Korean red ginseng on cerebral blood flow, cerebrovascular reactivity, systemic blood pressure and pulse rate in humans]. *J Korean Oriental Med* 2006, 27:48-60 [Korean] (only abstract available)
- Jeong SJ, Han SH, Kim DY, Lee JC, Kim HS, Kim BH *et al.* Effects of mRG₂, a Mixture of Ginsenosides Containing 60% Rg₂, on the Ultraviolet B-Induced DNA Repair Synthesis and Apoptosis in NIH3T3 Cells. *International Journal of Toxicology* 2007, 26:151-158
- Jiang X, Williams KM, Liauw WS, Ammit AJ, Roufogalis BD, Duke CC *et al.*. Effect of St. John's wort and ginseng on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *Br J Clin Pharmacol* 2004, 57(5):592-599
- Jiang X, Blair EYL, McLachlan AJ. Investigation of the Effects of Herbal Medicines on Warfarin Response in Healthy Subjects: A Population Pharmacokinetic-Pharmacodynamic Modeling Approach. *J Clin Pharmacol* 2006, 46:1370

- Jiang QS, Huang XN, Dai ZK, Yang GZ, Zhou QX, Shi JS *et al.* Inhibitory effect of ginsenoside Rb₁ on cardiac hypertrophy induced by monocrotaline in rat. *J Ethnopharmacol* 2007, 111(3):567-572
- Jones BD, Runikis AM. Interaction of ginseng with phenelzine. *J Clin Psychopharmacol* 1987, 7:201-202
- Jovanovski E, Jenkins A, Dias AG, Peeva V, Sievenpiper J, Arnason JT *et al.* Effects of Korean red ginseng (*Panax ginseng* C.A. Meyer) and its isolated ginsenosides and polysaccharides on arterial stiffness in healthy individuals. *Am J Hypertens* 2010, 23(5):469-472 (only abstract available)
- Kaku T, Miyata T, Uruno T, Sako I, Kinoshita A. Chemico-pharmacological studies on saponins of *Panax ginseng* C. A. Meyer. II. Pharmacological part. *Arzneimittelforschung* 1975, 25(4):539-547 (only abstract available)
- Kang M, Yoshimatsu H, Oohara A, Kurokawa M, Ogawa R, Sakata T. Ginsenoside Rg₁ Modulates Ingestive Behavior and Thermal Response Induced by Interleukin-1 β in rats. *Physiol Behav* 1995, 57(2):393-396
- Kang J, Park JS, Ahn SG, Lim JH, Baik SH, Yoon DS *et al.* Protective effect of Korean red ginseng on oxaliplatin-mediated splenomegaly in colon cancer. *Annals of Surgical Treatment and Research* 2018;95(3):161-167
- Kaneko H, Nakanishi K, Murakami A. Effect of red ginseng on hemodynamic changes by physical exercise. In: *Proceedings of the 4th International Ginseng Symposium*, Daejon, Korea, Sept 18-20 1984, 256 (article or abstract not available)
- Kennedy DO, Scholey AB, Wesnes KA. Dose dependent changes in cognitive performance and mood following acute administration of Ginseng to healthy young volunteers. *Nutr Neurosci* 2001, 4(4):295-310
- Kennedy DO, Scholey AB, Wesnes KA. Modulation of cognition and mood following administration of single doses of Ginkgo biloba, ginseng, and a ginkgo/ginseng combination to healthy young adults. *Physiol Behav* 2002, 75(5):739-751
- Kennedy DO, Scholey AB, Drewery L, Marsh VR, Moore B, Ashton H. Electroencephalograph effects of single doses of Ginkgo biloba and *Panax ginseng* in healthy young volunteers. *Pharmacol Biochem Behav* 2003, 75(3):701-709
- Kennedy DO, Reay JL, Scholey AB. Effects of 8 weeks administration of Korean *Panax ginseng* extract on the mood and cognitive performance of healthy individuals. *J Ginseng Res* 2007, 31(1):34-43
- Khalil WKB, Ahmed KA, Park MH, Kim YT, Park HH, Abdel-Wahhab MA. The inhibitory effects of garlic and *Panax ginseng* extract standardized with ginsenoside Rg₃ on the genotoxicity, biochemical, and histological changes induced by ethylenediaminetetraacetic acid in male rats. *Arch Toxicol* 2008, 82:183-195
- Kim HS, Jang CG, Lee MK. Antinarcotic Effects of the Standardized Ginseng Extract G115 on Morphine. *Planta Med* 1990, 56(2):158-163
- Kim YC, Kim SR, Markelonis GJ, Oh TH. Ginsenosides Rb₁ and Rg₃ protect cultured rat cortical cells from glutamate-induced neurodegeneration. *J Neurosci Res* 1998, 53(4):426-432
- Kim SW, Paick JS. Clinical efficacy of Korean red ginseng on vasculogenic impotent patients. *Korean J Androl* 1999, 23:247-256 [Korean] (abstract available in English)
- Kim HS, Lee BM. Protective effects of antioxidant supplementation on plasma lipid peroxidation in smokers. *J Toxicol Environ Health A* 2001, 63(8):583-598

- Kim S, Ahn K, Oh TH, Nah SY, Rhim H. Inhibitory effect of ginsenosides on NMDA receptor-mediated signals in rat hippocampal neurons. *Biochem Biophys Res Commun* 2002, 296(2):247-254
- Kim EH, Jang MH, Shin MC, Shin MS, Kim CJ. Protective effect of aqueous extract of Ginseng radix against 1-methyl-4-phenylpyridinium-induced apoptosis in PC12 cells. *Biol Pharm Bull* 2003, 26(12):1668-1673
- Kim SH, Park KS. Effects of Panax ginseng extract on lipid metabolism in humans. *Pharmacol Res* 2003, 48(5):511-513
- Kim S, Rhim H. Ginsenosides inhibit NMDA receptor-mediated epileptic discharges in cultured hippocampal neurons. *Arch Pharm Res* 2004, 27(5):524-530
- Kim JH, Park CY, Lee SJ. Effects of Sun Ginseng on subjective quality of life in cancer patients: a double-blind, placebo-controlled pilot trial. *Journal of Clinical Pharmacy and Therapeutics* 2006, 31:331-334
- Kim J, Chung SY, Park S, Park JH, Byun S, Hwang M *et al.* Enhancing effect of HT008-1 on cognitive function and quality of life in cognitively declined healthy adults: a randomized, double-blind, placebo- controlled, trial. *Pharmacol Biochem Behav* 2008, 90(4):517-524
- Kim KM, Kwon HS, Jeon SG, Park CH, Sohn SW, Kim DI *et al.* Korean Ginseng Induced Occupational Asthma and Determination of IgE Binding Components. *J Korean Med Sci* 2008, 23:232-235
- Kim HS, Kim MK, Lee M, Kwon BS, Suh DH, Song YS. Effect of Red Ginseng on Genotoxicity and Health-Related Quality of Life after Adjuvant Chemotherapy in Patients with Epithelial Ovarian Cancer: A Randomized, Double Blind, Placebo-Controlled Trial. *Nutrients* 2017, 9(7):772
- Kim JW, Han SW, Cho JY, Chung IJ, Kim JG, Lee KH *et al.* Korean red ginseng for cancer-related fatigue in colorectal cancer patients with chemotherapy: A randomised phase III trial. *Eur J Cancer*. 2020, 130:51-62
- Kim Y, Jo JJ, Cho P, Shrestha R, Kim KM, Ki SH *et al.* Characterization of red ginseng-drug interaction by CYP3A activity increased in high dose administration in mice. *Biopharm Drug Dispos*. 2020, 41(7):295-306
- Kim IK, Lee KY, Kang J, Park JS, Jeong J. Immune-modulating Effect of Korean Red Ginseng by Balancing the Ratio of Peripheral T Lymphocytes in Bile Duct or Pancreatic Cancer Patients With Adjuvant Chemotherapy. *In Vivo* 2021, 35(3):1895-1900
- Ko HJ, Kim I, Kim JB, Moon Y, Whang MC, Lee KM *et al.* Effects of Korean red ginseng extract on behavior in children with symptoms of inattention and hyperactivity/impulsivity: a double-blind randomized placebo-controlled trial. *J Child Adolesc Psychopharmacol* 2014, 24(9):501-8
- Kobaisy M, Abramowski Z, Lermer L, Saxena G, Hancock REW, Towers GHN. Antimycobacterial Polyynes of Devil's Club (*Oplopanax horridus*), a North American Native Medicinal Plant. *J Nat Prod* 1997, 60:1210-1213
- Konno C, Sugiyama K, Kano M, Takahashi M, Hikino H. Isolation and hypoglycaemic activity of panaxans A, B, C, D and E, glycans of Panax ginseng roots. *Planta Med* 1984, 50(5):434-436
- Konno C, Murakami M, Oshima Y, Hikino H. Isolation and hypoglycemic activity of panaxans Q, R, S, T and U, glycans of Panax ginseng roots. *J Ethnopharmacol* 1985, 14(1):69-74

- Koren G, Randor S, Martin S, Danneman D. Maternal Ginseng Use Associated with Neonatal Androgenization. *JAMA* 1990, 264(22):2866 (only abstract available)
- Krebs Seida J, Durec T, Kuhle S. North American (*Panax quinquefolius*) and Asian Ginseng (*Panax ginseng*) Preparations for Prevention of the Common Cold in Healthy Adults: A systematic review. *Evid Based Complement Alternat Med* 2011, in press, doi:10.1093/ecam/nep068
Available at: <http://www.hindawi.com/journals/ecam/2011/282151/>
- Kwon YJ, Jang SN, Liu KH, Jung DH. Effect of Korean Red Ginseng on Cholesterol Metabolites in Postmenopausal Women with Hypercholesterolemia: A Pilot Randomized Controlled Trial. *Nutrients* 2020, 12(11):3423
- Lai DM, Tu YK, Liu IM, Chen PF, Cheng JT. Mediation of β -Endorphin by Ginsenoside Rh₂ to Lower Plasma Glucose in Streptozotocin-Induced Diabetic Rats. *Planta Med* 2006, 72:9-13
- LaSala GS, McKeever RG, Patel U, Okaneku J, Vearrier D, Greenberg MI. Effect of single-dose Ginkgo biloba and Panax ginseng on driving performance. *Clin Toxicol (Phila)* 2015, 53(2):108-12
- Lee FC, Ko JH, Park JK, Lee JS. Effects of Panax ginseng on blood alcohol clearance in man. *Clin Exp Pharmacol Physiol*. 1987, 14(6):543-546 (only abstract available)
- Lee JK, Choi SS, Lee HK, Han KJ, Han EJ, Suh HW. Effects of Ginsenoside Rd and Decursinol on the Neurotoxic Responses Induced by Kainic Acid in Mice. *Planta Med* 2003, 69(3):230-234
- Lee YJ, Jin YR, Lim WC, Park WK, Cho JY, Jang S *et al.* Ginsenoside Rb₁ acts as a weak phytoestrogen in MCF-7 human breast cancer cells. *Arch Pharm Res* 2003, 26 (1):58-63
- Lee TK, Johnke RM, Allison RR, O'Brien KF, Dobbs LJ. Radioprotective potential of ginseng. *Mutagenesis* 2005, 20(4):237-243
- Lee JY, Lee YD, Bahn JW, Park HS. A case of occupational asthma and rhinitis caused by Sanyak and Korean ginseng dusts *Allergy* 2006, 61:392-393
- Lee WK, Kao ST, Liu IM, Cheng JT. Increase of Insulin Secretion by Ginsenoside Rh₂ to Lower Plasma Glucose in Wistar Rats. *Clin Exp Pharmacol Physiol* 2006, 33(1-2):27-32
- Lee WK, Kao ST, Liu IM, Cheng JT. Ginsenoside Rh₂ is one of the active principles of Panax ginseng root to improve insulin sensitivity in fructose-rich chow-fed rats. *Horm Metab Res* 2007, 39(5):347-354 (only abstract available)
- Lee SH, Ahn YM, Ahn SY, Doo HK, Lee BC. Interaction Between Warfarin and Panax ginseng in Ischemic Stroke Patients. *The Journal of Alternative and Complementary Medicine* 2008, 14(6):715-721
- Lee SR, Kim MR, Yon JM, Baek IJ, Lee BJ, Ahn B *et al.* Effects of Ginsenosides on Organogenesis and Expression of Glutathione Peroxidase Genes in Cultured Rat Embryos. *J Reprod Dev* 2008, 54(3):164-170
- Lee ST, Chu K, Sim JY, Heo JH, Kim M. Panax ginseng enhances cognitive performance in Alzheimer disease. *Alzheimer Dis Assoc Disord* 2008, 22(3):222-226 (only abstract available)
- Lee J, Lee E, Kim D, Lee J, Yoo J, Koh B. Studies on absorption, distribution and metabolism of ginseng in humans after oral administration. *J Ethnopharmacol* 2009, 122:143-148
- Lee MS, Yang EJ, Kim JI, Ernst E. Ginseng for cognitive function in Alzheimer's disease: a systematic review. *J Alzheimers Dis* 2009, 18(2):339-344

- Lee YH, Lee BK, Choi YJ, Yoon IK, Chang BC, Gwak HS. Interaction between warfarin and Korean red ginseng in patients with cardiac valve replacement. *International Journal of Cardiology* 2010, 145(2):275-276
- Lee NH, Son CG. Systematic review of randomized controlled trials evaluating the efficacy and safety of ginseng. *J Acupunct Meridian Stud* 2011, 4(2):85-97
- Lee JY, Jin HJ, Park JW, Jung SK, Jang JY, Park HS. A Case of Korean Ginseng-Induced Anaphylaxis Confirmed by Open Oral Challenge and Basophil Activation Test. *Allergy Asthma Immunol Res* 2012, 42(2):110-111
- Li J, Xie ZZ, Tang YB, Zhou JG, Guan YY. Ginsenoside-Rd, a purified component from panax notoginseng saponins, prevents atherosclerosis in apoE knockout mice. *Eur J Pharmacol* 2011, 652(1-3):104-110
- Li Ling, Liu J, Yan X, Qin K, Shi M, Lin T *et al.* Protective effects of ginsenoside Rd against okadaic acid- induced neurotoxicity in vivo and in vitro. *J Ethnopharmacol* 2011, 138:135-141
- Li Liang, Chen X, Li D, Zhong D. Identification of 20(S)-Protopanaxadiol Metabolites in Human Liver Microsomes and Human Hepatocytes. *Drug Metab and Disp* 2011, 39:472-483
- Li Y, Tang J, Khatibi NH, Zhu M, Chen D, Tu L *et al.* Treatment with Ginsenoside Rb₁, A Component of Panax Ginseng Provides Neuroprotection in Rats Subjected to Subarachnoid Hemorrhage-Induced Brain Injury. *Acta Neurochir Suppl* 2011, 110(Pt2):75-79 (only abstract available)
- Li N, Wang D, Ge G, Wang X, Liu Y, Yang L *et al.* Ginsenoside metabolites inhibit P-glycoprotein in vitro and in situ using three absorption models. *Planta Med* 2014, 80(4):290-6
- Liao B, Newmark H, Zhou R. Neuroprotective effects of ginseng total saponin and ginsenosides Rb₁ and Rg₁ on spinal cord neurons in vitro. *Exp Neurol* 2002, 173(2):224-234
- Lim JH, Wen TC, Matsuda S, Tanaka J, Maeda N, Peng H *et al.* Protection of ischemic hippocampal neurons by ginsenoside Rb₁, a main ingredient of ginseng root. *Neurosci Res* 1997, 28(3):191-200
- Lim JW, Chee SX, Wong WJ, He QL, Lau TC. Traditional Chinese medicine: herb-drug interactions with aspirin. *Singapore Med J* 2018, 59(5):230-239
- Lin JF, Fan LL, Li BW, Zhao RR, Jiang LG, Zhang BC *et al.* A study to evaluate herb-drug interaction underlying mechanisms: An investigation of ginsenosides attenuating the effect of warfarin on cardiovascular diseases. *Eur J Pharm Sci.* 2020, 142:105100
- List PH, Hörhammer L. Hagers Handbuch der pharmazeutischen Praxis, Springer, Berlin-Heidelberg- New York 1977, 872-883
- Liu Z, Li Z, Liu X. Effect of Ginsenoside Re on Cardiomyocyte Apoptosis and Expression of Bcl-2/Bax Gene after Ischemia and Reperfusion in Rats. *J Huazhong Univ Sci Technolog Med Sci* 2002, 22(4):305-309
- Liu ZQ, Luo XY, Liu GZ, Chen YP, Wang ZC, Sun YX. In vitro study of the relationship between the structure of ginsenoside and its antioxidative or prooxidative activity in free radical induced hemolysis of human erythrocytes. *J Agric Food Chem* 2003, 51(9):2555-2558
- Liu P, Xu Y, Yin H, Wang J, Chen K, Li Y. Developmental Toxicity Research of Ginsenoside Rb₁ Using a Whole Mouse Embryo Culture Model. *Birth Defects Research (Part B)* 2005, 74:207-209
- Liu P, Yin H, Xu Y, Zhang Z, Chen K, Li Y. Effects of ginsenoside Rg₁ on postimplantation rat and mouse embryos cultured in vitro. *Toxicology in Vitro* 2006, 20:234-238

- Liu JH, Lee CS, Leung KM, Yan ZK, Shen BH, Zhao ZZ *et al.* Quantification of Two Polyacetylenes in Radix Ginseng and Roots of Related Panax Species Using a Gas Chromatography-Mass Spectrometric Method. *J Agric Food Chem* 2007, 55:8830-8835
- Liu H, Yang J, Du F, Gao X, Ma X, Huang Y *et al.* Absorption and Disposition of Ginsenosides after Oral Administration of *Panax notoginseng* Extract to Rats. *Drug Metab Disp* 2009, 37(12):2290-2298
- Liu X, Xia J, Wang L, Song Y, Yang J, Yan Y *et al.* Efficacy and safety of ginsenoside-Rd for acute ischaemic stroke: a randomized, double-blind, placebo-controlled, phase II multicenter trial. *European Journal of Neurology* 2009, 16:569-575
- Liu Z, Wang LJ, Li X, Hu JN, Chen Y, Ruan CC *et al.* Hypoglycemic Effects of Malonyl-ginsenosides Extracted from the Roots of *Panax ginseng* on Streptozotocin-induced Diabetic Mice. *Phytother Res* 2009, 23:1426-1430
- Liu L, Hoang-Gia T, Wu H, Lee MR, Gu L, Wang C *et al.* Ginsenoside Rb₁ improves spatial learning and memory by regulation of cell genesis in the hippocampal subregions of rats. *Brain Res* 2011, 1382:147-154
- Lou BY, Li CF, Li PY, Ruan JP. [Eye symptoms due to ginseng poisoning]. *Yan Ke Xue Bao* 1989, 5(3- 4):96-97 [Chinese] (only abstract available)
- Lu P, Su W, Miao ZH, Niu HR, Liu J, Hua QL. Effect and Mechanism of Ginsenoside Rg₃ on Postoperative Life Span of Patients with Non-Small Cell Lung Cancer. *Chin J Integr Med* 2008, 14(1):33-36
- Ma TC, Yu QH. Effect of 20(S)-ginsenoside-Rg₂ and cyproheptadine on two-way active avoidance learning and memory in rats. *Arzneimittelforschung* 1993, 43(10):1049-1052 (only abstract available)
- Ma SW, Benzie IF, Chu TT, Fok BS, Tomlinson B, Critchley LA. Effect of Panax ginseng supplementation on biomarkers of glucose tolerance, antioxidant status and oxidative stress in type 2 diabetic subjects: results of a placebo-controlled human intervention trial. *Diabetes Obes Metab* 2008, 10(11):1125-1127
- Madaus R. Lehrbuch der biologischen Heilmittel: Heilpflanzen. Thieme, Leipzig 1938
- Matsuda H, Namba K, Fukuda S, Tani T, Kubo M. Pharmacological Study on Panax ginseng C.A. Meyer. IV. Effects of Red Ginseng on Experimental Disseminated Intravascular Coagulation. (3). Effect of Ginsenoside-Ro on the Blood Coagulative and Fibrinolytic System. *Chem Pharm Bull* 1986, 34(5):2100-2104
- Matsunaga H, Katano M, Yamamoto H, Fujito H, Mori M, Takata K. Cytotoxic Activity of Polyacetylene Compounds in *Panax ginseng* C.A. Meyer. *Chem Pharm Bull* 1990, 38(12):3480-3482
- McElhaney JE, Gravenstein S, Cole SK, Davidson E, O'Neill D, Petitjean S *et al.* A placebo-controlled trial of a proprietary extract of North American ginseng (CVT-E002) to prevent acute respiratory illness in institutionalized older adults. *J Am Geriatr Soc* 2004, 52(1):13-19
- McElhaney JE, Goel V, Toane B, Hooten J, Shan JJ. Efficacy of COLD-fx in the prevention of respiratory symptoms in community-dwelling adults: a randomized, double-blinded, placebo controlled trial. *J Altern Complement Med* 2006, 12(2):153-157
- Milić N, Milosević N, Golocorbin Kon S, Bozić T, Abenavoli L, Borrelli F. Warfarin interactions with medicinal herbs. *Nat Prod Commun* 2014, 9(8):1211-6
- Morris AC, Jacobs I, McLellan TM, Klugerman A, Wang LC, Zamecnik J. No ergogenic effect of ginseng ingestion. *Int J Sport Nutr* 1996, 6(3):263-271

- Mulz D, Scardigli G, Jans G, Degenring FH. Long-term treatment of psychasthenia in the second half of life. *Pharm Rundsch* 1990, 12:86-86
- Nah SY, Kim DH, Rhim H. Ginsenosides: are any of them candidates for drugs acting on the central nervous system? *CNS Drug Rev* 2007, 13(4):381-404
- National Toxicology Program. Toxicology and carcinogenesis studies of ginseng (CAS No. 50647-08-0) in F344/N rats and B6C3F1 mice (gavage studies). *Natl Toxicol Program Tech Rep Ser* 2011, 567:1-149.
- Nemmani KVS, Ramarao P. Ginsenoside Rf potentiates U-50, 488H-induced analgesia and inhibits tolerance to its analgesia in mice. *Life Sci* 2003, 72(7):759-768
- Neri M, Andermarcher E, Pradelli JM, Salvioli G. Influence of a double-blind pharmacological trial on two domains of well-being in subjects with age associated memory impairment. *Arch Gerontol Geriatr* 1995, 21(3):241-252
- Ng TB, Yeung HW. Hypoglycemic constituents of Panax ginseng. *Gen Pharmacol* 1985, 16(6):549-552 (only abstract available)
- Ni W, Zhang X, Wang B, Chen Y, Han H, Fan Y *et al.* Antidepressant-like effects of the active acidic polysaccharide portion of ginseng in mice. *J Med Food* 2010, 13(2):270-277
- Nie BM, Yang LM, Fu SL, Jiang XY, Lu PH, Lu Y. Protective effect of panaxydol and panaxynol on sodium nitroprusside-induced apoptosis in cortical neurons. *Chemico-Biological Interactions* 2006, 160:225-231
- Nie BM, Jiang XY, Xai JX, Fu SL, Yang LM, Lin L *et al.* Panaxydol and panaxynol protect cultured cortical neurons against A β 25-35-induced toxicity. *Neuropharmacology* 2008, 54:845-853
- Nielsen AS. Hypertension af ginsengtabletter? *Ugeskr Laeger* 1988, 150:377 [Danish] (no abstract available)
- Oh KJ, Chae MJ, Lee HS, Hong HD, Park K. Effects of Korean red ginseng on sexual arousal in menopausal women: placebo-controlled, double-blind crossover clinical study. *J Sex Med* 2010, 7(4 Pt1):1469-1477 (only abstract available)
- Oka K, Saito F, Yasuhara T, Sugimoto A. The allergens of *Dendropanax trifidus* Makino and *Fatsia japonica* Decne. et Planch. and evaluation of cross-reactions with other plants of the Araliaceae family. *Contact Dermatitis* 1999, 40:209-213
- Okamura N, Kobayashi K, Akaika A, Yagi A. Protective Effect of Ginseng Saponins against impaired brain growth in neonatal rats exposed to Ethanol. *Biol Pharm Bull* 1994, 17(2):270-274
- Okuda H, Yoshida R. Studies on the effects of ginseng components on diabetes mellitus. In: *Proceedings of the 3rd International Ginseng Symposium*. Seoul, Korea: Korea Ginseng Research Institute, Sept 8-10, 1980, 53-57 (article or abstract not available)
- Oshima Y, Konno C, Hikino H. Isolation and hypoglycemic activity of panaxans I, J, K and L, glycans of Panax ginseng roots. *J Ethnopharmacol* 1985, 14(2-3):255-259 (only abstract available)
- Paek IB, Moon Y, Kim J, Ji HY, Kim SA, Sohn DH *et al.* Pharmacokinetics of a Ginseng Saponin Metabolite Compound K in Rats. *Biopharm Drug Dispos* 2006, 27:39-45
- Palmer BV, Montgomery ACV, Monteiro JCMP. Gin Seng and mastalgia *BMJ*. 1978, 1:1284
- Palop V, Catalán C, Rubio E, Martínez-Mir I. Ginecomastia en un varon y ginseng [Ginseng and gynecomastia in a young male]. *Med Clin (Barc)* 1999, 112(19):758 [Spanish] (only abstract available)

- Palop-Larrea V, González-Perales JL, Catalán-Oliver C, Belenguer-Varea A, Martínez-Mir I. Metrorrhagia and ginseng. *Ann Pharmacother* 2000, 34(11):1347-1348
- Pannacci M, Lucini V, Colleoni F, Martucci C, Grosso S, Sacerdote P *et al.* Panax ginseng C.A. Mayer G115 modulates pro-inflammatory cytokine production in mice throughout the increase of macrophage toll-like receptor 4 expression during physical stress. *Brain Behav Immun* 2006, 20(6):546-551
- Panwar M, Kumar M, Samarth R, Kumar A. Evaluation of Chemopreventive Action and Antimutagenic Effect of the Standardized Panax Ginseng Extract, EFLA400, in Swiss Albino Mice. *Phytother Res* 2005, 19:65-71
- Park HJ, Rhee MH, Park KM, Nam KY, Park KH. Effect of non-saponin fraction from Panax ginseng on cGMP and thromboxane A₂ in human platelet aggregation. *J Ethnopharmacol* 1995, 49:157-162
- Park KH, Shin HJ, Song YB, Hyun HC, Cho HJ, Ham HS *et al.* Possible Role of Ginsenoside Rb₁ on Regulation of Rat Liver Triglycerides. *Biol Pharm Bull* 2002, 25(4):457-460
- Park EK, Choo MK, Oh JK, Ryu JH, Kim DH. Ginsenoside Rh₂ Reduces Ischemic Brain Injury in Rats. *Biol Pharm Bull* 2004, 27(3):433-436
- Park EK, Shin YW, Lee HU, Kim SS, Lee YC, Lee BY, *et al.* Inhibitory effect of ginsenoside Rb₁ and compound K on NO and prostaglandin E₂ biosyntheses of RAW264.7 Cells induced by lipopolysaccharide. *Biol Pharm Bull* 2005, 28(4):652-656
- Park KS, Park KI, Kim JW, Yun YJ, Kim SH, Lee CH *et al.* Efficacy and safety of Korean red ginseng for cold hypersensitivity in the hands and feet: a randomized, double-blind, placebo-controlled trial. *J Ethnopharmacol* 2014, 158 Pt A:25-32
- Paulsen E, Christensen LP, Andersen KE. Dermatitis from common ivy (*Hedera helix* L. subsp. *Helix*) in Europe: past, present, and future. *Contact Dermatitis* 2010, 62:201-209
- Petersen MJ, Bergien SO, Staerk D. A systematic review of possible interactions for herbal medicines and dietary supplements used concomitantly with disease-modifying or symptom-alleviating multiple sclerosis drugs. *Phytother Res* 2021, 35(7):3610-3631
- Poon PY, Kwok HH, Yue PY, Yang MS, Mak NK, Wong CK *et al.* Cytoprotective effect of 20S-Rg₃ on benzo[a]pyrene-induced DNA damage. *Drug Metab Dispos* 2012, 40(1):120-129 (only abstract available)
- Predy GN, Goel V, Lovlin R, Donner A, Stitt L, Basu TK. Efficacy of an extract of North American ginseng containing poly-furanosyl-saccharides for preventing upper respiratory tract infections: a randomized controlled trial. *CMAJ* 2005, 173(9):1043-1048
- Punnonen R, Lukola A. Oestrogen-like effect of ginseng. *Br Med J* 1980, 281(6248):1110
- Punnonen R, Lukola A. The effect of ginseng on serum total cholesterol, HDL-cholesterol and triglyceride levels in postmenopausal women. *Asia Oceania J Obstet Gynaecol* 1984, 10(3):399-401 (article or abstract not available)
- Qi D, Zhu J, Wen L, Liu Q, Qiao H. Ginsenoside Rg₁ restores the impairment of learning induced by chronic morphine administration in rats. *J Psychopharmacol* 2009, 23(1):74-83
- Qi LW, Wang CZ, Du GJ, Zhang ZY, Calway T, Yuan CS. Metabolism of Ginseng and its Interactions with Drugs. *Curr Drug Metab* 2011, 12(9):818-822
- Quian ZM, Lu J, Gao QP, Li SP. Rapid method for simultaneous determination of flavonoid, saponins and polyacetylenes in *Folium Ginseng* and *Radix Ginseng* by pressurized liquid extraction and high-

- performance liquid chromatography coupled with diode array detection and mass spectrometry. *Journal of Chromatography A* 2009, 1216:3825-3830
- Quiroga HA, Imbriano AE. The effect of Panax ginseng extract on cerebrovascular deficits. *Orientacion Med* 1979, 28(1208):86-87
- Quiroga HA. A comparative double-blind study on the effect of Ginsana G115® and Hydergin on cerebrovascular deficits. *Orientacion Med* 1982, 31(1281):201-202
- Radad K, Gille G, Moldzio R, Saito H, Rausch WD. Ginsenosides Rb₁ and Rg₁ effects on mesencephalic dopaminergic cells stressed with glutamate. *Brain Res* 2004, 1021(1):41-53
- Ramanathan MR, Penzak SR. Pharmacokinetic Drug Interactions with Panax ginseng. *Eur J Drug Metab Pharmacokinet* 2017, 42(4):545-557
- Ratan ZA, Haidere MF, Hong YH, Park SH, Lee JO, Lee J *et al.* Pharmacological potential of ginseng and its major component ginsenosides. *J Ginseng Res* 2021;45(2):199-210
- Rausch WD, Liu S, Gille G, Radad K. Neuroprotective effects of ginsenosides. *Acta Neurobiol Exp* 2006, 66:369-375
- Reay JL, Kennedy DO, Scholey AB. Single doses of Panax ginseng (G115) reduce blood glucose levels and improve cognitive performance during sustained mental activity. *J Psychopharmacol* 2005, 19(4):357-365
- Reay JL, Kennedy DO, Scholey AB. Effects of Panax ginseng, consumed with and without glucose, on blood glucose levels and cognitive performance during sustained 'mentally demanding' tasks. *J Psychopharmacol* 2006a, 20(6):771-781
- Reay JL, Kennedy DO, Scholey AB. The glycaemic effects of single doses of Panax ginseng in young healthy volunteers. *Br J Nutr* 2006b 96(4):639-642
- Reay JL, Kennedy DO, Scholey AB. The behavioural and mood effects of Panax ginseng (G115): A 20-week chronic trial. *Appetite* 2008, 50(2-3), 564
- Reay JL, Scholey AB, Milne A, Fenwick J, Kennedy DO. *Panax ginseng* has no effect on indices of glucose regulation following acute or chronic ingestion in healthy volunteers. *Br J Nutr* 2009, 101(11):1673-1678
- Reay JL, Scholey AB, Kennedy DO. Panax ginseng (G115) improves aspects of working memory performance and subjective ratings of calmness in healthy young adults. *Hum Psychopharmacol* 2010, 25(6):462-471
- Reeds DN, Patterson BW, Okunade A, Holloszy JO, Polonsky KS, Klein S. Ginseng and Ginsenoside Re do not improve β -Cell Function of Insulin Sensitivity in Overweight and Obese Subjects With Impaired Glucose Tolerance or Diabetes. *Diabetes Care* 2011, 34:1071-1076
- Rhee MY, Kim YS, Bae JH, Na DY, Kim YK, Lee MM *et al.* Effect of Korean Red Ginseng on Arterial Stiffness in Subjects with Hypertension. *The Journal of alternative and complementary medicine* 2011, 17(1):45-49
- Ries CA, Mervyn A, Sahud MD. Agranulocytosis caused by Chinese Herbal Medicines – Dangers of Medications containing aminopyrine and phenylbutazone. *JAMA* 1975, 231(4):352-355 (only abstract available)

- Rosenfeld M.S. Evaluation of the efficacy of a standardized ginseng extract in patients with psychophysical asthenia and neurological disorders. *Sem Med* 1989, 173(9):148-154
- Ryu SJ, Chien YY. Ginseng-associated cerebral arteritis. *Neurology* 1995, 45(4):829-830 (only abstract available)
- Ryu SH, Kim JW, Kim YS, Lee SH, Cho YB, Lee HK *et al.* Negligible pharmacokinetic interaction of red ginseng and antihypertensive agent amlodipine in Sprague-Dawley rats. *J Toxicol Environ Health A* 2014, 77(22-24):1372-83
- Samira MM, Attia MA, Allam M, Elwan O. Effect of the Standardized Ginseng Extract G115 on the Metabolism and Electrical Activity of the Rabbit's Brain. *J Int Med Res* 1985, 13(6):342-348
- Savel J. Toxicological investigation of the standardized Ginseng extract G115®. 1971 (unpublished report)
- Scaglione F, Ferrara F, Dugnani S, Falchi M, Santoro G, Frascini F. Immunomodulatory effects of two extracts of Panax ginseng C.A. Meyer. *Drugs Exp Clin Res* 1990, 16(10):537-542
- Scaglione F, Cogo R, Cocuzza C, Arcidiacono M, Beretta A. Immunomodulatory effects of Panax ginseng C.A. Meyer (G115) on alveolar macrophages from patients suffering with chronic bronchitis. *Int J Immunotherapy* 1994, 10(1):21-24
- Scaglione F, Cattaneo G, Alessandria M, Cogo R. Efficacy and safety of the standardised Ginseng extract G115 for potentiating vaccination against the influenza syndrome and protection against the common cold [corrected]. *Drugs Exp Clin Res* 1996, 22(2):65-72
- Scaglione F, Weiser K, Alessandria M. Effects of the standardised ginseng extract G115® in patients with chronic bronchitis. A nonblinded, randomised, comparative pilot study. *Clin Drug Invest* 2001, 21(1), 41-45
- Scaglione F, Pannacci M, Petrini O. The standardised G115® Panax ginseng C.A. Meyer extract. A review of its properties and usage. *Evid Based Integrative Med* 2005, 2(4), 195-206
- Schinkovitz A, Stavri M, Gibbons S, Bucar F. Antimycobacterial Polyacetylenes from *Levisticum officinale*. *Phytother Res* 2008, 22:681-684
- Scholey AB, Kennedy DO. Acute, dose-dependent cognitive effects of Ginkgo biloba, Panax ginseng and their combination in healthy young volunteers: differential interactions with cognitive demand. *Hum Psychopharmacol* 2002, 17(1):35-44
- Seely D, Dugoua JJ, Perri D, Mills E, Koren G. Safety and Efficacy of Panax ginseng during Pregnancy and Lactation. *Can J Clin Pharamcol* 2008, 15 (1):e87-e94
- Seong SJ, Kang WY, Heo JK, Jo J, Choi WG, Liu KH *et al.* A Comprehensive In Vivo and In Vitro Assessment of the Drug Interaction Potential of Red Ginseng. *Clin Ther* 2018, 40(8):1322-1337
- Shader RI, Greenblatt DJ. Phenelzine and the dream machine: ramblings and reflections. *J Clin Psychopharmacol* 1985, 5:65
- Shader RI, Greenblatt DJ. Bees, ginseng and MAOIs revisited. *J Clin Psychopharmacol* 1988, 8:235
- Sharif S, O'Connell MJ, Yothers G, Lopa S, Wolmark N. FOLFOX and FLOX Regimens for the Adjuvant Treatment of Resected Stage II and III Colon Cancer. *Cancer Invest* 2008, 26(9):956-963
- Shergis JL, Thien F, Worsnop CJ, Lin L, Zhang AL, Wu L *et al.* 12-month randomised controlled trial of ginseng extract for moderate COPD. *Thorax* 2019, 74(6):539-545

- Shi Y, Han B, Yu X, Qu S, Sui D. Ginsenoside Rb₃ ameliorates myocardial ischemia-reperfusion injury in rats. *Pharm Biol* 2011, 49(9):900-906
- Siegel RK. Ginseng abuse syndrome. Problems with the panacea. *JAMA* 1979, 241(15):1614-1615
- Siegel RK. Ginseng and High Blood Pressure. *JAMA* 1980, 243 (1):32
- Sievenpiper JL, Arnason JT, Leiter LA, Vuksan V. Null and opposing effects of Asian ginseng (*Panax ginseng* C.A. Meyer) on acute glycemia: results of two acute dose escalation studies. *J Am Coll Nutr* 2003a, 22(6):524-532
- Sievenpiper JL, Arnason JT, Leiter LA, Vuksan V. Variable effects of American ginseng: a batch of American ginseng (*Panax quinquefolius* L.) with a depressed ginsenoside profile does not affect postprandial glycemia. *Eur J Clin Nutr* 2003b, 57(2):243-248
- Sievenpiper JL, Arnason JT, Leiter LA, Vuksan V. Decreasing, null and increasing effects of eight popular types of ginseng on acute postprandial glycemic indices in healthy humans: the role of ginsenosides. *J Am Coll Nutr* 2004, 23(3):248-258
- Sievenpiper JL, Sung MK, Di Buono M, Seung-Lee K, Nam KY, Arnason JT *et al* . Korean red ginseng rootlets decrease acute postprandial glycemia: results from sequential preparation- and dose-finding studies. *J Am Coll Nutr* 2006, 25(2):100-107
- Smith K, Engels HJ, Marint JJ, Wirth JC. (Efficacy of a standardized ginseng extract to alter psychological function characteristics at rest and during exercise stress. *Med Sci Sport Exerc* 1995, 27:S147 (article or abstract not available)
- Sørensen H, Sonne J. A double-masked study of the effects of ginseng on cognitive functions. *Current Therapeutic Research* 1996, 57(12):959-968
- Sotaniemi EA, Haapakoski E, Rautio A. Ginseng therapy in non-insulin-dependent diabetic patients. *Diabetes Care* 1995, 18(10):1373-1375
- Srisurapanon S, Rungroeng K, Apibal S, Cherdrugsi P, Siripol R, Vanich-Angkul V *et al*. The effect of standardized ginseng extract on peripheral blood leukocytes and lymphocyte subsets: a preliminary study in young health adults. *J Med Assoc Thai* 1997, 80 Suppl 1:S81-85 (only abstract available)
- Stavro PM, Woo M, Heim TF, Leiter LA, Vuksan V. North American ginseng exerts a neutral effect on blood pressure in individuals with hypertension. *Hypertension* 2005, 46(2):406-411
- Stavro PM, Woo M, Leiter LA, Heim TF, Sievenpiper JL, Vuksan V. Long-term intake of North American ginseng has no effect on 24-hour blood pressure and renal function. *Hypertension* 2006, 47(4):791-796
- Stevens KR, Cox GE. Effects of feeding Ginseng Extract G115 to purebred Beagle dogs for 90 days. 1978 (unpublished report)
- Suh SO, Kroh M, Kim NR, Joh YG, Cho MY. Effects of red ginseng upon postoperative immunity and survival in patients with stage III gastric cancer. *Am J Chin Med* 2002, 30(4):483-494 (only abstract available)
- Sun D, Wang B, Shi M, Zhang YX, Zhou LF, Liu ZR, *et al*. Pharmacokinetic, tissue distribution and excretion of ginsenoside-Rd in rodents. *Phytomedicine* 2012, 19(3-4):369-73, in press, doi: 10.1016/j.phymed.2011.08.061
- Sun H, Yan Y, Xu C, Wan H, Liu D. Suppression of Hepatic Cyp1a2 by Total Ginsenosides in Lipopolysaccharide-Treated Mice and Primary Mouse Hepatocytes. *J Agric Food Chem* 2016, 64(11):2386-93

- Sung J, Han KH, Zo JH, Park HJ, Kim CH, Oh BH. Effects of red ginseng upon vascular endothelial function in patients with essential hypertension. *Am J Chin Med* 2000, 28(2):205-216 (only abstract available)
- Sung H, Kang SM, Lee MS, Kim TG, Cho YK. Korean Red Ginseng Slows Depletion of CD4 T Cells in Human Immunodeficiency Virus Type 1-Infected Patients. *Clin Diagn Lab Immunol* 2005, 12(4):497- 501
- Sung WS, Kang HR, Jung CY, Park SS, Lee SH, Kim EJ. Efficacy of Korean red ginseng (Panax ginseng) for middle-aged and moderate level of chronic fatigue patients: A randomized, double-blind, placebo-controlled trial. *Complement Ther Med* 2020, 48:102246
- Sünram-Lea SI, Birchall RJ., Wesnes KA., Petrini O. Acute administration of ginseng improves speed of attention in healthy young volunteers. *J Psychopharmacol* 2003, 17(3 Suppl), A62
- Sünram-Lea SI, Birchall RJ, Wesnes KA, Petrini P. The effect of acute administration of 400 mg of Panax ginseng on cognitive performance and mood in healthy young volunteers. *Curr Top Nutraceut Res* 2005, 3(1), 65-74
- Tawab MA, Bahr U, Karas M, Wurglics M, Schubert-Zsilavec M. Degradation of ginsenosides in humans after oral administration. *Drug Metabolism and Disposition* 2003, 31(8):1065-1071
- Teng CM, Kuo SC, Ko FN, Lee JC, Lee LG, Chen SC *et al.* Antiplatelet actions of panaxynol and ginsenosides isolated from ginseng. *Biochim Biophys Acta* 1989, 990(3):315-320 (only abstract available)
- Timm A. Salmonella typhimurium reverse mutation assay with Stand. Ginseng Extract G115. Report, CCR Project 149905, 1989
- Tode T, Kikuchi Y, Hirata J, Kita T, Nakata H, Nagata I. Effect of Korean red ginseng on psychological functions in patients with severe climacteric syndromes. *Int J Gynaecol Obstet* 1999, 67:169-174
- Trabucchi E. Teratological investigation of the standardized Ginseng Extract G115. Investigational Report, 1971
- Van Kampen J, Robertson H, Hagg T, Drobitch R. Neuroprotective actions of the ginseng extract G115 in two rodent models of Parkinson's disease. *Exp Neurol* 2003, 184(1):521-529
- Van Schepdael P. The effects of ginseng G115® on physical performance of endurance athletes. *Acta Ther* 1993, 19(4):337-347
- Voces J, Alvarez AI, Vila L, Ferrando A, de Oliveira CC, Prieto JG. Effects of administration of the standardized Panax ginseng extract G115 on hepatic antioxidant function after exhaustive exercise. *Comp Biochem Physiol C Pharmacol Toxicol Enocrinol* 1999, 123(2):175-184
- Vogler BK, Pittler MH, Ernst E. The efficacy of ginseng. A systematic review of randomised clinical trials. *Eur J Clin Pharmacol* 1999, 55(8):567-575
- Vohra S, Johnston BC, Laycock KL, Midodzi WK, Dhunnoo I, Harris E *et al.* Safety and tolerability of North American ginseng extract in the treatment of pediatric upper respiratory tract infection: a phase II randomized, controlled trial of 2 dosing schedules. *Pediatrics*. 2008, 122(2):e402-410
- Von Ardenne M, Klemm W. Measurements of the increase in the difference between the arterial and venous Hb-O₂ saturation obtained with daily administration of 200 mg standardized ginseng extract G115 for four weeks. Long-term increase of the O₂ transport into the organs and tissues of the organism through biologically active substances. *Panminerva Med* 1987, 29(2):143-150

- Vuksan V, Stavro MP, Sievenpiper JL, Koo VY, Wong E, Beljan Zdravkovic U *et al.* American ginseng improves glycemia in individuals with normal glucose tolerance: effect of dose and time escalation. *J Am Coll Nutr* 2000a, 19(6):738-744
- Vuksan V, Stavro MP, Sievenpiper JL, Beljan-Zdravkovic U, Leiter LA, Josse RG. Similar Postprandial Glycemic Reductions With Escalation of Dose and Administration Time of American Ginseng in Type 2 Diabetes. *Diabetes Care* 2000b, 23(9):1221-1226
- Vuksan V, Sievenpiper JL, Koo VY, Francis T, Beljan-Zdravkovic U, Xu Z *et al.* American ginseng (*Panax quinquefolius* L) reduces postprandial glycemia in nondiabetic subjects and subjects with type 2 diabetes mellitus. *Arch Intern Med* 2000c, 160(7):1009-1013
- Vuksan V, Sievenpiper JL, Wong J, Xu Z, Beljan-Zdravkovic U, Arnason JT *et al.* American ginseng (*Panax quinquefolius* L.) attenuates postprandial glycemia in a time-dependent but not dose-dependent manner in healthy individuals. *Am J Clin Nutr* 2001, 73:753-758
- Vuksan V, Sung MK, Sievenpiper JL, Stavro PM, Jenkins AL, Di Buono M *et al.* Korean red ginseng (*Panax ginseng*) improves glucose and insulin regulation in well-controlled, type 2 diabetes: results of a randomized, double-blind, placebo-controlled study of efficacy and safety. *Nutr Metab Cardiovasc Dis* 2008, 18(1):46-56
- Wang LCH, Lee TF. Effect of Ginseng Saponins on Cold Tolerance in Young and Elderly Rats. *Planta Med* 2000, 66:144-147
- Wang XY, Zhang JT. Effect of Ginsenoside Rb₁ on long-term potentiation in the dentate gyrus of anesthetized rats. *J Asian Nat Prod Res* 2003, 5(1):1-4
- Wang Z, Zheng Q, Liu K, Li G, Zheng R. Ginsenoside Rh₂ Enhances Antitumour Activity and Decreases Genotoxic Effect of Cyclophosphamide. *Basic Clin Pharmacol Toxicol*. 2006, 98:411-415
- Wang Z, Li M, Wu WK, Tan HM, Geng DF. Ginsenoside Rb₁ Preconditioning Protects Against Myocardial Infarction After Regional Ischemia and Reperfusion by Activation Phosphatidylinositol-3-kinase Signal Transduction. *Cardiovasc Drugs Ther* 2008, 22(6):443-452
- Wang J, Li S, Fan Y, Chen Y, Liu D, Cheng H *et al.* Anti-fatigue activity of the water-soluble polysaccharides isolated from *Panax ginseng* C.A. Meyer. *J Ethnopharmacol* 2010a, 130(2):421-423
- Wang J, Flaisher-Grinberg S, Li S, Liu H, Sun L, Zhou Y *et al.* Antidepressant-like effects of the active acidic polysaccharide portion of ginseng in mice. *J Ethnopharmacol* 2010b, 132(1):65-69
- Washida D, Kitanaka S. Determination of Polyacetylenes and Ginsenosides in *Panax* Species Using High Performance Liquid Chromatography. *Chem Pharm Bull* 2003, 51(11):1314-1317
- Wichtl M. Teedrogen und Phytopharmaka. 5th ed. Wiss. VerlagsgesmbH, Stuttgart, 2009
- Wiklund IK, Mattsson LA, Lindgren R, Limoni C. Effects of a standardized ginseng extract on quality of life and physiological parameters in symptomatic postmenopausal women: a double-blind, placebo-controlled trial. *Int J Clin Pharmacol Res* 1999, 19(3):89-99
- Wilkie A, Cordess C. Ginseng – a root just like a carrot? *Journal of the Royal Society of Medicine* 1994, 87(10):594-595 (only abstract available)
- Williams M. Immuno-protection against herpes simplex type II infection by eleutherococcus root extract. *Int J Alternative Complementary Med*. 1995, 13:9-12 (original article or abstract not available)

- Winther K, Ranlov C, Rein E, Mehlsen J. Russian root (Siberian Ginseng) improves cognitive functions in middle-aged people, whereas Ginkgo biloba seems effective only in the elderly. *J Neurol Sci* 1997, 150:S90
- Wong HB. Effects of herbs and drugs during pregnancy and lactation. *J Singapore Paediatr Soc* 1979, 21(3-4):169-178 (only abstract available)
- Wu CH, Tsai BR, Hsieh WT, Chang GY, Mao SJT, Chang WC. The preventive effects of G115 on balloon injury-induced neointima formation in rats. *Life Sciences* 2001, 70(6):669-679
- Wu Y, Xia ZY, Dou J, Zhang L, Xu JJ, Zhao B *et al.* Protective effect of ginsenoside Rb₁ against myocardial ischemia/reperfusion injury in streptozotocin-induced diabetic rats. *Mol Biol Rep* 2011, 38(7):4327-4335
- Xia C, Wang G, Sun J, Hao H, Xiong Y, Gu S *et al.* Simultaneous determination of ginsenoside Rg₁, Re, Rd, Rb₁ and ophiogonin D in rat plasma by liquid chromatography/electrospray ionization mass spectrometric method and its application to pharmacokinetic study of "Shenmai" injection. *J Chromatogr B* 2008, 862:72-78
- Xu C, Teng J, Chen W, Ge Q, Yang Z, Yu C *et al.* 20(S)-protopanaxadiol, an active ginseng metabolite, exhibits strong antidepressant-like effects in animal tests. *Prog Neuropsychopharmacol Biol Psychiatry* 2010, 34(8):1402-1411
- Xu Z, Lan T, Wu W, Wu Y. The effects of ginsenoside Rb₁ on endothelial damage and ghrelin expression induced by hyperhomocysteine. *J Vasc Surg* 2011, 53(1):156-164 (only abstract available)
- Xue CC, Shergis JL, Zhang AL, Worsnop C, Fong H, Story D *et al.* Panax ginseng C.A Meyer root extract for moderate Chronic Obstructive Pulmonary Disease (COPD): study protocol for a randomised controlled trial. *Trials* 2011, 12:164
- Yamada N, Araki H, Yoshimura H. Identification of antidepressant-like ingredients in ginseng root (*Panax ginseng* C.A. Meyer) using a menopausal depressive-like state in female mice: participation of 5-HT_{2A} receptors. *Psychopharmacology* 2011, 216:589-599
- Yamamoto M, Uemura T, Nakama S, Uemiya M, Kumagai A. Serum HDL-cholesterol-increasing and fatty liver-improving actions of Panax ginseng in high cholesterol diet-fed rats with clinical effect on hyperlipidemia in man. *Am J Chin Med* 1983, 11(1-4):96-101(only abstract available)
- Yamamoto M, Kumagai A. Long term ginseng effects on hyperlipidemia in man with further study of its actions on atherogenesis and fatty liver in rats. *In: Proceedings of the 4th International Ginseng Symposium*, Daejeon, Korea, Sept 18-20, 1984, 13:9 (original article or abstract not available)
- Yan Z, Yang R, Jiang Y, Yang Z, Yang J, Zhao Q *et al.* Induction of Apoptosis in Human Promyelocytic Leukemia HL60 Cells by Panaxynol and Panaxydol. *Molecules* 2011, 16:5561-5573
- Yang MC, Seo DS, Choi SU, Park YH, Lee KR. Polyacetylenes from the Roots of Cultivated-Wild Ginseng and Their Cytotoxicity In Vitro. *Arch Pharm Res* 2008, 31(2):154-159
- Yang L, Xu SJ, Wu ZF, Liu YM, Zeng X. Determination of Ginsenoside-Rg₁ in Human Plasma and its Application to Pharmacokinetic Studies Following Intravenous Administration of "Shenmai" Injection. *Phytother Res* 2009, 23:65-71
- Yang YH, Han SJ, Ryu JH, Jang IS, Kim DH. Ginsenoside Rh₂ Ameliorates Scopolamine-Induced Learning Deficit in Mice. *Biol Pharm Bull* 2009, 32(10):1710-1715

- Yang M, Lee HS, Hwang MW, Jin M. Effects of Korean red ginseng (*Panax Ginseng Meyer*) on bisphenol A exposure and gynecologic complaints: single blind, randomized clinical trial of efficacy and safety. *BMC Complement Altern Med* 2014, 14:265
- Ye R, Kong X, Yang Q, Zhang Y, Han J, Zhao G. Ginsenoside Rd attenuates redox imbalance and improves stroke outcome after focal cerebral ischemia in aged mice. *Neuropharmacology* 2011a, 61(4):815-824
- Ye R, Kong X, Yang Q, Zhang Y, Han J, Li P. Ginsenoside Rd in Experimental Stroke: Superior Neuroprotective Efficacy with a Wide Therapeutic Window. *Neurotherapeutics* 2011b, 8(3):515-525
- Ye R, Zhang X, Kong X, Han J, Yang Q, Zhang Y *et al.* Ginsenoside Rd attenuates mitochondrial dysfunction and sequential apoptosis after transient focal ischemia. *Neuroscience* 2011c, 178:169-180
- Ye R, Yang Q, Kong X, Han J, Zhang X, Zang Y *et al.* Ginsenoside Rd attenuates early oxidative damage and sequential inflammatory response after transient focal ischemia in rats. *Neurochem Int* 2011d, 58(3):391-398
- Yennurajalingam S, Tannir NM, Williams JL, Lu Z, Hess KR, Frisbee-Hume S *et al.* A Double-Blind, Randomized, Placebo-Controlled Trial of *Panax Ginseng* for Cancer-Related Fatigue in Patients With Advanced Cancer. *J Natl Compr Canc Netw.* 2017, 15(9):1111-1120
- Yokozawa T, Kobayashi T, Oura H, Kawashima Y. Stimulation of Lipid and Sugar Metabolism in Ginsenoside-Rb₂ Treated Rats. *Chem Pharm Bull* 1984, 32(7):2766-2772
- Yokozawa T, Kobayashi T, Kawai A, Oura H, Kawashima Y. Hyperlipemia-Improving Effects of Ginsenoside Rb₂ in Cholesterol-Fed Rats. *Chem Pharm Bull* 1985a, 33(2):722-729
- Yokozawa T, Kobayashi T, Oura H, Kawashima Y. Studies on the Mechanism of the Hypoglycemic Activity of Ginsenoside-Rb₂ in Streptozotocin-Diabetic Rats. *Chem Pharm Bull* 1985b, 33(2):869-872
- Yokozawa T, Satoh A, Cho EJ. Ginsenoside-Rd attenuates oxidative damage related to aging in senescence-accelerated mice. *J Pharm Pharmacol* 2004, 56(1):107-113 (only abstract available)
- Yoon SH, Han EJ, Sung JH, Chung SH. Anti-diabetic Effects of Compound K versus Metformin versus Compound K-Metformin Combination Therapy in Diabetic db/db Mice. *Biol Pharm Bull* 2007, 30(11):2196-2200
- Yoon SJ, Kom KH, Kim CJ, Park HC, Kang KH, Kim MJ *et al.* Effects of red ginseng supplementation on aerobic, anaerobic performance, central and peripheral fatigue. *J Ginseng Res* 2008, 32(3):210-219 [Korean] (only abstract available)
- Yu K, Ma Y, Shao Q, Qu H, Cheng Y. Simultaneously determination of five ginsenosides in rabbit plasma using solid-phase extraction and HPLC/MS technique after intravenous administration of "Shenmai" injection. *J Pharm Biomed Anal* 2007, 44:532-539
- Yuan J, Guo W, Yang B, Liu P, Wang Q, Yuan H. 116 cases of coronary angina pectoris treated with powder composed of radix ginseng, radix notoginseng and succinum. *J Trad Chin Med* 1997, 17(1):14-17 (only abstract available)
- Yuan CS, Wei G, Dey L, Karrison T, Nahlik L, Maleckar S *et al.* Brief communication: American Ginseng reduces warfarin's effect in healthy patients. *Ann Intern Med* 2004, 141:23-27

Zeng X, Deng Y, Feng Y, Liu Y, Yang L, Huang Y *et al.* Pharmacokinetics and Safety of Ginsenoside R_d Following a Single or Multiple Intravenous Dose in Healthy Chinese Volunteers. *J Clin Pharmacol* 2010, 50:285-292

Zhan Y, Xu XH, Jiang YP. Protective effects of ginsenoside on myocardial ischemic and reperfusion injuries. *Zhonghua Yi Xue Za Zhi* 1994, 74(10):626-628, 648 [Chinese] (only abstract available)

Zhang WY, Teng H, Zheng Y. Ginseng saponin treatment for intrauterine growth retardation. *Zhonghua Yi Xue Za Zhi* 1994, 74(10):608-610, 646 [Chinese] (only abstract available)

Zhang B, Matsuda S, Tanaka J, Tateishi N, Maeda N, Wen TC *et al.* Ginsenoside R_{b1} Prevents Image Navigation Disability Cortical Infarction, and Thalamic Degeneration in Rats With Focal Cerebral Ischemia. *J Stroke Cerebrovasc Dis* 1998, 7(1):1-9

Zhang G, Liu A, Zhou Y, San X, Jin T, Jin Y. Panax ginseng ginsenoside-Rg₂ protects memory impairment via anti-apoptosis in rat model with vascular dementia. *J Ethnopharmacol* 2008, 115(3):441-448

Zhang QH, Wu CF, Duan L, Yang JY. Protective effects of total saponins from stem and leaf of *Panax ginseng* against cyclophosphamide-induced genotoxicity and apoptosis in mouse bone marrow cells and peripheral lymphocyte cells. *Food Chem Toxicol* 2008, 46:293-302

Zhang QH, Wu CF, Yang JY, Mu YH, Chen XX, Zhao YQ. Reduction of cyclophosphamide-induced DNA damage and apoptosis effects of ginsenoside R_{b1} on mouse bone marrow cells and peripheral blood leukocytes. *Environ Toxicol Pharmacol* 2009, 27:384-389

Zhao XZ. [Antiseniliy effect of ginseng-rhizome saponin]. *Zhong Xi Yi Jie He Za Zhi*. 1990 (10):586-9, 579 [Chinese] (only English abstract available)

Zhao J, Su C, Yang C, Liu M, Tang L, Su W *et al.*. Determination of ginsenosides R_{b1}, R_{b2}, and R_{b3} in rat plasma by a rapid and sensitive liquid chromatography tandem mass spectrometry method: Application in a pharmacokinetic study. *J Pharm Biomed Anal* 2012, 64-65:94-7, in press, doi: 10.1016/j.jpba.2012.02.017

Zhou D, Tong L, Wan M, Wang G, Ye Z, Wang Z *et al.* An LC-MS method for simultaneous determination of nine ginsenosides in rat plasma and its application in pharmacokinetic study. *Biomed Chromatogr* 2011, 25:720-726

Zhu M, Chan KW, Ng LS, Chang Q, Chang S, Li RC. Possible influences of ginseng on the pharmacokinetics and pharmacodynamics of warfarin in rats. *J Pharm Pharmacol* 1999, 51(2):175-80 (only abstract available)

Zidorn C, Jöhrer K, Ganzera M, Schubert B, Sigmund EM, Mader J *et al.* Polyacetylenes from the Apiaceae Vegetables Carrot, Celery, Fennel, and Parsnip and Their Cytotoxic Activities. *J Agric Food Chem* 2005, 53:2518-2523

Ziemba AW, Chmura J, Kaciuba-Uscilko H, Nazar K, Wisnik P, Gawronski W. Ginseng treatment improves psychomotor performance at rest and during graded exercise in young athletes. *Int J Sport Nutr* 1999, 9(4):371-377

References read but not included to the Assessment Report

Avakian EV Jr, Evonuk E. Effect of Panax ginseng extract on tissue glycogen and adrenal cholesterol depletion during prolonged exercise. *Planta Med* 1979, 36(1):43-48 (only abstract available)

- Bahrke MS, Morgan WP, Stegner A. Is ginseng an ergogenic aid? *Int J Sport Nutr Exerc Metab* 2009, 19(3):298-322
- Chin RK. Ginseng and common pregnancy disorders. *Asia Oceania J Obstet Gynaecol* 1991, 17(4):379- 80 (article or abstract not available)
- Chung YS, Lee IO, Lee JY, Nam EJ, Kim SW, Kim YT *et al.* Effects of Korean Red Ginseng (*Panax ginseng* C.A. Meyer) on Menopausal Symptoms in Premenopausal Women After Gynecologic Cancer Surgery: A Double-Blind, Randomized Controlled Trial. *J Altern Complement Med* 2021, 27(1):66-72
- Ginseng. In: LiverTox: Clinical and Research Information on Drug-Induced Liver Injury [Internet]. Bethesda (MD): National Institute of Diabetes and Digestive and Kidney Diseases; 2012–2018 March 14.
- Ghorbani Z, Mirghafourvand M, Charandabi SM, Javadzadeh Y. The effect of ginseng on sexual dysfunction in menopausal women: A double-blind, randomized, controlled trial. *Complement Ther Med* 2019, 45:57-64
- Jovanovski E, Bateman EA, Bhardwaj J, Fairgrieve C, Mucalo I, Jenkins AL *et al.* Effect of Rg3-enriched Korean red ginseng (*Panax ginseng*) on arterial stiffness and blood pressure in healthy individuals: a randomized controlled trial. *J Am Soc Hypertens* 2014a, 8(8):537-41
- Jovanovski E, Peeva V, Sievenpiper JL, Jenkins AL, Desouza L, Rahelic D *et al.* Modulation of endothelial function by Korean red ginseng (*Panax ginseng* C.A. Meyer) and its components in healthy individuals: a randomized controlled trial. *Cardiovasc Ther* 2014b, 32(4):163-9
- Jung DH, Lee YJ, Kim CB, Kim JY, Shin SH, Park JK. Effects of ginseng on peripheral blood mitochondrial DNA copy number and hormones in men with metabolic syndrome: A randomized clinical and pilot study. *Complement Ther Med* 2016, 24:40-6
- Kim TH, Jeon SH, Hahn EJ, Paek KY, Park JK, Youn NY *et al.* Effects of tissue-cultured mountain ginseng (*Panax ginseng* CA Meyer) extract on male patients with erectile dysfunction. *Asian J Androl* 2009, 11(3):356-361
- Kim KH, Lee D, Lee HL, Kim CE, Jung K, Kang KS. Beneficial effects of *Panax ginseng* for the treatment and prevention of neurodegenerative diseases: past findings and future directions. *J Ginseng Res* 2018, 42(3):239-247
- Kulaputana O, Thanakomsirichot S, Anomasiri W. Ginseng supplementation does not change lactate threshold and physical performances in physically active Thai men. *J Med Assoc Thai* 2007, 90(6):1172-1179
- Liu L, Xu FR, Wang YZ. Traditional uses, chemical diversity and biological activities of *Panax* L. (Araliaceae): A review. *J Ethnopharmacol* 2020, 263:112792
- Oh KJ, Chae MJ, Lee HS, Hong HD, Park K. Effects of Korean red ginseng on sexual arousal in menopausal women: placebo-controlled, double-blind crossover clinical study. *J Sex Med* 2010, 7(4 Pt 1):1469-77 (only abstract available)
- Ogawa-Ochiai K, Kawasaki K. *Panax ginseng* for Frailty-Related Disorders: A Review. *Front Nutr* 2019, 5:140

- Ong Lai Teik D, Lee XS, Lim CJ, Low CM, Muslima M, Aquili. Ginseng and Ginkgo Biloba Effects on Cognition as Modulated by Cardiovascular Reactivity: A Randomised Trial. *PLoS One* 2016, 11(3):e0150447
- Paik DJ, Lee CH. Review of cases of patient risk associated with ginseng abuse and misuse. *J Ginseng Res* 2015, 39(2):89-93
- Park K, Kim Y, Kim J, Kang S, Park JS, Ahn CW *et al.* Supplementation with Korean Red Ginseng Improves Current Perception Threshold in Korean Type 2 Diabetes Patients: A Randomized, Double-Blind, Placebo-Controlled Trial. *J Diabetes Res* 2020, 2020:5295328
- Ping FW, Keong CC, Bandyopadhyay A. Effects of acute supplementation of Panax ginseng on endurance running in a hot & humid environment. *Indian J Med Res* 2011, 133:96-102
- Salvati G, Genovesi G, Marcellini L, Paolini P, De Nuccio I, Pepe M *et al.* Effects of Panax Ginseng C.A. Meyer saponins on male fertility. *Panminerva Med* 1996, 38(4):249-254 (only abstract available)
- See DM, Broumand N, Sahl L, Tilles JG. In vitro effects of echinacea and ginseng on natural killer and antibody-dependent cell cytotoxicity in healthy subjects and chronic fatigue syndrome or acquired immunodeficiency syndrome patients. *Immunopharmacology* 1997, 35(3):229-235
- Seo SK, Hong Y, Yun BH, Chon SJ, Jung YS, Park JH *et al.* Antioxidative effects of Korean red ginseng in postmenopausal women: a double-blind randomized controlled trial. *J Ethnopharmacol* 2014, 154(3):753-7
- Shah SA, Occiano A, Nguyen TA, Chan A, Sky JC, Bhattacharyya M *et al.* Electrocardiographic and blood pressure effects of energy drinks and Panax ginseng in healthy volunteers: A randomized clinical trial. *Int J Cardiol* 2016, 218:318-323
- Yamamoto M, Kumagai A. Anti-Atherogenic Action of Panax ginseng in Rats and in Patients with Hyperlipidemia. *Planta Med* 1982, 45(7):149 (original article or abstract not available)
- Yi SW, Sull JW, Hong JS, Linton JA, Ohr H. Association between ginseng intake and mortality: Kangwha cohort study. *J Altern Complement Med* 2009, 15(8):921-928