



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

19 March 2025
EMA/HMPC/329434/2024
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Allium sativum* L., bulbus

Draft – Revision 1

The Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Abdul M, Jiang X, Williams KM, Day RO, Roufogalis BD, Liauw WS, et al. Pharmacodynamic interaction of warfarin with cranberry but not with garlic in healthy subjects. *Br J Pharm*. 2008, 154: 1691-1700

Abraham SK, Kesavan PC. Genotoxicity of garlic, turmeric and asafoetida in mice. *Mutat Res* 1984, 136 (1): 85-88

Abramovitz D, Gavri S, Harats D, Levkovitz H, Mirelman D, Miron T et al. Allicin-induced decrease in formation of fatty streaks (atherosclerosis) in mice fed a cholesterol-rich diet. *Coron Artery Dis* 1999, 10 (7): 515-519

Ackermann RT, Mulrow CD, Ramirez G, Gardner CD, Morbidoni L, Lawrence VA. Garlic shows promise for improving some cardiovascular risk factors. *Arch Intern Med*. 2001, 161(6):813-824

Adler AJ & Holub BJ. Effect of garlic and fish-oil supplementation on serum lipid and lipoprotein concentrations in hypercholesterolemic men. *Am J Clin Nutr* 1997, 65: 445-450

Afkhami-Ardekani M, Kamali-Ardekani A, Shojaoddiny-Ardekani A. Effects of garlic on serum lipids and blood glucose of type 2 diabetic patients. *Int. J. Diab. Dev. Ctries*. 2006, 26: 86-88

Alder R, Lookinland S, Berry JA, Williams M. A systematic review of the effectiveness of garlic as an anti-hyperlipidemic agent. *J Am Acad Nurse Pract*. 2003, 15(3):120-129

Ali M. Mechanism by which garlic (*Allium sativum*) inhibits cyclooxygenase activity. Effect of raw versus boiled garlic extract on the synthesis of prostanoids. *Prostaglandins Leuk Essent Fatty Acids* 1995, 53:397-400

Ali M, Al-Qattan KK, Al-Enezi F, Khanafer RMA, Mustafa T. Effect of allicin from garlic powder on serum lipids and blood pressure in rats fed with a high cholesterol diet. *Prostaglandins Leuk Essent Fatty Acids* 2000, 62 (4): 253-259

Al-Qattan KK, Alnaqeeb MA, Ali M. The antihypertensive effect of garlic (*Allium sativum*) in the rat two-kidney--one-clip Goldblatt model. *J Ethnopharmacol* 1999, 66 (2): 217-222

Amagase H. Clarifying the real bioactive constituents of garlic. *J Nutr* 2006, 136(3 Suppl):716S-725S



- Andrianova IV, Sobenin IA, Sereda EV, Borodina LI, Studenikin MI. Effect of long-acting garlic tablets "allicor" on the incidence of acute respiratory viral infections in children. *Ter Arkh* 2003, 75(3):53-56
- Ang-Lee MK, Moss J, Yuan C. Herbal medicines and perioperative care. *JAMA* 2001, 286:208-216
- Ariga T, Oshiba S, Tamada T. Platelet aggregation inhibitor in garlic. *Lancet* 1981, 1:150-151
- Arora RC, Arora S, Gupta RK: The long-term use of garlic in ischemic heart disease. *Atherosclerosis* 1981, 40:175-179
- Arora RC, Arora S: Comparative effects of clofibrate, garlic and onion on alimentary hyperlipemia. *Atherosclerosis* 1981, 39:447-452
- Asdaq SM, Inamdar MN, Asad M, Pharmacodynamic interaction of garlic with propranolol in ischemia-reperfusion induced myocardial damage. *Pak J Pharm Sci* 2010, 23(1): 42-47
- Ashraf M, Khan R, Ashraf I. Effects of garlic on blood glucose levels and HbA1c in patients with type 2 diabetes mellitus. *J Med Plants Res* 2011, 5(13): 2922-2928
- Ashraf R, Khan RA, Ashraf I. Garlic (*Allium sativum*) supplementation with standard antidiabetic agent provides better diabetic control in type 2 diabetes patients. *Pak J Pharm Sci* 2011, 24:565-570
- Auer W, Eiber A, Hertkorn E, et al. Hypertension and hyperlipidaemia: garlic helps in mild cases. *Br J Clin Pract Suppl* 1990, 69:3-6
- Balasenthil S, Arivazhagan S, Ramachandran CR, Nagini S. Effects of garlic on 7, 12-Dimethyl benz[a]anthracene-induced hamster buccal pouch carcinogenesis. *Cancer Detect Prev* 1999, 23 (6):534-538
- Berginc K, Kristl A. The effect of garlic supplements and phytochemicals on the ADMET properties of drugs. *Expert Opin Drug Metab Toxicol* 2012, 8(3):295-310
- Banerjee SK, Maulik SK. Effect of garlic on cardiovascular disorders: a review. *Nutr J* 2002, 19:1:4
- Banerjee SK, Maulik M, Manchanda SC, Dinda AK, Das TK, Maulik SK. Garlic-induced alteration in rat liver and kidney morphology and associated changes in endogenous antioxidant status. *Food Chem Tox* 2001, 39(8):793-797
- Barnes J, Anderson LA, Phillipson JD. Herbal Medicines A guide for healthcare professionals 2nd ed. Pharmaceutical Press, London 2002, 226-36
- Barrie SA, Wright JV, Pizzorno JE. Effects of garlic oil on platelet aggregation, serum lipids and blood pressure in humans. *J Orthomol Med* 1987, 215- 221
- Beck E, Grunwald J: *Allium sativum* in der Stufentherapie der Hyperlipidämie. *Med Welt* 1993, 44:516-520 (in German)
- Beckert BW, Concannon MJ, Henry SL, Smith DS, Puckett CL. The effect of herbal medicines on platelet function: an *in vivo* experiment and review of the literature. *Plast Recons Sur* 2007, 120(7):2044-2050
- Benavides GA, Squadrito GL, Mills RW, Patel HD, Isbell TS, Patel RP, Darley-USmar VM, Doeller JE, Kraus DW. Hydrogen sulfide mediates the vasoactivity of garlic. *Proc Natl Acad Sci USA* 2007, 104(46):17977-17982
- Berginc K, Kristl A. The effect of garlic supplements and phytochemicals on the ADMET properties of drugs. *Expert Op Drug Met Tox* 2012. 8(3):295-310.
- Berthold HK, Sudhop T, Bergmann KV. Effect of a garlic oil preparation on serum lipoproteins and cholesterol metabolism. A randomized controlled trial. *JAMA* 1998, 279: 1900-1902

- Bhuvaneswari V, Abraham SK, Nagini S. Combinatorial antigenotoxic and anticarcinogenic effects of tomato and garlic through modulation of xenobiotic-metabolizing enzymes during hamster buccal pouch carcinogenesis. *Nutrition* 2005, 21:726 –731
- Biggs WH, Xiao H, Parkin KJ, Shen C, Goldman IL. Differential inhibition of human platelet aggregation by selected allium thio-sulfinates. *J Agric Food Chem* 2000, 48:5731–5735
- Bordia AK, Sanadhya SK, Rathore AS, Bhu N: Essential oil of garlic on blood lipids and fibrinolytic activity in patients with coronary artery disease. *J Assoc Phys Ind* 1978, 26:327-333
- Bordia AK, Joshi HK: Garlic on fibrinolytic activity in cases of acute myocardial infarction. *J Assoc Phys Ind* 1978, 26:323-326
- Bordia AK, Sharma KD, Parmar VK, Varma SK: Protective effect of garlic oil on the changes produced by 3 weeks of fatty diet on serum cholesterol serum triglycerides, fibrinolytic activity and platelet adhesiveness in man. *Ind Heart J* 1982, 34:86
- Bordia A. Knoblauch: und Koronare Herzkrankheit: Wirkungen einer Dreijährigen Behandlung mit Knoblauchextrakt auf die Reinfarkt, und Mortalitätsrate. *Dtsch Apoth Ztg* 1989, 129(suppl 15)1- 25 (in German)
- Bordia T, Mohammed N, Thomson M, Ali M. An evaluation of garlic and onion as antithrombotic agents, *Prostaglandins Leukot Essent Fatty Acids* 1996, 54 (3):183-186
- Bordia A, Verma SK, Srivastava KC. Effect of garlic (*Allium sativum*) on blood lipids, blood sugar, fibrinogen and fibrinolytic activity in patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 1998, 58:257-263
- Bosetti C, Negri E, Franceschi S, et al. Diet and ovarian cancer risk: a case-control study in Italy. *Int J Cancer* 2001, 93:911-915
- Bosetti C, La Vecchia C, Talamini R, et al. Food groups and laryngeal cancer risk: a case-control study from Italy and Switzerland. *Int J Cancer* 2002, 100:355 -360
- Bosetti C, Micelotta S, Dal Maso L, et al. Food groups and risk of prostate cancer in Italy. *Int J Cancer* 2004, 110:424-428
- Bosetti C, La Vecchia C, Talamini R, et al. Food groups and risk of squamous cell oesophageal cancer in northern Italy. *Int J Cancer* 2000, 87:289-294
- Brändle M, Al Makdessi S, Weber RK, Dietz K, Jacob R. Prolongation of life span in hypertensive rats by dietary interventions. Effects of garlic and linseed oil. *Basic Res Card* 1997, 92 (4):223-232
- Breithaupt-Grögler K, Ling M, Boudoulas H, Belz GG. Protective effect of chronic garlic intake on elastic properties of aorta in the elderly. *Circulation*. 1997. 96(8):2649-2655
- Breslow NE, Day NE. Statistical methods in cancer research. Vol 1. The analysis of case-control studies. *IARC Sci Publ* 1980, 32:5-338
- British herbal Pharmacopoeia, 1976, 9.
- British Herbal Pharmacopoeia, 1983, 20-21
- Brosche T, Platt D. Garlic as a phytogetic lipid lowering drug: a review of clinical trials with standardized garlic powder preparation. *Fortschritte der Medizin* 1990, 108:703–706

- Brunetti L, Menghini L, Orlando G, Recinella L, Leone S, Epifano F et al. Antioxidant effects of garlic in young and aged rat brain *in vitro*. *J Med Food* 2009, 12 (5):1166-1169
- Budoff MJ, Takasu J, Flores FR, et al. Inhibiting progression of coronary calcification using aged garlic extract in patients receiving statin therapy: a preliminary study. *Prev Med* 2004, 39, 985-991
- Buiatti E, Palli D, Decarli A, et al. A case-control study of gastric cancer and diet in Italy. *Int J Cancer* 1989, 44:611-616
- Burnham BE. Garlic as a possible risk factor for postoperative bleeding. *Plast Recons Surg* 1995, 95: 213
- Cavagnaro PF, Camargo A, Galmarini CR, Simon PW. Effect of cooking on garlic (*Allium sativum* L.) antiplatelet activity and thio-sulfinates content. *J Agric Food Chem* 2007, 55(4):1280-1288
- Chan JM, Wang F, Holly EA. Vegetable and fruit intake and pancreatic cancer in a population-based case-control study in the San Francisco Bay area. *Cancer Epidemiol Biomarkers Prev* 2005, 14:2093-2097
- Challier B, Perarnau JM, Viel JF. Garlic, onion and cereal fibre as protective factors for breast cancer: a French case-control study. *Eur J Epidemiol* 1998, 14:737-747
- Chang HS, Yamato O, Yamasaki M, Maede Y. Modulatory influence of sodium 2-propenyl thiosulfate from garlic on cyclooxygenase activity in canine platelets: possible mechanism for the anti-aggregatory effects. *Prostaglandins Leuk Essent Fatty Acids* 2005, 72:351-355
- Charles GD, Linscombe VA, Tornesi B, Mattsson JL, Gollapudi BB. An *in vitro* screening paradigm for extracts of whole foods for detection of potential toxicants *Food Chem Tox* 2002, 40(10):1391-1402
- Charlson M, McFerren M. Garlic: what we know and what we don't know. *Arch Intern Med* 2007, 167(4):325-326
- Chen YK, Lee CH, Wu IC, Liu JS, Wu DC, Lee JM et al. Food intake and the occurrence of squamous cell carcinoma in different sections of the oesophagus in Taiwanese men. *Nutrition* 2009, 25(7-8):753-761
- Chutani SK, Bordia A. The effect of fried versus raw garlic on fibrinolytic activity in man. *Atherosclerosis* 1981, 38 (3-4): 417-421
- Ciocon JO, Ciocon DG, Galindo DJ. Dietary supplements in primary care. Botanicals can affect surgical outcomes and follow-up. *Geriatrics* 2004, 59(9):20-24
- Corzo-Martinez M., Corzo N, Villameil M. Biological properties of onions and garlic. *Trends Food Sci Tech* 2007, 18:609-625
- Cox M.C., Low J, Lee J. et al. Influence of garlic (*Allium sativum*) on the Pharmacokinetics of Docetaxel. *Clin Cancer Res* 2006, 12: 4636-4640
- Czerny B, Samochowiec J. Klinische Untersuchungen mit einem Knoblauch-Lezithin-Präparat. *Arztezeitschr Naturheilverf* 1996, 37:126- 129 (in German)
- Dalvi RR. Alterations in hepatic phase I and phase II biotransformation enzymes by garlic oil in rats. *Tox Lett* 1992, 60 (3): 299-305
- Das I, Khan NS, Sooranna SR, Potent activation of nitric oxide synthase by garlic: a basis for its therapeutic applications. *Curr Med Res Opin* 1995, 13 (5): 257-263

- Das T, Roychoudhury A, Sharma A, Talukder G. Effects of crude garlic extract on mouse chromosomes *in vivo*. *Food Chem Tox* 1996, 34(1): 43-47
- D'Avanzo B, La Vecchia C, Katsouyanni K, Negri E, Trichopoulos D. An assessment, and reproducibility of food frequency data provided by hospital controls. *Eur J Cancer Prev* 1997, 6: 288-293
- Davidson JM, Cohen SM, Eisenbrand G, Fukushima S, Gooderham NJ, Guengerich FP, et al. FEMA GRAS assessment of natural flavor complexes: Asafoetida oil, garlic oil and onion oil. *Food Chem Tox* 2023, 173:113580. doi: 10.1016/j.fct.2022.113580. Epub 2023 Jan 4.
- De A Santos OS, Grunwald J. Effect of garlic powder tablets on blood lipids and blood pressure – a six months placebo controlled, double blind study. *Br J Clin Res* 1993, 4: 37-44
- Decarli A, Franceschi S, Ferraroni M, et al. Validation of a food-frequency questionnaire to assess dietary intakes in cancer studies in Italy. Results for specific nutrients. *Ann Epidemiol* 1996, 6:110-118
- Dhamija P, Malhotra S, Pandhi P. Effect of oral administration of crude aqueous extract of garlic on pharmacokinetic parameters of isoniazid and rifampicin in rabbits. *Pharmacology* 2006, 77(2):100-104
- Dixit VP, Joshi S. Effects of chronic administration of garlic (*Allium sativum* Linn) on testicular function, *Indian J Exp Biol* 1982, 20(7): 534-536
- Dutta A, Dahiya A, Prakash A, Agrawala PK. Acute toxicity of diallyl sulphide derived from *Allium sativum* (garlic) in mice and its possible mechanisms. *Phytomedicine* 2021, 1(3): 100084-100093. <https://doi.org/10.1016/j.phyplu.2021.100084>.
- Egen-Schwind C, Eckard R, Kemper FH. Metabolism of garlic constituents in the isolated perfused rat liver. *Planta Med* 1992, 58 (4):301-305
- Eming SA, Piontek JO, Hunzelmann N, Rasokat H, Scharffetter-Kachanek K: Severe toxic contact dermatitis caused by garlic. *Br J Dermatol* 1999, 141:391-392
- Ernst E. The role of complementary and alternative medicine in cancer. *Lancet Oncol* 2000, 1:176-180
- ESCAP Monographs, 2nd ed., *Allii sativi bulbus*, Garlic, European Scientific Cooperative on Phytotherapy, editor Thieme, Stuttgart, 2003, 14-25
- European Pharmacopoeia, 8th edition, 2016, monograph n° 1216
- Fulleroni AE, Zeiss CR, Levitz D: Occupational asthma secondary to inhalation of garlic dust. *J Allergy Clin Immunol* 1981, 68:156-160
- Fallon MB., Abrams GA, Abdel-Razek TT, Dai J, Chen SJ, Chen YF et al. Garlic prevents hypoxic pulmonary hypertension in rats. *Am J Phys Lung Cell Mol Physiol* 1998, 275 (2 PT 1):L283-7
- FDA 1973, Evaluation of the health aspects of garlic and oil of garlic as a food ingredient (NTIS NUMBER: PB-223 838 4)
- Foster BC, Foster MS, Vandenhoeck S, Krantis A, Budzinski JW, Arnason JT et al. An *in vitro* evaluation of human cytochrome P450 3A4 and P-glycoprotein inhibition by garlic. *J Pharm Phar Sci* 2001, 4(2): 176-184
- Franceschi S, Negri E, Salvini S, et al. Reproducibility of an Italian food frequency questionnaire for cancer studies: results for specific food items. *Eur J Cancer* 1993, 29A: 2298 –2305.
- Franceschi S, Favero A, La Vecchia C, et al. Influence of food groups and food diversity on breast cancer risk in Italy. *Int J Cancer* 1995, 63: 785 –789

- Franceschi S, Favero A, La Vecchia C, et al. Food groups and risk of colorectal cancer in Italy. *Int J Cancer* 1997, 72:56 –61
- Franceschi S, Favero A, Conti E, et al. Food groups, oils and butter, and cancer of the oral cavity and pharynx. *Br J Cancer* 1999, 80: 614 –620
- Fleischauer AT, Poole C, Arab L. Garlic consumption and cancer prevention: meta-analyses of colorectal and stomach cancers. *Am J Clin Nutr* 2000, 72:1047–1052
- Galeone C, Pelucchi C, Levi F, Negri E, Franceschi S, Talamini R et al. Onion and garlic use and human cancer. *Am J Clin Nutr*. 2006, 84(5):1027-1032
- Gallicano K, Foster B, Choudhri S. Effect of short-term administration of garlic supplements on single-dose ritonavir pharmacokinetics in healthy volunteers. *Br J Clin Pharmacol* 2003, 55 (2): 199-202
- Gao CM, Takezaki T, Ding JH, Li MS, Tajima K. Protective effect of allium vegetables against both oesophageal and stomach cancer: a simultaneous case-referent study of a high-epidemic area in Jiangsu Province, China. *Japan J Cancer Res* 1999, 90: 614 –621
- Gao YT, McLaughlin JK, Blot WJ, et al. Risk factors for oesophageal cancer in Shanghai, China. I. Role of cigarette smoking and alcohol drinking *Int J Cancer* 1994, 58:192 –196
- Gardner CD, Lawson LD, Block E, Chatterjee LM, Kiazand A, Balise RR, Kraemer HC Effect of raw garlic vs commercial garlic supplements on plasma lipid concentrations in adults with moderate hypercholesterolemia – a randomized clinical trial. *Arch Int Med* 2007, 167: 346–353
- Gadkari JV, Joshi VD. Effect of ingestion of raw garlic on serum cholesterol level, clotting time and fibrinolytic activity in normal subjects. *J Postgrad Med* 1991, 37(3):128-131
- Gebhardt R. Multiple inhibitory effects of garlic extracts, on cholesterol biosynthesis in hepatocytes. *Lipids* 1993, 28(7):613-619
- Gebhardt R, Beck H, Wagner KG. Inhibition of cholesterol biosynthesis by allicin and ajoene in rat hepatocytes and HepG2 cells. *Biochim Biophys Acta* 1994, 1213(1): 57-62
- German K, Kumar U., and Blackford HN. Garlic and the risk of TURP bleeding: A case report. *Br J Urol* 1995, 76: 518
- González CA, Pera G, Agudo A, Bueno-de-Mesquita HB, Ceroti M, Boeing H, et al. Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). *Int J Cancer* 2006, 118(10):2559-2566
- Greenblatt D, Leigh-Pemberton R., von Moltke L. *In Vitro* Interactions of Water-Soluble Garlic Components with Human Cytochromes P450. *J Nutr* 2006, 136: 806S-809S
- Han C, Liu J, Chen K, et al. Antihypertensive activities of processed garlic on spontaneously hypertensive rats and hypertensive humans. *Bot Stud* 2011, 52:277–283
- Hammami I, Nahdi A, Mauduit C, Benahmed M, et al. The inhibitory effects on adult male reproductive functions of crude garlic (*Allium sativum*) feeding. *Asian J Androl* 2008, 10 (4): 593-601
- Hammami I, Amara S, Benahmed M, El May MV and Mauduit C, Chronic crude garlic-feeding modified adult male rat testicular markers: mechanisms of action. *Reprod Biol Endocrinol*. 2009, 7: 65
- Henderson BE, Feigelson HS. Hormonal carcinogenesis. *Carcinogenesis* 2000, 21:427–433

- Hiyasat B, Sabha D, Grotzinger K, Kempfert J, Rauwald JW, Mohr FW et al. Antiplatelet activity of *Allium ursinum* and *Allium sativum*. *Pharmacol* 2009, 83 (4): 197-204
- Hsing AW, Chokkalingam AP, Gao YT, et al. Allium vegetables and risk of prostate cancer: a population-based study. *J Natl Cancer Inst* 2002, 94:1648 –1651
- Ho BE, Shen DD, McCune JS, Bui T, Risler L, Yang Z, Ho RJ. Effects of Garlic on Cytochromes P450 2C9- and 3A4-Mediated Drug Metabolism in Human Hepatocytes. *Sci Pharm* 2010, 78(3):473-81. doi: 10.3797/scipharm.1002-1011. Epub 2010 Jun 9.
- Holzgartner H, Schmidt U, Kuhn U. Comparison of the efficacy and tolerance of a garlic preparation vs. bezafibrate. *Arzneimittel* 1992, 42:1473-1477
- Hopf Y, Watson M, Williams D. Adverse-drug reaction related admissions to a hospital in Scotland. *Pharm World Sci* 2008, 30:854-862 DOI 10.1007 /s11096-008-9240-5
- Hu J, Nyren O, Wolk A, et al. Risk factors for oesophageal cancer in northeast China. *Int J Cancer* 1994, 57:38 –46
- Isaacsohn JL, Moser M, Stein E, Dudley K, Davey JA, Liskov E, Black HR. Garlic powder and plasma lipids and lipoproteins: a multicenter, randomized, placebo-controlled trial. *Arch Intern Med* 1998, 158:1189–1194
- Ismail MF, Gad MZ, Hamdy MA. Study of the hypolipidemic properties of pectin, garlic and ginseng in hypercholesterolemic rabbits. *Pharm Res* 1999, 39 (2):157-166
- Izzo AA, Capasso R, Capasso F. Eating garlic and onion: a matter of life or death. *Br J Cancer* 2004, 91: 19
- Jain AK, Vargas R, Gotzkowsky S, McMahon FG. Can garlic reduce levels of serum lipids? A controlled clinical study. *Am J Med* 1993, 94:632-635
- Joseph PK, Rao KR, Sundaresh CS. Toxic effects of garlic extract and garlic oil in rats. *Indian J Exp Biol* 1989, 27(11): 977-979
- Josling P. Preventing the common cold with a garlic supplement: a double-blind, placebo-controlled survey. *Adv Ther* 2001, 18(4):189-193
- Jung EM, Jung F, Mrowietz C, Kieseewetter H, Pindur G, Wenzel E. Influence of garlic powder on cutaneous microcirculation. A randomized placebo-controlled double-blind cross-over study in apparently healthy subjects. *Arzneimittel* 1991, 41(6): 626-630
- Kabasakal L, Sehirli O, Cetinel S, Cikler E, Gedik N, Sener G. Protective effect of aqueous garlic extract against renal ischemia/reperfusion injury in rats. *J Med Food* 2005, 8(3): 319-326
- Kalantari H, Larki A, Latifi SM. The genotoxicity study of garlic and pasipy herbal drops by peripheral blood micronucleus test *Acta Phys Hung* 2007, 94(3):261-266
- Kandziora J: Blutdruck- und lipidsenkende Wirkung eines Knoblauch- Präparates in Kombination mit einem Diuretikum (Study 1). *Arzt Forsch* 1988, 35(3):3-8
- Kannar D, Wattanapenpaiboon N, Savige GS, Wahlqvist ML. Hypocholesterolemic effect of an enteric-coated garlic supplement. *J Amer Coll Nurs* 2001, 20: 225–231
- Kaye AD, Clarke RC, Sabar R, Vig S, Dhawan KP, Hofbauer R, Kaye AM. Herbal medicines: current trends in anaesthesiology practice - a hospital survey. *J Clin Anest* 2000, 12:468–471

- Kearney PM, Whelton M, Reynolds K, Muntner P, Whelton PK, He J. Global burden of hypertension: analysis of worldwide data. *Lancet* 2005, 365(9455):217-223
- Kemper K. The Longwood Herbal Task Force. Garlic (*Allium sativum*). Revised March 8, 2000. Available at: <http://www.longwoodherbal.org/garlic/garlic.pdf>. Accessed 15/08/12
- Key TJ, Silcocks PB, Davey GK, Appleby PN, Bishop DT. A case-control study of diet and prostate cancer. *Br J Cancer* 1997, 76: 678 –687
- Khoo YS, Aziz Z. Garlic supplementation and serum cholesterol: a meta-analysis. *J Clin Pharm Ther* 2009, 34(2):133-145
- Kiesewetter H, Jung F, Pindur G, Jung EM, Mrowietz C, Wenzel E. Effect of garlic on thrombocyte aggregation, microcirculation, and other risk factors. *Int J Clin Pharm Ther Tox* 1991, 29:151-155
- Kiesewetter H, Jung F, Jung EM *et al.* Effects of garlic-coated tablets in peripheral arterial occlusive disease. *Clin Invest* 1993, 71:383-386
- Kiesewetter H, Jung EM, Mrowietz C, Koscielny J, Wenzel E. Effect of garlic on platelet aggregation in patients with increased risk of juvenile ischaemic attack. *Eur J Clin Pharm* 1993, 45:333-336
- Kim-Park S, Ku DD. Garlic elicits a nitric oxide-dependent relaxation and inhibits hypoxic pulmonary vasoconstriction in rats. *Clin Exp Pharm Physiol* 2000, 27 (10): 780-786
- Koch HP, Hahn G, Lawson L, Reuter HD, Siegers CP: Garlic-An introduction to the therapeutic application of *Allium sativum* L. Williams & Wilkins, Baltimore, im Druck 1995
- Koch HP, Lawson LD, eds. Garlic, the science and therapeutic application of *Allium sativum* L. and related species. Baltimore, Williams and Wilkins, 1996
- Lamm DL, Riggs DR. The potential application of *Allium sativum* (garlic) for the treatment of bladder cancer. *Ur Clin North Am* 2000, 27 (1): 157-162
- Lanzotti V. The analysis of onion and garlic. *J Chrom A*. 2006 21, 1112(1-2):3-22
- Lau B. Suppression of LDL Oxidation by Garlic Compounds Is a Possible Mechanism of Cardiovascular Health Benefit. *J Nutr* 2006, 136(3): 765S-768S
- Lau BHS, Lam F, Wang Cheng R. Effect of an odour-modified garlic preparation on blood lipids. *Nutr Res* 1987, 7139- 7149
- Lawson LD, Ransom DK, Hughes BG. Inhibition of whole blood platelet aggregation by compounds in garlic clove extracts and commercial garlic products. *Throm Res* 1992, 65:141-156
- Legnani C, Frascaro M, Guazzaloca G, Ludovici S, Cesarano G, Coccheri S: Effects of a dried garlic preparation on fibrinolysis and platelet aggregation in healthy subjects. *Arzneimittel* 1993, 43: 119-122
- Levi F, Pasche C, Lucchini F, Chatenoud L, Jacobs DR Jr, La Vecchia C. Refined and whole grain cereals and the risk of oral, oesophageal and laryngeal cancer. *Eur J Clin Nutr* 2000, 54: 487 –489
- Levi F, Pasche C, La Vecchia C, Lucchini F, Franceschi S. Food groups and colorectal cancer risk. *Br J Cancer* 1999, 79:1283 –1287
- Levi F, La Vecchia C, Gulie C, Negri E. Dietary factors and breast cancer risk in Vaud, Switzerland. *Nutr Cancer* 1993, 19:327-335

- Lewington S, Clarke R, Qizilbash N, Peto R, Collins R; Prospective Studies Collaboration. Age-specific relevance of usual blood pressure to vascular mortality: a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet* 2002, 360 (9349):1903-1913
- Lin YE, Lin MH, Yeh TY, Lai YS, Lu KH, Huang HS, et. al. Genotoxicity and 28-day repeated dose oral toxicity study of garlic essential oil in mice. *J Trad Complement Med* 2022, 12(6):536-544. doi: 10.1016/j.jtcme.2022.05.001. eCollection 2022 Nov.
- Liu L, Yeh YY. Water soluble organosulfur compounds of garlic inhibit fatty acid and triglyceride syntheses in cultured rat hepatocytes. *Lipids* 2001, 36 (4):395-400
- Lissiman E, Bhasale AL, Cohen M. Garlic for the common cold. *Cochrane Database Syst Rev* 2012, 3: CD006206
- Luley C, Lehmann-Leo W, Moller B, Martin T, Schwartzkopff W. Lack of efficacy of dried garlic in patients with hyperlipoproteinemia. *Arzneimittel* 1986, 36766- 36768
- Lust KD, Brown JE, Thomas W. Maternal intake of cruciferous vegetables and other foods and colic symptoms in exclusively breast-fed infants. *J Am Diet Assoc* 1996, 96:46-48
- Lutomski J: Klinische Untersuchungen Zur therapeutischen wirksamkeit von Ilya Rogiff knoblauchpillen mit Rutin. *Z Phytother* 1984, 5:938-942 (in German)
- Ma JL, Zhang L, Brown LM, Li JY, Shen L, Pan KF et al. Fifteen-year effects of *Helicobacter pylori*, garlic, and vitamin treatments on gastric cancer incidence and mortality. *J Natl Cancer Ins.* 2012, 104(6): 488-492
- Macan H, Uykipang R, Alconcel M, et al. Aged garlic extract may be safe for patients on warfarin therapy. *J Nutr* 2006, 136: 793S–795S
- Madaus G. Lehrbuch der biologischen Heilmittel, Band I, 1979, 465-478
- Mader FH. Treatment of hyperlipidaemia with garlic-powder tablets. Evidence from the German Association of General Practitioners' multicentric placebo-controlled double-blind study. *Arzneimittel-Forsch* 1990, 40: 1111–1116
- Madkor HR, Mansour SW, Ramadan G. Modulatory effects of garlic, ginger, turmeric and their mixture on hyperglycaemia, dyslipidaemia and oxidative stress in streptozotocin-nicotinamide diabetic rats. *Br J Nutr* 2011, 105(8): 1210-1217
- Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, et al. Management of Arterial Hypertension of the European Society of Hypertension; European Society of Cardiology. 2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *J Hypertension* 2007, 25(6):1105-1187
- Mansell P, Reckless PD, Lloyd L. The effect of dried garlic powder tablets on serum lipids in non-insulin dependent diabetic patients. *Eur J Clin Res* 1996, 8:25-26
- Markowitz JS, De Vane CL, Chavin KD, Robin MT, Ruan Y, Donovan JL. Effects of garlic (*Allium sativum* L.) supplementation on cytochrome P450 2D6 and 3A4 activity in healthy volunteers. *Clinical Pharmacology & Therapeutics* 2003, 74 (2): 170-177
- Martindale. The Extra Pharmacopoeia. The Pharmaceutical Press, 1972, 710

- Martiniuk AL, Lee CM, Lawes CM, Ueshima H, Suh I, Lam TH, et al. for the Asia-Pacific Cohort Studies Collaboration. Hypertension: its prevalence and population-attributable fraction for mortality from cardiovascular disease in the Asia-Pacific region. *J Hypertension* 2007, 25:73–79
- McCrindle BW, Helden E, Conner WT. Garlic extract therapy in children with hypercholesterolemia. *Arch Ped Adol Med* 1998, 152: 1089–1094
- Mellado-García P, Maisanaba S, Puerto M, Prieto AI, Marcos R, Pichardo S, Cameán AM. *In vitro* toxicological assessment of an organosulfur compound from *Allium* extract: Cytotoxicity, mutagenicity and genotoxicity studies. *Food Chem Tox* 2017, 99:231-240. doi: 10.1016/j.fct.2016.12.007. Epub 2016 Dec 8.
- Melvin KR. Effects of garlic powder tablets on patients with hyperlipidaemia in Canadian clinical practice. *Eur J Clin Res* 1996, 830- 832
- Menella JA, Beauchamp GK. Maternal diet alters the sensory qualities of human milk and the nursling's behaviour. *Paediatrics* 1991, 88:737-744
- Mennella JA, Beauchamp GK. The effects of repeated exposure to garlic-flavored milk on the nursling's behavior. *Ped Res* 1993, 34: 805-808
- Messina BA. Herbal supplements: Facts and myths-taking to your patients about herbal supplements. *J Perianesth Nurs* 2006, 21: 268 –278
- Mikhail,HG Phytochemical screening, elemental analysis and acute toxicity of aqueous extract of *Allium sativum* L. bulbs in experimental rabbits. *J Med Plant Res* 2010, 4 (4): 322-326
- Mills S, Bone K. The Essential Guide to Herbal Safety. St. Louis (MO): Elsevier Churchill Livingstone, St Louis, Missouri 2005
- Mohammad, S. F., and Woodward, S. C. Characterization of a potent inhibitor of platelet aggregation and release reaction isolated from *Allium sativum* (garlic). *Thromb Res* 1986, 44(6):793-806
- Musk SR, Clapham P, Johnson IT. Cytotoxicity and genotoxicity of diallyl sulfide and diallyl disulfide towards Chinese hamster ovary cells *Food Chem Tox* 1997, 35(3-4): 379- 385
- Nagae S, Ushijima M, Hatono S, Imai J, Kasuga S, Matsuura H et al. Pharmacokinetics of the garlic compound S-allylcysteine. *Planta Med* 1994, 60(3): 214-217
- Nakagawa S, Masamoto K, Sumioyoshi H, Kunihiro K, Harada H. [Effect of raw and extracted-aged garlic juice on growth of young rats and their organs after peroral administration]. *J Tox Sci* 1980, 5: 91-112
- Nakagawa S, Masamoto K, Sumioyoshi H, Harada H. [Acute toxicity test of garlic extract] *J Tox Sci* 1984, 9(1): 57-60 [Japanese]
- Nantz MP, Rowe CA, Muller CE, Creasy RA, Stanilka JM, Percival SS. Supplementation with aged garlic extract improves both NK and $\gamma\delta$ -T cell function and reduces the severity of cold and flu symptoms: a randomized, double-blind, placebo-controlled nutrition intervention. *Clin Nutr* 2012, 31(3):337-344
- Neil HA, Silagy CA, Lancaster T, Hodgeman J, Vos K, Moore JW et al. Garlic powder in the treatment of moderate hyperlipidaemia: a controlled trial and meta-analysis. *J R Coll Physicians Lond* 1996, 30(4):329-334
- Nwanjo HU, Oze GO. Antiarrhythmic and anti-hyperlipidaemic potentials of aqueous garlic extract in hypercholesterolaemic rats. *Internet J Nutr Wellness* 2007, 3(2)

- Obioha UE, Suru SM, Ola-Mudathir KF, Faremi TY. Hepatoprotective potentials of onion and garlic extracts on cadmium-induced oxidative damage in rats. *Biol Trace Elem Res* 2009, 129 (1-3): 143-156
- Omar SH, Al-Wabel. Organosulfur compounds and possible mechanism of garlic in cancer. *Saudi Pharm J* 2010, 18: 51-58
- Orekhov AN, Tertov VV, Sobenin IA, Pivovarov EM. Direct anti-atherosclerosis-related effects of garlic. *Ann Med* 1995, 27(1):63-65
- Papageogiou D, Corbet JP, Menezes F-Brando, Pecegueiro M, Benezra C: Allergic: contact dermatitis to garlic (*Allium sativum* L) identification of the allergens: the role of mono-, di- and trisulfides present in garlic. *Arch Dermatol Res* 1983, 275:229-234
- Paris RR, Moyse H. Précis de matière médicale, Tome II, 2nd edition, Masson et cie, Paris 1981, 60-2
- Peleg A, Herscovici T, Lipa R, Anbar R, Redler M, Beigel Y. Effect of garlic on lipid profile and psychopathologic parameters in people with mild to moderate hypercholesterolemia. *Israel Med Assoc J* 2003, 5: 637-640
- Petry JJ. Garlic and postoperative bleeding. *Plast Reconstr Surg* 1995, 96:483-484
- Phelps S & Harris WS. Garlic supplementation and lipoprotein oxidation susceptibility. *Lipids* 1993, 28: 475-477
- Piscitelli SC, Burstein AH, Welden N, Gallicano KD, Falloon J. The effect of garlic supplements on the pharmacokinetics of saquinavir. *Clin Infect Dis* 2002, 34(2): 234-238
- Plengvidhya C, Sitprija S, Chinayon S, Pasatrat S, Tankeyoon M. Effects of spray dried garlic preparation on primary hyperlipoproteinemia. *J Med Assoc Thai* 1988, 71:248-252
- Popov I, Blumstein A, Lewin G. Antioxidant effects of aqueous garlic extract. 1st communication: Direct detection using the photochemiluminescence. *Arzneimittel* 1994, 44 (5): 602-604
- Prasad K, Mantha SV, Kalra J, Lee P. Prevention of hypercholesterolemic atherosclerosis by garlic an antioxidant. *J Cardiovasc Pharma Ther* 1997, 2(4): 309-320
- Prasain JK, Barnes S. Metabolism and bioavailability of flavonoids in chemoprevention: current analytical strategies and future prospectus. *Mol Pharm* 2007, 4(6):846-864
- Qi R, Liao F, Inoue K, Yatomi Y, Sato K, Ozaki Y. Inhibition by diallyl trisulfide, a garlic component, of intracellular Ca²⁺ mobilization without affecting inositol-1,4,5-triphosphate (IP₃) formation in activated platelets. *Bioch Pharm* 2000, 60:1475-1483
- Rahman K. Effects of garlic on platelet biochemistry and physiology. *Mol Nutr Food Res* 2007, 51(11):1335-1344
- Rahmani M, Tabari AK, Niaki MRK, et al. Effect of dried garlic supplementation on blood lipids in mild and moderate hypercholesterolemic patients. *Arch Iran Med* 1999, 2: 19-23
- Reinhart KM, Talati R, White CM, Coleman CI. The impact of garlic on lipid parameters: a systematic review and meta-analysis. *Nutr Res Rev* 2009, 22:39e48
- Ried K, Frank OR, Stocks NP, Fakler P, Sullivan T. Effect of garlic on blood pressure: a systematic review and meta-analysis. *BMC Cardiovasc Dis* 2008, 8:13

- Ried K, Frank OR, Stocks NP. Aged garlic extract lowers blood pressure in patients with treated but uncontrolled hypertension: a randomised controlled trial. *Maturitas* 2010, 67(2):144-150
- Ried K, Frank OR, Stocks NP. Aged garlic extract reduces blood pressure in hypertensives: a dose-response trial. *Eur J Clin Nut* 2013, 67(1): 64-70
- Ried K, Toben C, Fakler P. Effect of garlic on serum lipids: an updated meta-analysis. *Nut Rev* 2013, 71(5): 282-299
- Rose KD, Croissant PD, Parliament CF, Levin MB. Spontaneous spinal epidural hematoma with associated platelet dysfunction from excessive garlic ingestion: a case report. *Neurosurgery* 1990, 26:880-882
- Rotzsch W, Richter V, Rassoul F, et al. Postprandial lipeaemia under treatment with *Allium sativum*. Controlled double-blind study in healthy volunteers with reduced HDL2- cholesterol levels. *Arzneimittelforsch* 1992, 42: 1223-1227
- Salem S, Salahi M, Mohseni M, Ahmadi H, Mehrsai A, Jahani Y, Pourmand G. Major dietary factors and prostate cancer risk: a prospective multicenter case-control study. *Nut Cancer* 2011, 63 (1):21-27
- Santos OSDA & Grunwald J. Effect of garlic powder tablets on blood lipids and blood pressure – a six months placebo controlled double blind study. *Br J Clin Res* 1993, 4: 37-44
- Saradeth T, Seidl S, Resch KL, et al. Does garlic alter the lipid pattern in normal volunteers? *Phytomedicine* 1994, 1:183-185
- Satitvipawee T, Rawdaree P, Indrabhakti S, et al. No effect of garlic extract supplement on serum lipid levels in hypercholesterolemic subjects. *J Med Assoc Thai* 2003, 86: 750-757
- Scharbert G, Kalb ML, Duris M, Marschalek C, Kozek-Langenecker SA. Garlic at dietary doses does not impair platelet function. *Anest Anal* 2007, 105(5):1214-1218
- Schimmer O, Krüger A, Paulini H, Haefele F. An evaluation of 55 commercial plant extracts in the Ames mutagenicity test. *Pharmazie* 1994, 49(6):448-451
- Sengupta A, Ghosh S, Das S. Modulatory influence of garlic and tomato on cyclooxygenase-2 activity, cell proliferation and apoptosis during azoxymethane induced colon carcinogenesis in rat. *Canc Let* 2004, 208:127 –136
- Serrano JCE, Castro-Boqué E, García-Carrasco A, Morán-Valero MI, González-Hedström D, Bermúdez-López M, et al. Antihypertensive Effects of an Optimized Aged Garlic Extract in Subjects with Grade I Hypertension and Antihypertensive Drug Therapy: A Randomized, Triple-Blind Controlled Trial. *Nutrients* 2023, 15: 3691. <https://doi.org/10.3390/nu15173691>
- Setiawan VW, Yu GP, Lu QY, Lu ML, Yu SZ, Mu L, et al. Allium vegetables and stomach cancer risk in China. *Asian Pac J Cancer Prev* 2005, 6: 387-395
- Shamseer L, Charrois T, Vohra S. Complementary, Holistic, and Integrative Medicine: Garlic. *Pedia Rev* 2006, 27: e77-e80
- Siegel G, Emden J, Wenzel K, Mironneau J, Stock G. Potassium channel activation in vascular smooth muscle. *Adv Exp Med Biol* 1992, 311: 53-72
- Siegers CP, Röbbke A, Pentz R. Effects of garlic preparations on superoxide production by phorbol ester activated granulocytes. *Phytomedicine* 1999, 6(1): 13-16

Shashikanth KN, Basappa SC, Murthy VS. Effect of feeding raw and boiled garlic extracts on the growth cecal microflora and serum proteins of albino rats. *Nutr Rep Int* 1986, 33(2):313-319

Silagy C, Neil A. Garlic as a lipid lowering agent--a meta-analysis. *J R Coll Physicians Lond* 1994, 28(1): 39-45

Silagy CA, Neil HA. A meta-analysis of the effect of garlic on blood pressure. *J Hyper* 1994, 12(4):463-468

Simons LA, Balasubramaniam S, Konigsmark MV, et al. On the effect of garlic on plasma lipids and lipoproteins in mild hypercholesterolaemia. *Atherosclerosis* 1994, 113: 219-225

Simons S, Wollersheim H, Thien T. A systematic review on the influence of trial quality on the effect of garlic on blood pressure. *Neth J Med* 2009, 67(6):212-219

Sitprija S, Plengvidhya C, Kangkaya V, Bhuvapanich S, Tunkayoon M. Garlic and diabetes mellitus phase II clinical trial. *Si J Med Assoc Thai* 1987, 70 Suppl 2:223-227

Sobenin IA, Nedosugova LV, Filatova LV, Balabolkin MI, Gorchakova TV, Orekhov AN. Metabolic effects of time-released garlic powder tablets in type 2 diabetes mellitus: the results of double-blinded placebo-controlled study. *Acta Diab* 2008, 45:1-6

Sobenin IA, Andrianova IV, Demidova ON, Gorchakova T, Orekhov AN. Lipid-lowering effects of time-released garlic powder tablets in double-blinded placebo-controlled randomized study. *J Ather Throm* 2008, 15(6):334-338

Sobenin IA, Pryanishnikov VV, Kunnova LM, Rabinovich YA, Martirosyan DM, Orekhov AN. The effects of time-released garlic powder tablets on multifunctional cardiovascular risk in patients with coronary artery disease. *Lipids Health Dis* 2010, 9:119

Stabler SN, Tejani AM, Huynh F, Fowkes C. Garlic for the prevention of cardiovascular morbidity and mortality in hypertensive patients. *Cochrane Database Syst Rev* 2012, 8:CD007653

Steinegger E, Hänsel R. Lehrbuch der Pharmakognosie, 3rd ed. Springer Verlag, Berlin, Heidelberg. 1972, 423-5 (in German)

Steiner M, Khan AH, Holbert D, et al. A double-blind crossover study in moderately hypercholesterolemic men that compared the effect of aged garlic extract and placebo administration on blood lipids. *Am J Clin Nut* 1996, 64: 866-870

Steiner M, Lin RS. Changes in platelet function susceptibility of lipoproteins to oxidation associated with administration of aged garlic extract. *J Cardiovasc Pharm* 1998, 31: 904-908

Steiner M, Li W. Aged garlic extract, a modulator of cardiovascular risk factors: a dose-finding study on the effects of AGE on platelet functions. *J Nut* 2001, 131(3s):980S-4S

Stevinson C, Pittler MH, Ernst E. Garlic for treating hypercholesterolemia. A meta-analysis of randomized clinical trials. *Ann Intern Med* 2000, 133(6):420-429

Stjernberg L., Berglund J. Garlic as an insect repellent. *JAMA* 2000, 284:831

Sunter W. Warfarin and garlic. *Pharm J* 1991, 246:722

Sumiyoshi H, Kanezawa A, Masamoto K, Harada H, Nakagami S, Yokota A, et al. [Chronic toxicity test of garlic extract in rats], *J Toxicol Sci* 1984, 9(1):61-75 [Japanese].

- Superko HR & Krauss RM. Garlic powder, effect on plasma lipids, postprandial lipemia, low-density lipoprotein particle size, high-density lipoprotein subclass distribution and lipoprotein (a). *J Am Coll Cardiol* 2000, 35: 321–326
- Swanston-Flatt SK, Day C, Bailey CJ, Flatt PR. Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetologia* 1990, 33 (8):462-464
- Szulińska M, Kręgielska-Narożna M, Świąteka J, Styśa P, Kuźnar-Kamińska B, Jakubowski H, et al. Garlic extract favorably modifies markers of endothelial function in obese patients –randomized double-blind placebo-controlled nutritional intervention. *Biomed & Pharm* 2018, 102: 792–797
- Tanamai J, Veeramanomai S & Indrakosas N. The efficacy of cholesterol-lowering action and side effects of garlic enteric coated tablets in man. *J Med Assoc Thai* 2004, 87:1156–1161
- Treudler R, Reuter A, Engin AM, Simon JC. A case of anaphylaxis after garlic ingestion: Is alliinase the only culprit allergen? *J Invest Allergy Clin Immunol* 2015, 25(5):374-375
- Tsai CW, Chen HW, Sheen LY, Lii CK. Garlic: Health benefits and actions. *BioMedicine* 2012: 17–29
- Tsen L, Segal S, Pothier M, Bader A. Alternative medicine use in presurgical patients. *Anesthesiology* 2000, 93:148–151
- Tsubura A, Lai YC, Kuwata M, Uehara N, Yoshizawa K. Anticancer effects of garlic and garlic-derived compounds for breast cancer control. *Anticancer Agents Med Chem* 2011, 11 (3): 249-253
- Turner B, Mølgaard C, Marckmann P. Effect of garlic (*Allium sativum*) powder tablets on serum lipids, blood pressure and arterial stiffness in normo-lipidemic volunteers: a randomised, double-blind, placebo-controlled trial. *Br J Nutr* 2004, 92: 701–706
- Valls RM, Companys J, Calderón-Pérez L, Salamanca P, Pla-Pagà L, Sandoval-Ramírez BA, et al. Effects of an Optimized Aged Garlic Extract on Cardiovascular Disease Risk Factors in Moderate Hypercholesterolemic Subjects: A Randomized, Crossover, Double-Blind, Sustained and Controlled Study. *Nutrients* 2022, 14: 405. <https://doi.org/10.3390/nu14030405>
- Van Doorn MB, Espirito Santo SM, Meijer P, Kamerling IM, Schoemaker RC, DirschVet al. Effect of garlic powder on C-reactive protein and plasma lipids in overweight and smoking subjects. *Am J Clin Nutr* 2006, 84:1324–1329
- Vastag B. Recent studies show limited association of fruit and vegetable consumption and cancer risk. *J Natl Cancer Inst* 2005, 97:474-476
- Vorberg G & Schneider B. Therapy with garlic; results of a placebo-controlled, double-blind study. *Br J Clin Pract Suppl* 1990, 69: 7–11
- Warshafsky S, Kamer RS, Sivak SL. Effect of garlic on total serum cholesterol. A meta-analysis. *Ann Intern Med* 1993, 119(7 Pt 1):599-605
- WHO monographs on selected medicinal plants, Vol. 1, *Bulbus Allii sativi*, World Health Organization, Geneva, 1999: 16-32
- WHO: Global health risks: mortality and burden of disease attributable to selected major risks. *World Health Organization Library*. 2009
- Williams MJ, Sutherland WH, McCormick MP, et al. Aged garlic extract improves endothelial function in men with coronary artery disease. *Phyto Res* 2005, 19:314–319

- Wlosinska M, Nilsson AC, Hlebowicz J, Fakhro M, Malmsjö M, Lindstedt S. Aged Garlic Extract Reduces IL-6: A Double-Blind Placebo-Controlled Trial in Females with a Low Risk of Cardiovascular Disease. *E-Based Compl Alt Med* 2021, Article ID 6636875, 9 pages. <https://doi.org/10.1155/2021/6636875>
- Wlosinska M, Nilsson AC, Hlebowicz J, Hauggaard A, Kjellin M, Fakhro M, Lindstedt S. The effect of aged garlic extract on the atherosclerotic process – a randomized double-blind placebo-controlled trial. *BMC Comp Med Ther* 2020, 20:132
- Wojcikowski K, Myers S, Brooks L. Effects of garlic oil on platelet aggregation: a double-blind placebo-controlled crossover study. *Platelets* 2007, 18(1):29-34
- Wolf-Maier K, Cooper RS, Banegas JR, Giampaoli S, Hense HW, Joffres M, et al. Hypertension prevalence and blood pressure levels in 6 European countries, Canada, and the United States. *JAMA* 2003, 289:2363–2369
- Xiao X. Re-evaluating the genotoxicity of garlic oil: Dose-dependent effects and safety considerations. *Food Chem Toxicol* 2023, 180:114039. doi: 10.1016/j.fct.2023.114039. Epub 2023 Sep 13.
- Yang CS, Chhabra SK, Hong JY, Smith TJ. Mechanisms of inhibition of chemical toxicity and carcinogenesis by diallyl sulfide (DAS) and related compounds from garlic. *J Nutr* 2001, 131(suppl):1041S–5S
- Yeh YY, Yeh SM. Garlic reduces plasma lipids by inhibiting hepatic cholesterol and triacylglycerol synthesis. *Lipids* 1994, 29 (3):189-193
- Yoshida S, Hirao Y, Nakagawa S. Mutagenicity and cytotoxicity of garlic *J Tox Sci* 1984, 9(1): 77-86 [in Japanese]
- You WC, Brown LM, Zhang L, Li JY, Jin ML, Chang YS, et al. Crystal-Mansour S, Pee D, Blot WJ, Fraumeni JF Jr, Xu GW, Gail MH. Randomized double-blind factorial trial of three treatments to reduce the prevalence of precancerous gastric lesions. *J Natl Cancer Inst* 2006, 98(14):974-983
- Zeng T, Guo FF, Zhang CL, Song FY, Zhao XL, Xie KQ. A meta-analysis of randomized, double-blind, placebo-controlled trials for the effects of garlic on serum lipid profiles. *J Sci Food Agric* 2012, 92(9):1892-1902
- Zhang XH, Lowe D, Giles P, et al. A randomized trial of the effects of garlic oil upon coronary heart disease risk factors in trained male runners. *Blood Coagul Fibrinolysis* 2000, 11:67–74
- Zhang XH, Lowe D, Giles P, Fell S, Connock MJ, Maslin DJ. Gender may affect the action of garlic oil on plasma cholesterol and glucose levels of normal subjects. *J Nutr* 2001, 131(5):1471-1478
- Zheng W, Blot WJ, Shu XO, et al. Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol* 1992, 136:178–191
- Ziaei S, Hantoshzadeh S, Rezasoltani P, Lamyian M. The effect of garlic tablet on plasma lipids and platelet aggregation in nulliparous pregnant at high risk of preeclampsia. *Eur J Obst Gyn Reprod Biology* 2001, 99(2):201-206
- Zou L, Harkey MR, Henderson GL. Effects of herbal components on cDNA-expressed cytochrome P450 enzyme catalytic activity. *Life Sci* 2002, 71(13):1579-1589