



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

19 March 2025
EMA/HMPC/524584/2024
Committee on Herbal Medicinal Products (HMPC)

List of references supporting the assessment of *Arnica montana* L., flos

Draft – Revision 1

The European Medicines Agency acknowledges that copies of the underlying works used to produce this monograph were provided for research only with exclusion of any commercial purpose.

Barnes J, Anderson LA, Philipson J D. *Arnica*. Herbal Medicines. 3rd ed. London: Pharmaceutical Press, 2007; 64-66

Berges C, Fuchs D, Opelz G, Daniel V, Naujokat D. Helenalin suppresses essential immune functions of activated CD4+ T cells by multiple mechanisms. *Molecular Immunology* 2009, 46(15): 2892-2901

Bergonzi MC, Bilia AR, Casiraghi A, Cilurzo F, Minghetti P, Montanari P. Evaluation of skin permeability of sesquiterpenes of an innovative supercritical carbon dioxide *Arnica* extract by HPLC/DAD/MS. *Pharmazie* 2005, 60(1): 36-38

Blaschek W, Hilgenfeld U, Holzgrabe U, Mörike K, Reichling J, Ruth P (editors). HagerROM 2021. Hagers Enzyklopädie der Arzneistoffe und Drogen. Wissenschaftliche Verlagsgesellschaft Stuttgart 2021: *Arnicae flos* [in German]

Blumenthal M, Goldberg A, Brinkmann J. (editors). Expanded German Commission E Monographs. American Botanical Council, Austin Texas 2000: *Arnica* flower

Brock FE. *Arnica montana* bei Venenleiden. *Zeitschrift für Phytotherapie* 1991, 12: 141-145 [in German]

Brock FE. Additiver Effekt venentypischer Hydrotherapie nach Kneipp und lokaler Arnika-Anwendungen bei patienten mit venöser Insuffizienz-Synergismus naturheilkundlicher Therapien. *Erfahrungsheilkunde* 2001, 50(6): 357-363 [in German]

Chapman DE, Holbrook DJ, Chaney SG, Hall ICH, Lee KH. In vivo and in vitro effects of helenalin on mouse hepatic microsomal cytochrome P450. *Biochemical pharmacology* 1991, 41(2): 229-235

Chapman DE, Roberts GB, Reynolds DJ, Grippo AA, Holbrook DJ, Hall IH. Acute toxicity of helenalin in BDF1 mice. *Fundamental and Applied Toxicology* 1988, 10(2): 302-312

Chetak J. Case report: drug interaction between warfarin and *Arnica*. *Pharmacy Practise News* 2011, 37

CIR Expert Panel. Final report on the safety assessment of *Arnica montana* extract and *Arnica*



montana. *International Journal of Toxicology* 2001, 20(2): 1-11

da Silva Prade J, Bálsamo EC, Machado FR, Poetini MR, Bortolotto VC, Araújo SM et al. Anti-inflammatory effect of *Arnica montana* in a UVB radiation-induced skin-burn model in mice. *Cutaneous and Ocular Toxicology* 2020, 39(2): 126-133

Delmonte S, Brusati C, Parodi A, Rebora A. Leukemia. Related Sweet's Syndrome elicited by pathergy to *Arnica*. *Dermatology* 1998, 197(2): 195-196

Eberhartinger C. Beobachtungen zur Häufigkeit von Kontaktallergien. *Zeitschrift für Hautkrankheiten* 1984, 59 (19):1283-1289 [in German]

ESCOP. Monographs. *Arnicae flos* -*Arnica flower*. European Scientific Cooperative on Phytotherapy, 2nd edition. Thieme, Stuttgart 2003

European Pharmacopoeia 11th ed. Council of Europe. *Arnica flower*. Council of Europe. 07/2022:1391

European Pharmacopoeia 11th ed. Council of Europe. *Arnica tincture*. Council of Europe. 07/2022:1809

Frerichs G, Arends G, Zoernig H. Hagers Handbuch der Pharmazeutischen Praxis. 3rd. edition, Springer-Verlag Berlin 1949, 547-548 [in German]

Göggelmann W, Schimmer O. Mutagenic activity of phytotherapeutic drugs. In: Knudsen I. (editor) Genetic toxicology of the diet. New York 1986, 63-72

Hänsel R, Keller K, Rimpler H, Schneider G (editors). Hagers Handbuch der Pharmazeutischen Praxis. 5th ed. Vol 4. Springer-Verlag, Berlin 1992, 345-352 [in German]

Hall IH, Lee KH, Starnes CO, Sumida Y, Wu RY, Waddell TG et al. Anti-inflammatory activity of sesquiterpene lactones and related compounds. *Journal of Pharmaceutical Science* 1979, 68(5): 537-542

Hausen BM. The sensitizing capacity of Compositae plants. III. The results and cross-reactions in Compositae-sensitive patients. *Dermatologica* 1979, 159(1): 1-11

Hausen BM. Arnikaallergie. *Der Hautarzt* 1980, 31: 10-17 [in German]

Hausen BM. Kokardenblumen-Allergie. *Dermatosen* 1985, 33(2): 62-65 [in German]

Jennet-Siems K. *Arnica montana* bei stumpfen Verletzungen. *Deutsche Apotheker Zeitung* 2019, 47: 44 [in German]

Jocher A, Nist G, Weiss JM, Wetzel D, Merfort I, Jakob T et al. Allergenic potential of *Arnica*-containing formulations in *Arnica*-allergic patients. *Contact Dermatitis* 2009, 61(5): 304-306

Jodynis-Liebert J, Murias M, Błoszyk E. Effect of Sesquiterpene Lactones on Antioxidant Enzymes and Some Drug-Metabolizing Enzymes in Rat Liver and Kidney. *Planta Medica* 2000, 66(3): 199-205

Juergens FM, Behrens M, Humpf HU, Robledo SM, Schmidt TJ. In Vitro Metabolism of Helenalin Acetate and 11 α ,13-Dihydrohelenalin Acetate: Natural Sesquiterpene Lactones from *Arnica*. *Metabolites* 2022, 12(1): 88

Klaas CA, Wagner G, Laufer S, Sosa S, Della Loggia R, Bomme U et al. Studies on the anti-inflammatory activity of phytopharmaceuticals prepared from *Arnica* flowers. *Planta Medica* 2002, 68(5): 385-391

Knuesel O, Weber M, Suter A. *Arnica montana* gel in osteoarthritis of the knee: an open, multicenter clinical trial. *Advances in Therapy* 2002, 19(5): 209-218

Kučera M, Kolar P, Barna M, Kučera A, Hladíková M. *Arnica*/Hydroxyethyl salicylate combination spray

for ankle distortion: a four-arm randomised double-blind study. *Pain Research and Treatment* 2011, 2011:365625

LactaMed. Arnica. Drug and Lactation Database. Bethesda (MD): National Institute of Child Health and Human Development. National Library of Medicine 2021. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK501828/>. Assessed 07/24

Lass C, Merfort I, Martin SF. In vitro and in vivo analysis of pro and anti-inflammatory effects of weak and strong contact allergenes. *Experimental Dermatology* 2010, 19(11):1007-1013

Lass C, Vocanson M, Wagner S, Schempp CM, Nicolas JF, Merfort I et al. Anti-inflammatory and immune-regulatory mechanisms prevent contact hypersensitivity in *Arnica montana* L. *Experimental Dermatology* 2008, 17(10): 849-857

List PH, Hörhammer L. (editors). Hagers Handbuch der pharmazeutischen Praxis. Springer Verlag Berlin 1972, 214-218 [in German]

Lyss G, Schmidt TJ, Merfort I, Pahl HL. Helenalin, an anti-inflammatory sesquiterpene lactone from Arnica, selectively inhibits transcription factor NF-kappaB. *Biological Chemistry* 1997, 378(9): 951-961

MacGregor JT. Mutagenic activity of hymenovin, a sesquiterpene lactone from western bitterweed. *Food and Cosmetics Toxicology* 1977, 15(3): 225-227

Machet L, Vaillant L, Callens A, Demasure M, Barruet K, Lorette G. Allergic contact dermatitis from sunflower (*Helianthus annuus*) with cross-sensitivity to arnica. *Contact Dermatitis* 1993, 28(3): 184-185

Madaus, Lehrbuch der biologischen Heilmittel. Vol. 1. Georg Olms Verlag. Hildesheim-New York 1976 (reprint from 1938) [in German]

MedicinesComplete. Herbal medicines - Evidence-based guide to the traditional uses and pharmacological properties of common herbal medicines, including information on herbal constituents, herbal medicine regulations, and commercial products. The complete Drug Reference. Royal Pharmaceutical Society. Available at: <https://www.medicinescomplete.com/#/content/herbals/HBL1000728220?hspl=Arnica>. Assessed 07/2024

Paulsen E. Contact sensitization from compositae-containing herbal remedies and cosmetics. *Contact Dermatitis* 2002, 47(4): 189-198

Paulsen E, Chistensen LP, Andersen KE. Cosmetics and herbal remedies with compositae plant extracts - are they tolerated by Compositae-allergic patients? *Contact Dermatitis* 2008, 58(1): 15-23

Pirker C, Möslinger T, Koller DY, Götz M, Jarisch R. Cross-reactivity with Tagetes in Arnica contact eczema. *Contact Dermatitis* 1992, 26(4): 217-219

Reider N, Komericki P, Hausen M, Fritsch P, Aberer W. The seamy side of natural medicines: contact sensitization to Arnica (*Arnica montana* L.) and marigold (*Calendula officinalis* L.). *Contact dermatitis* 2001, 45(5): 269-272

Robledo SM, Murillo J, Arbeláez N, Montoya A, Ospina V, Jürgens FM. Therapeutic Efficacy of Arnica in Hamsters with Cutaneous Leishmaniasis Caused by *Leishmania braziliensis* and *L. tropica*. *Pharmaceuticals* 2022, 15(7): 776

Robledo SM, Vélez ID, Schmidt TJ. Arnica Tincture Cures Cutaneous Leishmaniasis in Golden Hamsters. *Molecules* 2018, 23(1): 150

- Roehrl J, Piqué-Borràs MR, Jaklin M, Werner M, Werz O, Josef H et al. Anti-Inflammatory Activities of Arnica montana Planta Tota versus Flower Extracts: Analytical, In Vitro and In Vivo Mouse Paw Oedema Model Studies. *Plants* 2023, 12(6): 1348
- Rountree R. Roundoc Rx: Rheumatoid Arthritis - A Functional Medicine Approach. *Alternative and Complementary Therapies* 2014, 20: 114-122
- Schilcher H, Kammerer S, Wegener T. Leitfaden Phytotherapie. 3rd ed. Arnikablüten. Elsevier GmbH München 2007, 43-45 [in German]
- Schmidt TJ. Arnica montana L.: Doesn't Origin Matter? *Plants* 2023, 12: 3532
- Sharma S, Arif M, Nirala RK, Gupta R, Thakur SC. Cumulative therapeutic effects of phytochemicals in Arnica montana flower extract alleviated collagen-induced arthritis: inhibition of both pro-inflammatory mediators and oxidative stress. *Journal of the Science of Food and Agriculture* 2016, 96(5):1500-1510
- Simsek G, Sari E, Kilic R, Bayar Muluk N. Topical Application of Arnica and Mucopolysaccharide Polysulfate Attenuates Periorbital Edema and Ecchymosis in Open Rhinoplasty: A Randomized Controlled Clinical Study. *Plastic and Reconstructive Surgery* 2016, 137(3): 530e-535e
- Spettoli E, Silvani S, Lucente P, Guerra L, Vincenzi C. Contact dermatitis caused by sesquiterpene lactones. *Contact Dermatitis* 1998, 9(1): 49-50
- Standardzulassung (German Standard Marketing Authorisation). Arnikablüten Nr. 8199.99.99 published 1986 [in German]
- Standardzulassung (German Standard Marketing Authorisation). Arnikablüten Nr. 8199.99.99 published 1996 [in German]
- Standardzulassung (German Standard Marketing Authorisation). Arnikablüten Nr. 8199.99.99 published 2005 [in German]
- Wagner S, Kratz F, Merfort I. In vitro behaviour of sesquiterpene lactones and sesquiterpene lactone-containing plant preparations in human bile, plasma and human serum albumin solutions. *Planta medica* 2004a, 70(3): 227-233
- Wagner S, Merfort I. Skin penetration behaviour of sesquiterpene lactones from different Arnica preparations using a validated GC-MSD method. *Journal of Pharmaceutical and Biomedical Analysis* 2007, 43(1): 32-38
- Wagner S, Suter A, Merfort I. Skin penetration studies of Arnica preparations and of their sesquiterpene lactones. *Planta medica* 2004b, 70(10): 897-903
- WHO monographs on selected medicinal plants. Vol. 3. World Health Organization. Geneva 2007, 1-10
- Widrig R, Suter A, Saller R, Melzer J. Choosing between NSAID and Arnica for topical treatment of hand osteoarthritis in a randomised, double-blind study. *Rheumatology International* 2007, 27(6): 585-591
- Willuhn G. Arnica montana L. monograph, Basisdokumentation, Kooperation Phytopharmaka 1983
- Witzel DA, Ivie W, Dollahite JW. Mammalian toxicity of helenalin, the toxic principle of *Helenium microcephalum* DC (smallhead sneezeweed). *American Journal of Veterinary Research* 1976, 37(7): 859-861

Literature read but not cited in the AR

- Adkison JD, Bauer DW, Chang T. The effect of topical arnica on muscle pain. *The Annals of Pharmacotherapy* 2010, 44(10): 1579-1584
- Alonso D, Lazarus MC, Baumann L. Effects of topical Arnica gel on post-laser treatment bruises. *Dermatologic Surgery* 2002, 28(8): 686-688
- DAB 9. Arnikablüten. (German Pharmacopoeia, 2009), 872-876
- Benedek B, Lehnfeld R. Safety Assessment of Arnica montana for topical use. *Kooperation Phytopharmaka GbR* 2007, 1-28
- British Herbal Pharmacopoeia. Arnica. British Herbal Medicine Association 1983, 30-31
- Bradley PR (editor). British Herbal Compendium. Vol 2. Arnica flower. British Herbal Medicine Association, Bournemouth 2006
- Corazza M, Borghi A, Lauriola M, Virgili A. Use of topical herbal remedies and cosmetics: a questionnaire based investigation in dermatology out patients. *Journal of the European Academy of Dermatology and Venerology* 2009, 23(11): 1298-1303
- Coscia A, Boscarino G, Di Chiara M, Faccioli F, Pedicino R, Onestà E et al. Umbilical cord medication in healthy full-term newborns: a before-after uncontrolled quality improvement study. *European Journal of Pediatrics* 2021, 180(2): 505-511
- Francois G, Passreiter CM. Pseudoguaienolide Sesquiterpene Lactones with High Activities against the Human Malaria Parasite *Plasmodium falciparum*. *Phytotherapy Research* 2004, 18(2): 184-186
- Goedemans A, Liang K, Cottell B, Ockerby C, Bennett PN. Topical Arnica and mucopolysaccharide polysulfate (Hirudoid) to decrease bruising and pain associated with haemodialysis cannulation-related infiltration: a pilot study. *Renal Society of Australasia Journal* 2014, 10(2): 62-65
- Grippio AA, Hall IH, Kiyokawa H, Muraoka O, Shen YC, Lee KH. The cytotoxicity of helenalin, its mono and difunctional esters, and related sesquiterpene lactones in murine and human tumor cells. *Drug Design and Discovery* 1992, 8(3): 191-206
- Hall IH, Lee KH, Starnes CO, Muraoka O, Sumida Y, Waddell TG. Antihyperlipidemic activity of sesquiterpene lactones and related compounds. *Journal of Pharmaceutical Science* 1980, 69(6): 694-697
- Iauk L, Lo Bue AM, Milazzo I, Rapisarda A, Blandino G. Antibacterial activity of medical plant extracts against periodontopathic bacteria. *Phytotherapy Research* 2003, 17(6): 599-604
- Kim HL. Toxicity of sesquiterpene lactones. *Research Communications in Chemical Pathology and Pharmacology* 1980, 28(1): 189-192
- Kommission E Monographie Arnicae flos. 5 Dec 1984, BAnz.228 (German Commission E monograph) [in German]
- Kos O, Lindenmeyer MT, Tubaro A, Sosa S, Merfort I. New sesquiterpene lactones from Arnica tincture prepared from fresh flowerheads of Arnica montana. *Planta medica* 2005, 71(11): 1044-1052
- Kriplani P, Guarve K, Baghael US. Arnica montana L. - a plant of healing: review. *Journal of Pharmacy and Pharmacology* 2017, 69(8): 925-945
- Kuo-Hsiung L, Ibuka T, Rong-Yang W, Geissman TA. Structure-antimicrobial activity relationships among the sesquiterpene lactones and related compounds, *Phytochemistry* 1977, 16(8): 1177-1181

Leu S, Havey J, White LE, Martin N, Yoo SS, Rademaker AW et al. Accelerated resolution of laser-induced bruising with topical 20% arnica: a rater-blinded randomized controlled trial. *British Journal of Dermatology* 2010, 163(3): 557-563

ÖAB 9. Ed. (Austrian Pharmacopoeia) Flos Arnicae. 1960, 706 [in German]

ÖAB 90 (Austrian Pharmacopoeia), Flos Arnicae. 1991 [in German]

Pharmacopée Française X, monograph Arnica, 1978 [in French]

Rodrigues, DdF, Luna, SPL, Brondani JT, Minto BW. Comparison of morphine, ketoprofen and Arnica montana 6x and 30x per oral transmucosal or subcutaneous route for control of postoperative pain in cats subjected to hysterectomy with bilateral salpingo-oophorectomy. *Ciencia Rural* 2016, 46(2): 330-335

Rywaniak J, Luzak B, Podsedek A, Dudzinska D, Rozalski M, Watala C. Comparison of cytotoxic and anti-platelet activities of polyphenolic extracts from Arnica montana flowers and Juglans regia husks. *Platelets* 2015, 26(2): 168-176

Salinas M, Bato E. Arnica Montana and Blood Loss, Surgical Field Bleeding and Operative Time in Endoscopic Sinus Surgery: A Randomized-Controlled Trial. *Philippine Journal of Otolaryngology Head and Neck Surgery* 2016, 31: 14-16

Saluk-Juszczak J, Pawlaczyk I, Olas B, Kołodziejczyk J, Ponczek M, Nowak P et al. The effects of polyphenolic-polysaccharide conjugates from selected medical plants of asteraceae family on the peroxynitrite-induced changes in blood platelet proteins. *International Journal of Biological Macromolecules* 2010, 47(5): 700-705

Schmidt TJ, Brun R, Willuhn G, Khalid SA. Anti-trypanosomal activity of helenalin and some structurally related sesquiterpene lactones. *Planta medica* 2002, 68(8): 750-751

Schröder H, Lösche W, Strobach H, Leven W, Willuhn G, Till U et al. Helenalin and 11- α , 13-dihydrohelenalin, two constituents from *Arnica montana* L. inhibit human platelet function via thiol-dependent pathways. *Thrombosis Research* 1990, 57(6): 839-845

Tekko IA, Bonner MC, Bowen RD, Williams AC. Permeation of bioactive constituents from *Arnica montana* preparations through human skin in-vitro. *Journal of Pharmacy and Pharmacology*, 2006, 58(9): 1167-1176

Totonchi A, Guyuron B. A randomized, controlled comparison between Arnica and Steroids in the management of postrhinoplasty ecchymosis and edema. *Plastic and Reconstructive Surgery* 2007, 120(1): 271-274

Wichtl M. Teedrogen und Phytopharmaka. 6rd ed. Arnicae flos. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2016, 89-93 [in German]

Willuhn G. Arnika-Kontaktdermatitis und die sie verursachenden Kontaktallergene. *Deutsche Apotheker Zeitung* 1986, 126(78): 2038-2044 [in German]

Willuhn G, Roettger PM. Helenalin und seine Derivate, die herzwirksamen Verbindungen der Arnikablüten. *Planta medica* 1982, 45(3): 131 [in German]

Willuhn G, Roettger PM, Quack W. Untersuchungen zur antimikrobiellen Aktivität der Sesquiterpenlactone der Arnikablüten. *Pharmazeutische Zeitung* 1982, 127: 2183-2185 [in German]

Woerdenbag HJ, Merfort I, Passreiter CM, Schmidt TJ, Willuhn G, van Uden W et al. Cytotoxicity of flavonoids and sesquiterpene lactones from Arnica species against the GLC4 and the COLO 320 cell lines. *Planta medica* 1994, 60(5):434-437